


FLOS



DECORATIVE COLLECTION

LISTINO PREZZI CONSIGLIATI EUROPA LUGLIO 2020

EUROPE RECOMMENDED PRICE LIST JULY 2020

DECORATIVE COLLECTION

LISTINO PREZZI CONSIGLIATI EUROPA LUGLIO 2020

EUROPE RECOMMENDED PRICE LIST JULY 2020

ITALIANO • ENGLISH

FLOS

TABLE LAMPS

Collezione di lampade da tavolo



Aoy
P. 13



Bellhop
P. 17



Biagio
P. 24



Bon Jour
P. 24



Bon Jour unplugged
P. 25



Bon Jour Versailles
P. 25



Bon Jour Versailles small
P. 26



Copycat
P. 40



Gaku
P. 47 - 50



Gatto
P. 50



Glo-Ball Mini
P. 54



Glo-Ball Basic
P. 50-51



Glo-Ball T
P. 55



Goldman
P. 55



Gun - Bedside Gun
P. 55



Gun - Table Gun
P. 56



IC T1 High
P. 61



IC T1 Low
P. 61



IC T2
P. 61



Last Order
P. 69



Minikelvin Led
P. 63



Kelvin Edge
P. 63 - 64



Kelvin Led
P. 64 - 65



KTribe
P. 67 - 68



Lampadina
P. 68



May Day
P. 69



May Day Anniversary
P. 70



Miss K
P. 70



Miss Sissi
P. 70



Ray T
P. 83



Romeo Moon T
P.87



Romeo Soft T
P. 88



Serena
P. 90



Snoopy
P. 92



Spun Light T
P. 91 - 92



Tab T
P.94



Taccia
P. 95



Taccia Small
P. 96



Tatou T
P. 97

FLOOR LAMPS

Collezione di lampade da terra



Arco
P. 13



Bibliotheque Nationale
P. 24



Captain Flint
P. 29



Chrysalis
P. 30



Coordintes F
P. 37

INDICE • INDEX



Fantasma
P. 40




Glo-Ball F
P. 53



Gun - Lounge Gun
P. 55



IC F
P.59 - 60



Ipnos
P. 62



Kelvin F
P. 65



Ktribe F
P. 65 - 66



Luminator
P. 69



Noctambule F
P. 77 - 80



Ray F
P. 82 - 83



4 Romeo Moon F
P. 86



Romeo Soft F
P. 879



Rosy Angelis
P. 88



Sawaru
P. 88



Tatou T
P. 91



Stylos
P. 93



Superarchimoon
P. 93



Superloon
P. 94



Tab F
P. 94



Tatou T
P. 97



Toio
P. 98

SUSPENSION LAMPS

Collezione di lampade a sospensione



2097
P. 10 - 11



2620
P. 11



Aim Small
P. 12



Aim
P. 12



Arrangements
P. 14



Bulbo 57
P. 26



Chasen
P. 30



Coordinates
P. 38 - 40



Frisbi
P. 47



Fucsia
P. 47 - 48



Glo-Ball
P. 53 - 54



IC S
P. 60 - 61



Infra-Structure Episode 2
P. 62



KTribe S
P. 66 - 67



Nebula
P. 73



Noctambule
P. 73 - 77



OK
P. 80



Overlap
P. 80 - 81



Parentesi
P. 81 - 82



Ray
P. 83

INDICE • INDEX



Romeo Babe
P. 85



Romeo Moon S
P. 86



Skygarden
P. 90 - 91



Smithfield
P. 92



Splügen Braü
P. 93



String Light Cone
P. 92 - 93



String Light Sphere
P. 92 - 93



Taraxacum
P. 95 - 96



Taraxacum 88
P. 96



Tatou S
P. 97



6 Viscontea
P. 99



Wan S
P. 101



Zeppelin
P. 100

WALL & CEILING LAMPS

Collezione di lampade da parete e soffitto



265
P. 10



Ariette
P. 13



Mini Button
P. 26



Button
P. 27



Clara
P.30



Clessidra
P. 30 - 31



Coordinates
P. 34 - 37



Foglio
P. 45



Fort Knox wall
P. 46 - 47



Glo-Ball C/W
P. 51 - 52

INDEX • INDEX



Glo-Ball W
P. 521



IC CW
P. 57



KTribe W
P. 70




La Plus Belle
P. 68



Mini Glo-Ball W
P. 51



Ontherocks
P. 80



Pochette
P. 82



Romeo Babe W
P. 85 - 86



Skygarden Recessed
P. 91



Smithfield
P. 91 -92



Taraxacum C/W
P. 96



Tight Light
P. 98



Tile
P. 980



Wan C/W
P. 99



Wiring
P. 99



Abajourd'hui
P. 100



Soft Spun
P. 101 - 102

OUTDOOR/INDOOR LAMPS

Collezione di lampade da esterno/interno



Bellhop Wall
P. 17 - 19



Bellhop Bollard
P. 19 - 23



Camouflage
P. 27 - 28



Captain Flint Outdoor
P. 29



Clessidra
P. 31



Climber
P. 31 - 34



Flauta Outdoor
P. 41 - 45



Heco
P. 56 - 58



IC Wall Outdoor
P. 58 - 59



IC Floor Outdoor
P. 60

INDICE • INDEX



Ipnos
P. 62



KTribe Outdoor
P. 66



May Way
P. 70 - 72




Real Matter
P.83 - 85



Romeo Outdoor
P. 87



Superarchimoon Outdoor
P. 94

**265**

Paolo Rizzatto, 1973

Potenza · Power MAX 75W

Tensione · Voltage 220-250V



Fonte luminosa (disponibile) ·
Light source (available)
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE O · or 1 4 LED 10W
E27 965lm 2700K [e] cod. RF28782
DIMMABLE

Materiali · Materials
acciaio · steel

Peso · Weight 6,0 Kg

Finiture
Finishes


bianco · white
nero · black

Colori
Colors

○ A0300009
● A0300030

€ IVA inc / incl VAT

930,00
930,00

**2097/18 CLEAR BULBS**

Gino Sarfatti, 1958

Potenza · Power 18 x MAX 15W

Tensione · Voltage 220-250V



Fonte luminosa (disponibile) ·
Light source (available)
A+ LED 2W E14 100lm 2200K [i] cod. RF28890 DIMMABLE

Materiali · Materials
acciaio · steel

Peso · Weight 3,2 Kg

Finiture
Finishes


cromo · chrome
ottone · brass
nero opaco · matt black

Colori
Colors

▨ A1352057
● A1352059
● A1352031

€ IVA inc / incl VAT

1.390,00
1.390,00
1.390,00

**2097/18 FROSTED BULBS**

Gino Sarfatti, 1958

Potenza · Power 18 x MAX 15W

Tensione · Voltage 220-250V



Fonte luminosa (disponibile) ·
Light source (available)
A+ LED 2,7W E14 150lm 2700K [i] cod. RF28889 DIMMABLE

Materiali · Materials
acciaio · steel

Peso · Weight 3,2 Kg

Finiture
Finishes


cromo · chrome
ottone · brass
nero opaco · matt black

Colori
Colors

▨ A1351057
● A1351059
● A1351031

€ IVA inc / incl VAT

1.390,00
1.390,00
1.390,00

**2097/30 CLEAR BULBS**

Gino Sarfatti, 1958

Potenza · Power 30 x MAX 15W

Tensione · Voltage 220-250V



Fonte luminosa (disponibile) ·
Light source (available)
A+ LED 2W E14 100lm 2200K [i] cod. RF28988 DIMMABLE

Materiali · Materials
acciaio · steel

Peso · Weight 5,1 Kg

Finiture
Finishes

cromo · chrome
ottone · brass
nero opaco · matt black

Colori
Colors

▨ A1402057
● A1402059
● A1402031





€ IVA inc / incl VAT

1.890,00
1.890,00
1.890,00




[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>720 mm 2800 ø 880 mm</p>	<p>2097/30 FROSTED BULBS Gino Sarfatti, 1958 Potenza · Power 30 x MAX 15W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 2,7W E14 150lm 2700K [i] cod. <u>RF28987</u> DIMMABLE</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 5,1 Kg</p>	<p>Finiture Finishes</p> <p> Cromo · chrome Ottone · brass Nero opaco · matt black</p>	<p>Colori Colors</p> <p> A1401057 A1401059 A1401031</p>	<p>€ IVA inc I incl VAT</p> <p> 1.890,00 1.890,00 1.890,00</p>
 <p>880 mm 2800 ø 1000 mm</p>	<p>2097/50 CLEAR BULBS Gino Sarfatti, 1958 Potenza · Power 50 x MAX 15W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 2W E14 100lm 2200K [i] cod. <u>RF8890+RF28988</u> DIMMABLE</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 9,2 Kg</p>	<p>Finiture Finishes</p> <p> Cromo · chrome Ottone · brass Nero opaco · matt black</p>	<p>Colori Colors</p> <p> A1502057 A1502059 A1502031</p>	<p>€ IVA inc I incl VAT</p> <p> 2.950,00 2.950,00 2.950,00</p>
 <p>880 mm 2800 ø 1000 mm</p>	<p>2097/50 FROSTED BULBS Gino Sarfatti, 1958 Potenza · Power 50 x MAX 15W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 2,7W E14 150lm 2700K [i] cod. <u>RF28889+RF28987</u> DIMMABLE</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 9,2 Kg</p>	<p>Finiture Finishes</p> <p> Cromo · chrome Ottone · brass Nero opaco · matt black</p>	<p>Colori Colors</p> <p> A1501057 A1501059 A1501031</p>	<p>€ IVA inc I incl VAT</p> <p> 2.950,00 2.950,00 2.950,00</p>
 <p>4000 mm 730 mm 976 mm</p>	<p>2620 Ron Gilad, 2013 Potenza · Power 170W Tensione · Voltage 120-277V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available) 2620 CHIP LED 170W 11760lm total 3000K CRI85 [i]</p> <p>Materiali · Materials alluminio, PMMA, acciaio · aluminum, PMMA, steel</p> <p>ON DEMAND</p> <p>Peso · Weight 18 Kg</p>	<p>Finiture Finishes</p> <p> bianco · white</p>	<p>Colori Colors</p> <p> F0031009</p>	<p>€ IVA inc I incl VAT</p> <p> 15.500,00</p>

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**AIM SMALL**

R. & E. Bouroullec, 2014
 Potenza · Power 12W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
Light source (available)
 1 Multichip LED 12W 725lm 2700K
 CRI90 [i]

Finiture
 Finishes
 bianco · white
 nero · black

Colori
 Colors

○ F0095009
 ● F0095030

€ IVA inc / incl VAT

470,00
 470,00

ROSONE MULTIPLIO / MULTIPLE ROSE

○ F0093009
 ● F0093030

90,00
 90,00


DIMMABLE PARETE / WALL DIMMABLE

RF22227

90,00

Materiali · Materials
 alluminio, PC · aluminum, PC

Peso · Weight 1,9 Kg (1 Aim small)

**AIM SMALL CAVO SPINA/CABLE+PLUG**

R. & E. Bouroullec, 2014
 Potenza · Power 12W
 Tensione · Voltage 230V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
Light source (available)
 1 Multichip LED 12W 725lm 2700K
 CRI90 [i]

Finiture
 Finishes
 bianco · white
 nero · black

Colori
 Colors


○ F0097009
 ● F0097030

€ IVA inc / incl VAT

520,00
 520,00

Materiali · Materials
 alluminio, PC · aluminum, PC

Peso · Weight 1,9 Kg

**AIM**

R. & E. Bouroullec, 2013
 Potenza · Power 16W
 Tensione · Voltage 220/240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
Light source (available)
 1 Multichip LED 16W 895lm 2700K
 CRI90 [i]

Finiture
 Finishes
 bianco · white
 nero · black

Colori
 Colors

○ F0090009
 ● F0090030

€ IVA inc / incl VAT

650,00
 650,00

ROSONE MULTIPLIO / MULTIPLE ROSE

○ F0093009
 ● F0093030

90,00
 90,00


DIMMABLE PARETE / WALL DIMMABLE

RF22227

90,00

Materiali · Materials
 alluminio, PC · aluminum, PC

Peso · Weight 3,2 Kg (1 AIM)

**AIM CAVO SPINA/CABLE+PLUG**

R. & E. Bouroullec, 2013
 Potenza · Power 16W
 Tensione · Voltage 230V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
Light source (available)
 1 Multichip LED 16W 895lm 2700K
 CRI90 [i] DIMMABLE

Finiture
 Finishes
 bianco · white
 nero · black

Colori
 Colors

○ F0092009
 ● F0092030

€ IVA inc / incl VAT

650,00
 650,00





Materiali · Materials
 alluminio, PC · aluminum, PC

Peso · Weight 3,2 Kg




[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>ø 300 mm 600 mm</p>	<p>AOY Achille Castiglioni, 1975 Potenza · Power 1 x MAX 100W + 1 x MAX 70W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>A+ → E 1 LED 10W E27 965lm 3000K [e] A+ → D cod. RF29186 DIMMABLE + 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE o · or 1 LED 8W E27 525lm 2700K [e] cod. RF25570 DIMMABLE</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 12,1 Kg</p>	<p>Finiture Finishes opale · opal</p>	<p>Colori Colors ● F0200071</p>	<p>€ IVA inc I incl VAT 2.600,00</p>
 <p>2200/2150 mm 2400 mm 240 mm 550 mm 1510/1850 mm ø 320 mm</p>	<p>ARCO Achille and Pier Giacomo Castiglioni, 1962 Potenza · Power MAX 100W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>A+ → E 1 x 10W E27 965lm 2700K [e] cod. RF28663 DIMMABLE Interruttore on/off · On/off switch</p> <p>Materiali · Materials marmo, acciaio inox, alluminio · marble, stainless steel, aluminum</p> <p>Peso · Weight 63,8 Kg</p>	<p>Finiture Finishes acciaio · steel</p>	<p>Colori Colors F0300000</p>	<p>€ IVA inc I incl VAT 2.200,00</p>
 <p>2200/2150 mm 2400 mm 240 mm 550 mm 1416/1770 mm ø 320 mm</p>	<p>ARCO LED Achille and Pier Giacomo Castiglioni, 1962 Potenza · Power 28W Tensione · Voltage 100-240V/48V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE 1 MULTICHIP LED 28W 1224lm 2700K CRI93 [I] DIMMABLE</p> <p>Materiali · Materials marmo, acciaio inox, alluminio · marble, stainless steel, aluminum</p> <p>Peso · Weight 63,8 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes acciaio · steel</p>	<p>Colori Colors F0303000</p>	<p>€ IVA inc I incl VAT 2.250,00</p>
 <p>200 mm 800/1000 mm</p>	<p>ARIETTE 1/2 Tobia Scarpa, 1973 Potenza · Power 4 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>A+ → E 4 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 4 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE</p> <p>Materiali · Materials tessuto · fabric</p> <p>Peso · Weight 0,8 Kg (1) - 1 Kg (2)</p>	<p>Finiture Finishes tessuto · fabric tessuto · fabric</p>	<p>Colori Colors ● F0400009 ARIETTE1 ● F0500009 ARIETTE2</p>	<p>€ IVA inc I incl VAT 270,00 280,00</p>

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**ARRANGEMENTS - LINE**

Michael Anastassiades, 2018

Potenza · Power 29W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 29W 1480lm 2700K
CRI90 [i]

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,7 Kg

Finiture
Finishes

nero opaco · matt black

Colori
Colors


● F0401030

€ IVA inc I incl VAT

550,00

Rosone escluso

Ceiling rose excluded

**ARRANGEMENTS - BROKEN LINE**

Michael Anastassiades, 2018

Potenza · Power 24W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 24W 1200lm 2700K
CRI90 [i]

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,65 Kg

Finiture
Finishes

nero opaco · matt black

Colori
Colors

● F0405030

€ IVA inc I incl VAT

550,00

Rosone escluso

Ceiling rose excluded

**ARRANGEMENTS - DROP UP**

Michael Anastassiades, 2018

Potenza · Power 32W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 32W 1530lm 2700K
CRI90 [i]

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,5 Kg

Finiture
Finishes

nero opaco · matt black

Colori
Colors

● F0414030

€ IVA inc I incl VAT

760,00

Rosone escluso

Ceiling rose excluded

**ARRANGEMENTS - DROP DOWN**

Michael Anastassiades, 2018

Potenza · Power 30W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
FLEX STRIP LED 30W 1530lm 2700K
CRI90 [i]

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,5 Kg

Finiture
Finishes

nero opaco · matt black

Colori
Colors

● F0413030

€ IVA inc I incl VAT

760,00





Rosone escluso

Ceiling rose excluded



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>Rosone escluso <i>Ceiling rose excluded</i></p>	<p>ARRANGEMENTS - SQUARE SMALL</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 20W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> FLEX STRIP LED 20W 883lm 2700K CRI90 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · <i>Materials</i> alluminio · <i>aluminum</i></p> <p>Peso · <i>Weight</i> 0,5 Kg</p>	<p>Finiture <i>Finishes</i></p> <p>nero opaco · <i>matt black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0410030</p>	<p>€ IVA inc I incl VAT</p> <p>630,00</p>
 <p>Rosone escluso <i>Ceiling rose excluded</i></p>	<p>ARRANGEMENTS - SQUARE LARGE</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 34W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> FLEX STRIP LED 34W 1657lm 2700K CRI90 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · <i>Materials</i> alluminio · <i>aluminum</i></p> <p>Peso · <i>Weight</i> 0,7 Kg</p>	<p>Finiture <i>Finishes</i></p> <p>nero opaco · <i>matt black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0409030</p>	<p>€ IVA inc I incl VAT</p> <p>750,00</p>
 <p>Rosone escluso <i>Ceiling rose excluded</i></p>	<p>ARRANGEMENTS - ROUND SMALL</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 21W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> FLEX STRIP LED 21W 1068lm 2700K CRI90 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · <i>Materials</i> alluminio · <i>aluminum</i></p> <p>Peso · <i>Weight</i> 0,5 Kg</p>	<p>Finiture <i>Finishes</i></p> <p>nero opaco · <i>matt black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0406030</p>	<p>€ IVA inc I incl VAT</p> <p>580,00</p>
 <p>Rosone escluso <i>Ceiling rose excluded</i></p>	<p>ARRANGEMENTS - ROUND MEDIUM</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 35W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> FLEX STRIP LED 35W 1770lm 2700K CRI90 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · <i>Materials</i> alluminio · <i>aluminum</i></p> <p>Peso · <i>Weight</i> 0,8 Kg</p>	<p>Finiture <i>Finishes</i></p> <p>nero opaco · <i>matt black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0407030</p>	<p>€ IVA inc I incl VAT</p> <p>755,00</p>

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*



Ø 1020 mm

ARRANGEMENTS - ROUND LARGE

Michael Anastassiades, 2018

Potenza · Power 54W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·

Light source (available)

FLEX STRIP LED 54W 2751lm 2700K
CRI90 [i]

Materiali · Materials
alluminio · aluminum

Peso · Weight 1,3 Kg

Finiture
Finishes

nero opaco · matt black

Colori
Colors

● F0408030

€ IVA inc I incl VAT

990,00

Rosone escluso

Ceiling rose excluded



ARRANGEMENTS SMALL ROSE

ACCESSORI · ACCESSORIES

Tensione · Voltage 120-270V

Descrizione · Description

Rosone dimmerabile piccolo da soffitto per
l'installazione di combinazioni fino a max 70W ·
Small dimmable ceiling rose for the installation of
combinations within max 70W

Peso · Weight 1 Kg

Finiture
Finishes


nero · black

Colori
Colors

● F0416030

€ IVA inc I incl VAT

495,00



ARRANGEMENTS BIG ROSE

ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V

Descrizione · Description

Rosone dimmerabile grande da soffitto per
l'installazione di combinazioni fino a max 190W ·
Big dimmable ceiling rose for the installation of
combinations within max 190W

Peso · Weight 2,8 Kg

Finiture
Finishes


nero · black

Colori
Colors

● F0415030

€ IVA inc I incl VAT

595,00



ARRANGEMENTS RECESSED ROSE

ACCESSORI · ACCESSORIES

Tensione · Voltage 48V

Descrizione · Description

Rosone da soffitto con alimentazione remota per
l'installazione di combinazioni fino a max 190W ·
Ceiling rose with remote power supply for the
installation of combinations within max 190W

Peso · Weight 0,6 Kg

Finiture
Finishes

nero · black

Colori
Colors

● F0418030


€ IVA inc I incl VAT

625,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



BELLHOP BATTERY

E. Barber & J. Osgerby, 2018

Potenza · Power 2,5W

Tensione · Voltage IN 5V

Fonte luminosa (disponibile) ·

Light source (available)

LED INCLUDED
NOT REPLACEABLE 84 LED 2,5W 109lm 2700K CRI90 [i]
6/24 HOURS BATTERY LIFE, RECHARGEABLE
WITH MICRO-USB-C KIT

Materiali · Materials

policarbonato · polycarbonate

Peso · Weight 0,73 Kg

DIMMER INCLUDED

Finiture
Finishes


bianco · white
cioko · cioko
grigio · grey
rosso mattone · brick red
giallo · yellow
grey blue · grey blue

Colori
Colors

○ F1060009
● F1060026
● F1060020
● F1060075
● F1060019
● F1060014

€ IVA inc / incl VAT

195,00
195,00
195,00
195,00
195,00
195,00



BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·

Light source (available)

LED INCLUDED
NOT REPLACEABLE LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] NO DIMMABLE

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 1,10 Kg



Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green


Colori
Colors

● F003C21A033
● F003C21A030
● F003C21A018
● F003C21A006
|| F003C21A005
○ F003C21A001
● F003C21A012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·

Light source (available)

LED INCLUDED
NOT REPLACEABLE LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] DIMMABLE 1-10V

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 1,10 Kg



Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green


Colori
Colors

● F003C21B033
● F003C21B030
● F003C21B018
● F003C21B006
|| F003C21B005
○ F003C21B001
● F003C21B012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·

Light source (available)

LED INCLUDED
NOT REPLACEABLE LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] DIMMABLE DALI

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 1,10 Kg



Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green

Colori
Colors

● F003C21D033
● F003C21D030
● F003C21D018
● F003C21D006
|| F003C21D005
○ F003C21D001
● F003C21D012


€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**BELLHOP WALL OUTDOOR/INDOOR**

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] NO DIMMABLE

Materiali · Materials
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · Weight 1,10 Kg

Finiture
Finishes

antracite · *anthracite*
nero · *black*
deep brown · *deep brown*
grigio · *grey*
acciaio inox · *stainless steel*
bianco · *white*
forest green · *forest green*


Colori
Colors

● F003C31A033
● F003C31A030
● F003C31A018
● F003C31A006
▨ F003C31A005
○ F003C31A001
● F003C31A012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

**BELLHOP WALL OUTDOOR/INDOOR**

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] DIMMABLE 1-10V

Materiali · Materials
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · Weight 1,10 Kg

Finiture
Finishes

antracite · *anthracite*
nero · *black*
deep brown · *deep brown*
grigio · *grey*
acciaio inox · *stainless steel*
bianco · *white*
forest green · *forest green*


Colori
Colors

● F003C31B033
● F003C31B030
● F003C31B018
● F003C31B006
▨ F003C31B005
○ F003C31B001
● F003C31B012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

**BELLHOP WALL OUTDOOR/INDOOR**

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] DIMMABLE DALI

Materiali · Materials
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · Weight 1,10 Kg

Finiture
Finishes

antracite · *anthracite*
nero · *black*
deep brown · *deep brown*
grigio · *grey*
acciaio inox · *stainless steel*
bianco · *white*
forest green · *forest green*


Colori
Colors

● F003C31D033
● F003C31D030
● F003C31D018
● F003C31D006
▨ F003C31D005
○ F003C31D001
● F003C31D012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

**BELLHOP WALL OUTDOOR/INDOOR**

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] NO DIMMABLE

Materiali · Materials
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · Weight 1,10 Kg

Finiture
Finishes

antracite · *anthracite*
nero · *black*
deep brown · *deep brown*
grigio · *grey*
acciaio inox · *stainless steel*
bianco · *white*
forest green · *forest green*

Colori
Colors

● F003C41A033
● F003C41A030
● F003C41A018
● F003C41A006
▨ F003C41A005
○ F003C41A001
● F003C41A012

€ IVA inc I incl VAT


vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] DIMMABLE 1-10

Materiali · Materials
alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 1,10 Kg

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green


Colori
Colors

F003C41B033
F003C41B030
F003C41B018
F003C41B006
F003C41B005
F003C41B001
F003C41B012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] DIMMABLE DALI

Materiali · Materials
alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 1,10 Kg

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green


Colori
Colors

F003C41D033
F003C41D030
F003C41D018
F003C41D006
F003C41D005
F003C41D001
F003C41D012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP BOLLARD H 380 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] NO DIMMABLE

Materiali · Materials
alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green


Colori
Colors

F003A21A033
F003A21A030
F003A21A018
F003A21A006
F003A21A005
F003A21A001
F003A21A012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP BOLLARD H 380 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] DIMMABLE 1-10

Materiali · Materials
alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green

Colori
Colors

F003A21B033
F003A21B030
F003A21B018
F003A21B006
F003A21B005
F003A21B001
F003A21B012


€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**BELLHOP BOLLARD H 380 OUTDOOR**

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] DIMMABLE DALI

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg

Finiture
Finishesantracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest greenColori
Colors● F003A21D033
● F003A21D030
● F003A21D018
● F003A21D006
|| F003A21D005
○ F003A21D001
● F003A21D012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist**BELLHOP BOLLARD H 380 OUTDOOR**

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] NO DIMMABLE


Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg

Finiture
Finishesantracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest greenColori
Colors● F003A31A033
● F003A31A030
● F003A31A018
● F003A31A006
|| F003A31A005
○ F003A31A001
● F003A21A012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist**BELLHOP BOLLARD H 380 OUTDOOR**

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] DIMMABLE 1-10


Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg

Finiture
Finishesantracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest greenColori
Colors● F003A31B033
● F003A31B030
● F003A31B018
● F003A31B006
|| F003A31B005
○ F003A31B001
● F003A21B012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist**BELLHOP BOLLARD H 380 OUTDOOR**

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] DIMMABLE DALI

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg


Finiture
Finishesantracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest greenColori
Colors● F003A31D033
● F003A31D030
● F003A31D018
● F003A31D006
|| F003A31D005
○ F003A31D001
● F003A21D012

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelistper gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



BELLHOP BOLLARD H 380 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)

LED INCLUDED
NOT REPLACEABLE

LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] NO DIMMABLE

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green

Colori
Colors

F003A41A033
F003A41A030
F003A41A018
F003A41A006
F003A41A005
F003A41A001
F003A41A012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP BOLLARD H 380 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)

LED INCLUDED
NOT REPLACEABLE

LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] DIMMABLE 1-10

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green


Colori
Colors

F003A41B033
F003A41B030
F003A41B018
F003A41B006
F003A41B005
F003A41B001
F003A41B012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP BOLLARD H 380 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)

LED INCLUDED
NOT REPLACEABLE

LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] DIMMABLE DALI

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 2,20 Kg

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green


Colori
Colors

F003A41D033
F003A41D030
F003A41D018
F003A41D006
F003A41D005
F003A41D001
F003A41D012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP BOLLARD H 850 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)

LED INCLUDED
NOT REPLACEABLE

LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] NO DIMMABLE

Materiali · Materials

alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 3,0 Kg

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green

Colori
Colors

F003B21A033
F003B21A030
F003B21A018
F003B21A006
F003B21A005
F003B21A001
F003B21A012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



ø 125 mm
73 mm
850 mm

BELLHOP BOLLARD H 850 OUTDOOR
E. Barber & J. Osgerby, 2018
Potenza · Power 8W
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] DIMMABLE 1-10V

Materiali · Materials
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · Weight 3,0 Kg

Finiture
Finishes
antracite · *anthracite*
nero · *black*
deep brown · *deep brown*
grigio · *grey*
acciaio inox · *stainless steel*
bianco · *white*
forest green · *forest green*

Colori
Colors
● F003B21B033
● F003B21B030
● F003B21B018
● F003B21B006
◐ F003B21B005
○ F003B21B001
● F003B21B012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist



ø 125 mm
73 mm
850 mm

BELLHOP BOLLARD H 850 OUTDOOR
E. Barber & J. Osgerby, 2018
Potenza · Power 8W
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
LED 8W 783lm ≠ FIXT 551lm 2700K
CRI80 [i] DIMMABLE DALI

Materiali · Materials
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · Weight 3,0 Kg

Finiture
Finishes
antracite · *anthracite*
nero · *black*
deep brown · *deep brown*
grigio · *grey*
acciaio inox · *stainless steel*
bianco · *white*
forest green · *forest green*

Colori
Colors
● F003B21D033
● F003B21D030
● F003B21D018
● F003B21D006
◐ F003B21D005
○ F003B21D001
● F003B21D012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist



ø 125 mm
73 mm
850 mm

BELLHOP BOLLARD H 850 OUTDOOR
E. Barber & J. Osgerby, 2018
Potenza · Power 8W
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] NO DIMMABLE

Materiali · Materials
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · Weight 3,0 Kg

Finiture
Finishes
antracite · *anthracite*
nero · *black*
deep brown · *deep brown*
grigio · *grey*
acciaio inox · *stainless steel*
bianco · *white*
forest green · *forest green*

Colori
Colors
● F003B31A033
● F003B31A030
● F003B31A018
● F003B31A006
◐ F003B31A005
○ F003B31A001
● F003B31A012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist



ø 125 mm
73 mm
850 mm

BELLHOP BOLLARD H 850 OUTDOOR
E. Barber & J. Osgerby, 2018
Potenza · Power 8W
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] DIMMABLE 1-10

Materiali · Materials
alluminio, acciaio inox · *aluminium, stainless steel*

Peso · Weight 3,0 Kg


Finiture
Finishes
antracite · *anthracite*
nero · *black*
deep brown · *deep brown*
grigio · *grey*
acciaio inox · *stainless steel*
bianco · *white*
forest green · *forest green*

Colori
Colors
● F003B31B033
● F003B31B030
● F003B31B018
● F003B31B006
◐ F003B31B005
○ F003B31B001
● F003B31B012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*



BELLHOP BOLLARD H 850 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 816lm ≠ FIXT 580lm 3000K
CRI80 [i] DIMMABLE DALI

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green

Colori
Colors

● F003B31D033
● F003B31D030
● F003B31D018
● F003B31D006
|| F003B31D005
○ F003B31D001
● F003B31D012

€ IVA inc I incl VAT


vedi Listino Outdoor
see Flos Outdoor pricelist

Materiali · Materials
alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 3,0 Kg



per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP BOLLARD H 850 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] NO DIMMABLE

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green

Colori
Colors

● F003B41A033
● F003B41A030
● F003B41A018
● F003B41A006
|| F003B41A005
○ F003B41A001
● F003B41A012

€ IVA inc I incl VAT


vedi Listino Outdoor
see Flos Outdoor pricelist

Materiali · Materials
alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 3,0 Kg



per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP BOLLARD H 850 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] DIMMABLE 1-10V

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green

Colori
Colors

● F003B41B033
● F003B41B030
● F003B41B018
● F003B41B006
|| F003B41B005
○ F003B41B001
● F003B41B012

€ IVA inc I incl VAT


vedi Listino Outdoor
see Flos Outdoor pricelist

Materiali · Materials
alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 3,0 Kg



per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



BELLHOP BOLLARD H 850 OUTDOOR

E. Barber & J. Osgerby, 2018

Potenza · Power 8W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 8W 873lm ≠ FIXT 607lm 4000K
CRI80 [i] DIMMABLE DALI

Finiture
Finishes

antracite · anthracite
nero · black
deep brown · deep brown
grigio · grey
acciaio inox · stainless steel
bianco · white
forest green · forest green

Colori
Colors

● F003B41D033
● F003B41D030
● F003B41D018
● F003B41D006
|| F003B41D005
○ F003B41D001
● F003B41D012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist





Materiali · Materials
alluminio, acciaio inox · aluminium, stainless steel

Peso · Weight 3,0 Kg







per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com





[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>ø 385 mm 345 mm 130 mm</p>	<p>BIAGIO Tobia Scarpa, 1968 Potenza · Power MAX 70W Tensione · Voltage 220-250V</p>	<p>Finiture Finishes marmo · marble</p>	<p>Colori Colors ○ F0700000</p>	<p>€ IVA inc / incl VAT 5.100,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 10W E27 965lm 3000K [e] cod. <u>RF29186</u> DIMMABLE 0 · or 1 LED 10W E27 965lm 2700K [e] cod. <u>RF28782</u> DIMMABLE</p>				
<p>Materiali · Materials marmo · marble</p>				
<p>Peso · Weight 7,5 Kg</p>		<p>CE □ IP 20</p>		
 <p>ø 400 mm 1500 mm</p>	<p>BIBLIOTHEQUE NATIONALE Philippe Starck, 2013 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes trasparente · transparent argento · silver bronzo · bronze tessuto · fabric fumè · fumée</p>	<p>Colori Colors ● F1011000 ● F1011004 ● F1011046 ● F1011007 ● F1011030</p>	<p>€ IVA inc / incl VAT 1.890,00 1.890,00 1.890,00 1.890,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 21W E27 2452lm 3000K [e] cod. <u>RF26998</u> DIMMABLE + CHARGER USB 5VDC</p>				
<p>Materiali · Materials PC, acciaio inox, metacrilato · PC, stainless steel, methacrylate</p>				
<p>Peso · Weight 10,3 Kg DIMMER INCLUDED</p>		<p>CE □ IP 20</p>		
 <p>ø 283 mm 410 mm ø 212 mm</p>	<p>BON JOUR Philippe Starck, 2015 Potenza · Power 13W Tensione · Voltage 100-240V/24V</p>	<p>Finiture Finishes bianco · white cromo · chrome rame · copper cromo opaco · matt chrome</p>	<p>Colori Colors ○ F1032009 ▨ F1032057 ● F1032015 ● F1032046</p>	<p>€ IVA inc / incl VAT 490,00 510,00 540,00 490,00</p>
<p>LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · Light source (available) EDGE LIGHTING 13W 884lm 2700K CRI90 [i] DIMMABLE</p>				
<p>Materiali · Materials polimetilmetacrilato · polymethylmethacrylate</p>				
<p>Peso · Weight 2,0 Kg DIMMER INCLUDED</p>		<p>CE □ IP 20</p>		
 <p>ø 316 mm 75 mm</p>	<p>BON JOUR ACCESSORI · ACCESSORIES</p>	<p>Finiture Finishes giallo · yellow ambra · amber rafia · rattan tessuto · fabric trasparente · transparent fumè · fumée</p>	<p>Colori Colors ● F1033019 ● F1033070 ● F1033088 ● F1033007 ● F1033000 ● F1033030</p>	<p>€ IVA inc / incl VAT 50,00 50,00 90,00 90,00 40,00 50,00</p>
<p>Descrizione · Description Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</p>				

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



 <p>ø 103 mm 270 mm ø 91 mm</p>	<p>BON JOUR UNPLUGGED</p> <p>Philippe Starck, 2015</p> <p>Potenza · Power 2,5W</p> <p>Tensione · Voltage 100-240V/5V</p>	<p>Finiture Finishes</p> <p>bianco · white cromo · chrome rame · copper cromo opaco · matt chrome</p>	<p>Colori Colors</p> <p>○ F1037009 ▨ F1037057 ● F1037015 ● F1037046</p>	<p>€ IVA inc I incl VAT</p> <p>260,00 280,00 280,00 280,00</p>
	<p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>EDGE LIGHTING 2,5W 114lm 2700K CRI 90 [i] DIMMABLE 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT</p>	<p>Materiali · Materials alluminio, ABS, PMMA · aluminum, ABS, PMMA</p> <p>Peso · Weight 0,6 Kg DIMMER INCLUDED</p>	<p>CE   </p>	



 <p>ø 131,5 mm 55 mm</p>	<p>BON JOUR UNPLUGGED ACCESSORI · ACCESSORIES</p> <p>Descrizione · Description Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</p>	<p>Finiture Finishes</p> <p>giallo · yellow ambra · amber rafia · rattan tessuto · fabric trasparente · transparent fumè · fumée rosso · red</p>	<p>Colori Colors</p> <p>● F1036019 ● F1036070 ● F1036088 ● F1036007 ● F1036000 ● F1036030 ● F1036035</p>	<p>€ IVA inc I incl VAT</p> <p>20,00 20,00 55,00 55,00 15,00 20,00 20,00</p>
	<p>Materiali · Materials polimetilmetacrilato · polymethylmethacrylate</p> <p>Peso · Weight 1,54 Kg DIMMER INCLUDED</p>	<p>CE   </p>		



 <p>ø 316 mm 423 mm ø 175 mm</p>	<p>BON JOUR VERSAILLES</p> <p>Philippe Starck, 2017</p> <p>Potenza · Power 13W</p> <p>Tensione · Voltage 100-240V/24V</p>	<p>Finiture Finishes</p> <p>cromo · chrome rame · copper</p>	<p>Colori Colors</p> <p>▨ F1041057 ● F1041015</p>	<p>€ IVA inc I incl VAT</p> <p>540,00 560,00</p>
	<p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>EDGE LIGHTING 13W 811lm 2700K CRI90 [i] DIMMABLE</p>	<p>Materiali · Materials polimetilmetacrilato · polymethylmethacrylate</p> <p>Peso · Weight 1,54 Kg DIMMER INCLUDED</p>	<p>CE   </p>	




 <p>ø 316 mm 75 mm</p>	<p>BON JOUR VERSAILLES ACCESSORI · ACCESSORIES</p> <p>Descrizione · Description Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</p>	<p>Finiture Finishes</p> <p>giallo · yellow ambra · amber rafia · rattan tessuto · fabric trasparente · transparent fumè · fumée</p>	<p>Colori Colors</p> <p>● F1033019 ● F1033070 ● F1033088 ● F1033007 ● F1033000 ● F1033030</p>	<p>€ IVA inc I incl VAT</p> <p>50,00 50,00 90,00 90,00 40,00 50,00</p>
	<p>Materiali · Materials polimetilmetacrilato · polymethylmethacrylate</p> <p>Peso · Weight 1,54 Kg DIMMER INCLUDED</p>	<p>CE   </p>		

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>ø 131,5 mm 272 mm ø 115 mm</p>	BON JOUR VERSAILLES SMALL Philippe Starck, 2017 Potenza · Power 3,5W Tensione · Voltage 100-240V/24V	Finiture Finishes cromo · chrome rame · copper	Colori Colors F1042057 F1042015	€ IVA inc / incl VAT 270,00 270,00
	LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · Light source (available) EDGE LIGHTING 2,5W 208lm 2700K CRI 90 [i] DIMMABLE	Materiali · Materials polimetilmetacrilato · polymethylmethacrylate	Peso · Weight 0,28 Kg DIMMER INCLUDED	





 <p>ø 131,5 mm 55 mm</p>	BON JOUR VERSAILLES SMALL ACCESSORI · ACCESSORIES Descrizione · Description Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.	Finiture Finishes giallo · yellow ambra · amber rafia · rattan tessuto · fabric trasparente · transparent fumè · fumée rosso · red	Colori Colors F1036019 F1036070 F1036088 F1036007 F1036000 F1036030 F1036035	€ IVA inc / incl VAT 20,00 20,00 55,00 55,00 15,00 20,00 20,00
		Materiali · Materials vetro · glass	Peso · Weight 0,87 Kg	

 <p>max 2000 mm ø200 mm</p>	BULBO 57 Achille and Pier Giacomo Castiglioni, 2019 Potenza · Power 6W Tensione · Voltage 240/24V	Finiture Finishes vetro · glass	Colori Colors F1050000	€ IVA inc / incl VAT 550,00
	LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · Light source (available) micro LED 6W 210-450lm 2200K CRI 95 [i]	Materiali · Materials vetro · glass	Peso · Weight 0,87 Kg	

 <p>ø 140 mm 46 mm</p>	MINI BUTTON Piero Lissoni, 2005 Potenza · Power MAX 25W Tensione · Voltage 220-250V	Finiture Finishes policarbonato · polycarbonate vetro · glass	Colori Colors F1491009 F1490009	€ IVA inc / incl VAT 150,00 170,00
	 A+ → E Fonte luminosa (disponibile) · Light source (available) 1 LED 3W G9 290lm 2700K* [e] cod. 28425 o · or 1 LED 2W G9 240lm 2700K* [e] cod. RF26520	Materiali · Materials policarbonato o vetro · polycarbonate or glass	Peso · Weight 0,3 Kg (pol.) - 0,6 Kg (vetro/glass)	

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>80 mm</p> <p>ø 410 mm</p>	<p>BUTTON</p> <p>Piero Lissoni, 2004</p> <p>Potenza · Power 22W + 40W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>A 1 x 22W 2GX13 T5 FSC 1800lm warm white [e] cod. RF11177 + 1 x 40W 2GX13 T5 FSC 3400lm warm white [e] cod. RF11178</p> <p>Ballast elettronico · Electronic Ballast</p> <p>Materiali · Materials policarbonato · polycarbonate</p> <p>Peso · Weight 2,1 Kg</p>	<p>Finiture Finishes</p> <p>bianco · white</p>	<p>Colori Colors</p> <p>○ F3180009</p>	<p>€ IVA inc I incl VAT</p> <p>295,00</p>
 <p>100 mm</p> <p>ø 470 mm</p>	<p>BUTTON HL</p> <p>Piero Lissoni, 2005</p> <p>Potenza · Power 5 x MAX 40W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>A++ → E 5 LED 3W G9 290lm 2700K* [e] cod. 28425 o · or 5 LED 2W G9 240lm 2700K* [e] cod. RF26520</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 13,5 Kg</p>	<p>Finiture Finishes</p> <p>bianco · white</p>	<p>Colori Colors</p> <p>○ F3190009</p>	<p>€ IVA inc I incl VAT</p> <p>495,00</p>
 <p>32/35 mm</p> <p>ø 140 mm</p>	<p>CAMOUFLAGE 140 OUTDOOR/INDOOR</p> <p>Piero Lissoni, 2017</p> <p>Potenza · Power 8W</p> <p>Tensione · Voltage 24V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE MID-POWER LED 8W 786lm ≠ FIXT 474lm 2700K CRI80 24V [i]</p> <p>Materiali · Materials alluminio, policarbonato, pietra, cemento · aluminum, polycarbonate, stone, concrete</p> <p>Peso · Weight 0,45 Kg</p>	<p>Finiture Finishes</p> <p>cemento · concrete crema d'Orcia · crema d'Orcia Basaltina · Basaltina primer · primer bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown forest green · forest green</p>	<p>Colori Colors</p> <p>● F1310089 ● F1310090 ● F1310087 ○ F1310000 ○ F1310001 ● F1310006 ● F1310033 ● F1310030 ● F1310018 ● F1310012</p>	<p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Flos Outdoor pricelist</p>
 <p>32/35 mm</p> <p>ø 140 mm</p>	<p>CAMOUFLAGE 140 OUTDOOR/INDOOR</p> <p>Piero Lissoni, 2017</p> <p>Potenza · Power 8W</p> <p>Tensione · Voltage 24V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE MID-POWER LED 8W 913lm ≠ FIXT 551lm 3000K CRI80 24V [i]</p> <p>Materiali · Materials alluminio, policarbonato, pietra, cemento · aluminum, polycarbonate, stone, concrete</p> <p>Peso · Weight 0,45 Kg</p>	<p>Finiture Finishes</p> <p>cemento · concrete crema d'Orcia · crema d'Orcia Basaltina · Basaltina primer · primer bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown forest green · forest green</p>	<p>Colori Colors</p> <p>● F1311089 ● F1311090 ● F1311087 ○ F1311000 ○ F1311001 ● F1311006 ● F1311033 ● F1311030 ● F1311018 ● F1311012</p>	<p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Flos Outdoor pricelist</p>

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

32/35 mm



ø 140 mm

CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 8W

Tensione · Voltage 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 8W 960lm ≠ FIXT
579lm 4000K CRI80 24V [i]

Materiali · Materials

alluminio, policarbonato, pietra, cemento ·
aluminum, polycarbonate, stone, concrete

Peso · Weight 0,45 Kg

Finiture
Finishes

cemento · concrete
crema d'Orcia · crema d'Orcia
Basaltina · Basaltina
primer · primer
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

● F1312089
● F1312090
● F1312087
● F1312000
○ F1312001
● F1312006
● F1312033
● F1312030
● F1312018
● F1312012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



42/48 mm



ø 240 mm

CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 12W 1281lm ≠ FIXT
773lm 2700K CRI80 220-240V [i]

Materiali · Materials

alluminio, policarbonato, pietra, cemento ·
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg

Finiture
Finishes

cemento · concrete
crema d'Orcia · crema d'Orcia
Basaltina · Basaltina
primer · primer
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown

Colori
Colors

● F1315089
● F1315090
● F1315087
● F1315000
○ F1315001
● F1315006
● F1315033
● F1315030
● F1315018
● F1315012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



42/48 mm



ø 240 mm

CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 12W 1488lm ≠ FIXT
898lm 3000K CRI80 220-240V [i]

Materiali · Materials

alluminio, policarbonato, pietra, cemento ·
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg

Finiture
Finishes

cemento · concrete
crema d'Orcia · crema d'Orcia
Basaltina · Basaltina
primer · primer
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

● F1316089
● F1316090
● F1316087
● F1316000
○ F1316001
● F1316006
● F1316033
● F1316030
● F1316018
● F1311012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



42/48 mm



ø 240 mm

CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 12W 1563lm ≠ FIXT
944lm 4000K CRI80 220-240V [i]

Materiali · Materials

alluminio, policarbonato, pietra, cemento ·
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg

Finiture
Finishes

cemento · concrete
crema d'Orcia · crema d'Orcia
Basaltina · Basaltina
primer · primer
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

● F1317089
● F1317090
● F1317087
● F1317000
○ F1317001
● F1317006
● F1317033
● F1317030
● F1317018
● F1311012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99











	CAPTAIN FLINT Michael Anastassiades, 2015 Potenza · Power 20W Tensione · Voltage 100-240V/48V	Finiture <i>Finishes</i> ottone spazzolato · <i>brushed brass</i> antracite · <i>anthracite</i>	Colori <i>Colors</i> ● F1530059 ● F1530030	€ IVA inc / incl VAT 1.350,00 1.350,00
	Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED NOT REPLACEABLE 1 COB LED 20W 557lm 2700K CRI93 [i] DIMMABLE	Materiali · <i>Materials</i> acciaio, policarbonato, marmo · <i>steel, polycarbonate, marble</i> Peso · <i>Weight</i> 9 Kg DIMMER INCLUDED		

	CAPTAIN FLINT OUTDOOR/INDOOR Michael Anastassiades, 2019 Potenza · Power 13W Tensione · Voltage 100-240V	Finiture <i>Finishes</i> acciaio inox · <i>stainless steel</i> (occhio di pernice marble) ottone · <i>brass</i> (grey lava marble) deep brown · <i>deep brown</i> (travertino imperiale marble) nero · <i>black</i> (black lava marble) rosso burgundy · <i>red burgundy</i> (black lava marble)	Colori <i>Colors</i> ● F011A24F005 ● F011A23F059 ● F011A21F018 ● F011A22F030 ● F011A22F037	€ IVA inc / incl VAT vedi Listino Outdoor <i>see Flos Outdoor pricelist</i>
	Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED NOT REPLACEABLE 1 COB LED 13W 557lm 2700K CRI80 [i] DIMMABLE	Materiali · <i>Materials</i> acciaio, policarbonato, alluminio, ottone, marmo · <i>steel, polycarbonate, aluminium, brass, marble</i> Peso · <i>Weight</i> 10 Kg DIMMER INCLUDED		

	CAPTAIN FLINT OUTDOOR/INDOOR Michael Anastassiades, 2019 Potenza · Power 13W Tensione · Voltage 230-240V	Finiture <i>Finishes</i> acciaio inox · <i>stainless steel</i> (occhio di pernice marble) ottone · <i>brass</i> (grey lava marble) deep brown · <i>deep brown</i> (travertino imperiale marble) nero · <i>black</i> (black lava marble) red burgundy · <i>red burgundy</i> (black lava marble)	Colori <i>Colors</i> ● F011A34F005 ● F011A33F059 ● F011A31F018 ● F011A32F030 ● F011A32F037	€ IVA inc / incl VAT vedi Listino Outdoor <i>see Flos Outdoor pricelist</i>
	Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED NOT REPLACEABLE 1 COB LED 20W 598lm 3000K CRI80 [i] DIMMABLE	Materiali · <i>Materials</i> acciaio, policarbonato, alluminio, ottone, marmo · <i>steel, polycarbonate, aluminium, brass, marble</i> Peso · <i>Weight</i> 10 Kg		

	CAPTAIN FLINT OUTDOOR/INDOOR Michael Anastassiades, 2019 Potenza · Power 13W Tensione · Voltage 230-240V	Finiture <i>Finishes</i> acciaio inox · <i>stainless steel</i> (occhio di pernice marble) ottone · <i>brass</i> (grey lava marble) deep brown · <i>deep brown</i> (travertino imperiale marble) nero · <i>black</i> (black lava marble) red burgundy · <i>red burgundy</i> (black lava marble)	Colori <i>Colors</i> ● F011A44F005 ● F011A43F059 ● F011A41F018 ● F011A42F030 ● F011A42F037	€ IVA inc / incl VAT vedi Listino Outdoor <i>see Flos Outdoor pricelist</i>
	Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED NOT REPLACEABLE 1 COB LED 20W 644lm 4000K CRI80 [i] DIMMABLE	Materiali · <i>Materials</i> acciaio, policarbonato, alluminio, ottone, marmo · <i>steel, polycarbonate, aluminium, brass, marble</i> Peso · <i>Weight</i> 10 Kg		

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

 <p>760/850 mm 2700 mm ø 285/485 mm</p>	<p>CHASEN Patricia Urquiola, 2007 Potenza · Power 120W Tensione · Voltage 230V</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F1636009 ● F1636030</p>	<p>€ IVA inc / incl VAT 1.750,00 1.750,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) 1 x MAX 120W E27 PAR38 872lm 2700K [i] cod. RF24480 DIMMABLE</p>		<p>CE  </p>		
<p>Materiali · Materials acciaio inox, alluminio, vetro · stainless steel, aluminum, glass</p>		<p>Peso · Weight 6,5 Kg</p>		
 <p>ø 337 mm 2000 mm ø 383 mm</p>	<p>CHRYSALIS Marcel Wanders, 2011 Potenza · Power 1 x MAX 65W + 1 x 80W Tensione · Voltage 230-240V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F1670009</p>	<p>€ IVA inc / incl VAT 2.850,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) 1 x 60W GY 6 12V HSGS 1650lm 3000K [i] cod. RF19578 + 1 x 80W G5 T5 6450lm 2700K [i] cod. RF20767</p>		<p>CE  </p>		
<p>Materiali · Materials Cocoon, vetro, acciaio · Cocoon, glass, steel</p>		<p>Peso · Weight 13,5 Kg</p>		
 <p>50 mm ø 600 mm</p>	<p>CLARA Piero Lissoni, 2014 Potenza · Power 57W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F1570009</p>	<p>€ IVA inc / incl VAT 695,00 570,00</p>
<p>LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · Light source (available) TOP LED 57W 3141lm 2700K CRI>90 [i] DIMMABLE</p>		<p>FINITURE FREGIO / FRIEZE FINISHES ● F1571057 290,00 ● F1571015 320,00 ● F1571000 100,00 ● F1571030A 100,00</p>		
<p>Materiali · Materials polycarbonato · polycarbonate</p>		<p>Peso · Weight 3 Kg</p>		
 <p>242 mm 76 mm</p>	<p>CLESSIDRA OUTDOOR/INDOOR Antonio Citterio, 2011 Potenza · Power 10W Tensione · Voltage 100-240V</p>	<p>Finiture Finishes grigio · grey deep brown · deep brown grigio · grey deep brown · deep brown</p>	<p>Colori Colors ● F1583006 395,00 ● F1583018 395,00 ● F1584006 395,00 ● F1584018 395,00</p>	<p>€ IVA inc / incl VAT 395,00 395,00 395,00 395,00</p>
<p>LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · Light source (available) 2 LED 10W 637lm 3000K CRI80 [i]</p>		<p>CE  </p>		
<p>Materiali · Materials alluminio, PMMA · aluminum, PMMA</p>		<p>Peso · Weight 1,1 Kg</p>		

[e] fonte luminosa esclusa - excluded light source - [i] fonte luminosa inclusa - included light source - * fonte luminosa non dimmerabile - not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 - For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



CLESSIDRA INDOOR


Antonio Citterio, 2011
 Potenza · Power 10W
 Tensione · Voltage 100-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 2 LED 10W 637lm 3000K CRI80 [i]

Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F1583009 20°+20°	395,00
cromo · chrome	▨ F1583057 20°+20°	395,00
bianco · white	○ F1584009 40°+40°	395,00
cromo · chrome	▨ F1584057 40°+40°	395,00



CLIMBER DOWN 87 OUTDOOR/INDOOR


Piero Lissoni, 2017
 Potenza · Power 7W
 Tensione · Voltage 100-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 POWER LED 7W 432lm ≠ FIXT 387lm
 2700K CRI80 110/240V [i]
 (FIXT lm = Spot Optic)

Materiali · Materials
 alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F1110001 SPOT 14°	vedi Listino Outdoor see Flos Outdoor pricelist
grigio · grey	● F1110006 SPOT 14°	
antracite · anthracite	● F1110033 SPOT 14°	
nero · black	● F1110030 SPOT 14°	
deep brown · deep brown	● F1110018 SPOT 14°	
forest green · forest green	● F1110012 SPOT 14°	
bianco · white	○ F1111001 FLOOD 73°	
grigio · grey	● F1111006 FLOOD 73°	
antracite · anthracite	● F1111033 FLOOD 73°	
nero · black	● F1111030 FLOOD 73°	
deep brown · deep brown	● F1111018 FLOOD 73°	
forest green · forest green	● F1111012 FLOOD 73°	



CLIMBER DOWN 87 OUTDOOR/INDOOR


Piero Lissoni, 2017
 Potenza · Power 7W
 Tensione · Voltage 100-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 POWER LED 7W 468lm ≠ FIXT 419lm
 3000K CRI80 110/240V [i]
 (FIXT lm = Spot Optic)

Materiali · Materials
 alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F1112001 SPOT 14°	vedi Listino Outdoor see Flos Outdoor pricelist
grigio · grey	● F1112006 SPOT 14°	
antracite · anthracite	● F1112033 SPOT 14°	
nero · black	● F1112030 SPOT 14°	
deep brown · deep brown	● F1112018 SPOT 14°	
forest green · forest green	● F1112012 SPOT 14°	
bianco · white	○ F1113001 FLOOD 73°	
grigio · grey	● F1113006 FLOOD 73°	
antracite · anthracite	● F1113033 FLOOD 73°	
nero · black	● F1113030 FLOOD 73°	
deep brown · deep brown	● F1113018 FLOOD 73°	
forest green · forest green	● F1113012 FLOOD 73°	



CLIMBER DOWN 87

Piero Lissoni, 2017
 Potenza · Power 7W
 Tensione · Voltage 100-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 POWER LED 7W 504lm ≠ FIXT 451lm
 4000K CRI80 110/240V [i]
 (FIXT lm = Spot Optic)

Materiali · Materials
 alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F1114001 SPOT 14°	vedi Listino Outdoor see Flos Outdoor pricelist
grigio · grey	● F1114006 SPOT 14°	
antracite · anthracite	● F1114033 SPOT 14°	
nero · black	● F1114030 SPOT 14°	
deep brown · deep brown	● F1114018 SPOT 14°	
forest green · forest green	● F1114012 SPOT 14°	
bianco · white	○ F1115001 FLOOD 73°	
grigio · grey	● F1115006 FLOOD 73°	
antracite · anthracite	● F1115033 FLOOD 73°	
nero · black	● F1115030 FLOOD 73°	
deep brown · deep brown	● F1115018 FLOOD 73°	
forest green · forest green	● F1115018 FLOOD 73°*	



per gamma completa e accessori
 consultare flos.com · for full range
 and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

71 mm

**CLIMBER DOWN 175**

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 864lm ≠ FIXT 721lm
2700K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

LED INCLUDED
NOT REPLACEABLE

Materiali · Materials

alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

Finiture
Finishes

bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

○ F1140001 SPOT 16°
● F1140006 SPOT 16°
● F1140033 SPOT 16°
● F1140030 SPOT 16°
● F1140018 SPOT 16°
● F1140012 SPOT 16°
○ F1141001 FLOOD 72°
● F1141006 FLOOD 72°
● F1141033 FLOOD 72°
● F1141030 FLOOD 72°
● F1141018 FLOOD 72°
● F1141012 FLOOD 72°

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelistper gamma completa e accessori
consultare flos.com - for full range
and accessories consult flos.com

71 mm

**CLIMBER DOWN 175**

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 936lm ≠ FIXT 781lm
3000K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

LED INCLUDED
NOT REPLACEABLE

Materiali · Materials

alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

Finiture
Finishes

bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

○ F1142001 SPOT 16°
● F1142006 SPOT 16°
● F1142033 SPOT 16°
● F1142030 SPOT 16°
● F1142018 SPOT 16°
● F1142012 SPOT 16°
○ F1143001 FLOOD 72°
● F1143006 FLOOD 72°
● F1143033 FLOOD 72°
● F1143030 FLOOD 72°
● F1143018 FLOOD 72°
● F1143012 FLOOD 72°

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelistper gamma completa e accessori
consultare flos.com - for full range
and accessories consult flos.com

71 mm

**CLIMBER DOWN 175**

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 1008lm ≠ FIXT
841lm 4000K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

LED INCLUDED
NOT REPLACEABLE

Materiali · Materials

alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

Finiture
Finishes

bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

○ F1144001 SPOT 16°
● F1144006 SPOT 16°
● F1144033 SPOT 16°
● F1144030 SPOT 16°
● F1144018 SPOT 16°
● F1144012 SPOT 16°
○ F1145001 FLOOD 72°
● F1145006 FLOOD 72°
● F1145033 FLOOD 72°
● F1145030 FLOOD 72°
● F1145018 FLOOD 72°
● F1145012 FLOOD 72°

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelistper gamma completa e accessori
consultare flos.com - for full range
and accessories consult flos.com

71 mm

**CLIMBER UP & DOWN 87**

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 110-240V

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 2x432lm ≠ FIXT
2x392lm 2700K CRI80 110/240V [i]
(FIXT lm = Spot Optic)

LED INCLUDED
NOT REPLACEABLE

Materiali · Materials

alluminio, vetro · aluminum, glass

Peso · Weight 1,25 Kg

Finiture
Finishes

bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

○ F1116001 SPOT 14°
● F1116006 SPOT 14°
● F1116033 SPOT 14°
● F1116030 SPOT 14°
● F1116018 SPOT 14°
● F1116012 SPOT 14°
○ F1117001 FLOOD 73°
● F1117006 FLOOD 73°
● F1117033 FLOOD 73°
● F1117030 FLOOD 73°
● F1117018 FLOOD 70°
● F1117018 FLOOD 70°
● F1117018 FLOOD 70°

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelistper gamma completa e accessori
consultare flos.com - for full range
and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

71 mm



CLIMBER UP & DOWN 87

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 110-240V

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 2x468lm ≠ FIXT
2x425lm 3000K CRI80 110/240V [i]
(FIXT Im = Spot Optic)

LED INCLUDED
NOT REPLACEABLE

Materiali · Materials
alluminio, vetro · aluminum, glass

Peso · Weight 1,25 Kg

Finiture
Finishes

bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

○ F118001 SPOT 14°
● F118006 SPOT 14°
● F118033 SPOT 14°
● F118030 SPOT 14°
● F118018 SPOT 14°
● F118012 SPOT 14°
○ F119001 FLOOD 73°
● F119006 FLOOD 73°
● F119033 FLOOD 73°
● F119030 FLOOD 73°
● F119018 FLOOD 73°
● F119012 FLOOD 73°

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



71 mm



CLIMBER UP & DOWN 87

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 110-240V

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 12W 2x504lm ≠ FIXT
2x458lm 4000K CRI80 110/240V [i]
(FIXT Im = Spot Optic)

LED INCLUDED
NOT REPLACEABLE

Materiali · Materials
alluminio, vetro · aluminum, glass

Peso · Weight 1,25 Kg

Finiture
Finishes

bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

○ F1120001 SPOT 14°
● F1120006 SPOT 14°
● F1120033 SPOT 14°
● F1120030 SPOT 14°
● F1120018 SPOT 14°
● F1120012 SPOT 14°
○ F1121001 FLOOD 73°
● F1121006 FLOOD 73°
● F1121033 FLOOD 73°
● F1121030 FLOOD 73°
● F1121018 FLOOD 73°
● F1121018 FLOOD 73°


€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



71 mm



CLIMBER UP & DOWN 175

Piero Lissoni, 2017

Potenza · Power 21W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 21W 2x864lm ≠ FIXT
2x739lm 2700K CRI80 220/240V [i]
(FIXT Im = Spot Optic)

LED INCLUDED
NOT REPLACEABLE

Materiali · Materials
alluminio, vetro · aluminum, glass

Peso · Weight 2,20 Kg

Finiture
Finishes

bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

○ F1146001 SPOT 16°
● F1146006 SPOT 16°
● F1146033 SPOT 16°
● F1146030 SPOT 16°
● F1146018 SPOT 16°
● F1146018 SPOT 16°
○ F1147001 FLOOD 72°
● F1147006 FLOOD 72°
● F1147033 FLOOD 72°
● F1147030 FLOOD 72°
● F1147018 FLOOD 72°
● F1147018 FLOOD 72°


€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



71 mm



CLIMBER UP & DOWN 175

Piero Lissoni, 2017

Potenza · Power 21W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 21W 2x936lm ≠ FIXT
2x800lm 3000K CRI80 220/240V [i]
(FIXT Im = Spot Optic)

LED INCLUDED
NOT REPLACEABLE

Materiali · Materials
alluminio, vetro · aluminum, glass

Peso · Weight 2,20 Kg

Finiture
Finishes

bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green
bianco · white
grigio · grey
antracite · anthracite
nero · black
deep brown · deep brown
forest green · forest green

Colori
Colors

○ F1148001 SPOT 16°
● F1148006 SPOT 16°
● F1148033 SPOT 16°
● F1148030 SPOT 16°
● F1148018 SPOT 16°
● F1148012 SPOT 16°
○ F1149001 FLOOD 72°
● F1149006 FLOOD 72°
● F1149033 FLOOD 72°
● F1149030 FLOOD 72°
● F1149018 FLOOD 72°
● F1149012 FLOOD 72°

€ IVA inc I incl VAT


vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

71 mm

**CLIMBER UP & DOWN 175**

Piero Lissoni, 2017

Potenza · Power 21W

Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
POWER LED 21W 2x1008lm ≠ FIXT
2x862lm 4000K CRI80 220/240V [i]
(FIXT Im = Spot Optic)

Materiali · Materials
alluminio, vetro · aluminum, glass


Peso · Weight 2,20 Kg

Finiture
Finishes

bianco · white ○ F150001 SPOT 16°
grigio · grey ● F150006 SPOT 16°
antracite · anthracite ● F150033 SPOT 16°
nero · black ● F150030 SPOT 16°
deep brown · deep brown ● F150018 SPOT 16°
forest green · forest green ● F150018 SPOT 16°
bianco · white ○ F151001 FLOOD 72°
grigio · grey ● F151006 FLOOD 72°
antracite · anthracite ● F151033 FLOOD 72°
nero · black ● F151030 FLOOD 72°
deep brown · deep brown ● F151018 FLOOD 72°
forest green · forest green ● F151012 FLOOD 72°

Colori
Colors

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelistper gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com**COORDINATES C1**

Michael Anastassiades, 2020

Potenza · Power 45W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
STRIP LED 45W 2270lm 2700K
CRI95 [i]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminium, platinic silicone extruded opal

Peso · Weight 3,8 Kg Dimmable Push, 0-10, Dali

Finiture
Finishesanodizzato champagne ·
anodized champagneColori
Colors

● F1852044

€ IVA inc I incl VAT

1.950,00

**COORDINATES C1 CL III**

Michael Anastassiades, 2020

Potenza · Power 38W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
STRIP LED 45W 2270lm 2700K
CRI95 [i]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminium, platinic silicone extruded opal

Peso · Weight 1,3 Kg Dimmable Push, 0-10, Dali

Finiture
Finishesanodizzato champagne ·
anodized champagneColori
Colors

● F1832044

€ IVA inc I incl VAT

1.750,00

ALIMENTATORE / POWER SUPPLY


RF29208

75,25

DIMMER LED / LED DIMMER

RF26994

60,00

**COORDINATES C1 LONG**

Michael Anastassiades, 2020

Potenza · Power 52W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
STRIP LED 52W 2670lm 2700K
CRI95 [i]

Materiali · Materials
alluminio estruso, silicone platinico opale estruso ·
extruded aluminium, platinic silicone extruded opal

Peso · Weight 4 Kg Dimmable Push, 0-10, Dali

Finiture
Finishesanodizzato champagne ·
anodized champagneColori
Colors

● F1864044

€ IVA inc I incl VAT

2.050,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

	<p>COORDINATES C1 LONG CL III</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 45W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>STRIP LED 52W 2670lm 2700K CRI95 [i]</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 1,5 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1830044</p> <p>ALIMENTATORE / POWER SUPPLY RF29208</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc / incl VAT</p> <p>1.850,00</p> <p>75,25</p> <p>60,00</p>
	<p>COORDINATES C2</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 69W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>STRIP LED 69W 3660lm 2700K CRI95 [i]</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 4,6 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1858044</p>	<p>€ IVA inc / incl VAT</p> <p>2.250,00</p>
	<p>COORDINATES C2 CL III</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 61W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>STRIP LED 69W 3660lm 2700K CRI95 [i]</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 2,1 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1836044</p> <p>ALIMENTATORE / POWER SUPPLY RF29209</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc / incl VAT</p> <p>2.050,00</p> <p>100,00</p> <p>60,00</p>
	<p>COORDINATES C2 LONG</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 83W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>STRIP LED 83W 4470lm 2700K CRI95 [i]</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 5,1 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1866044</p>	<p>€ IVA inc / incl VAT</p> <p>2.350,00</p>





[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

	COORDINATES C2 LONG CL III	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc I incl VAT
	Michael Anastassiades, 2020 Potenza · <i>Power</i> 75W Tensione · <i>Voltage</i> 48V	anodizzato champagne · <i>anodized champagn</i>	F1834044	2.150,00
	LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · <i>Light source (available)</i> STRIP LED 83W 4470lm 2700K CRI95 [i]		ALIMENTATORE / <i>POWER SUPPLY</i> RF29209	100,00
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminium, platinic silicone extruded opal</i>		DIMMER LED / <i>LED DIMMER</i> RF26994	60,00
	Peso · <i>Weight</i> 2,6 Kg Dimmable Push, 0-10, Dali			
	COORDINATES C4	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc I incl VAT
	Michael Anastassiades, 2020 Potenza · <i>Power</i> 157W Tensione · <i>Voltage</i> 48V	anodizzato champagne · <i>anodized champagne</i>	F1856044	4.750,00
	LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · <i>Light source (available)</i> STRIP LED 157W 8830lm 2700K CRI95 [i]			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminium, platinic silicone extruded opal</i>			
	Peso · <i>Weight</i> 8,1 Kg Dimmable Push, 0-10, Dali			
	COORDINATES C4 CL III	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc I incl VAT
	Michael Anastassiades, 2020 Potenza · <i>Power</i> 147W Tensione · <i>Voltage</i> 48V	anodizzato champagne · <i>anodized champagn</i>	F1840044	4.500,00
	LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · <i>Light source (available)</i> STRIP LED 157W 8830lm 2700K CRI95 [i]		ALIMENTATORE / <i>POWER SUPPLY</i> RF29209	100,00
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminium, platinic silicone extruded opal</i>		DIMMER LED / <i>LED DIMMER</i> RF26994	60,000
	Peso · <i>Weight</i> 5,1 Kg Dimmable Push, 0-10, Dali			
	COORDINATES C4 LONG	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc I incl VAT
	Michael Anastassiades, 2020 Potenza · <i>Power</i> 185W Tensione · <i>Voltage</i> 48V	anodizzato champagne · <i>anodized champagne</i>	F1868044	5.100,00
	LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · <i>Light source (available)</i> STRIP LED 185W 10450lm 2700K CRI95 [i]			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminium, platinic silicone extruded opal</i>			
	Peso · <i>Weight</i> 9,0 Kg Dimmable Push, 0-10, Dali			





[e] fonte luminosa esclusa - *excluded light source* - [i] fonte luminosa inclusa - *included light source* - * fonte luminosa non dimmerabile - *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 - *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

	<p>COORDINATES C4 LONG CL III</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 174W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 185W 10450lm 2700K CRI95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 6,0 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagn</p>	<p>Colori Colors</p> <p>● F1838044</p> <p>ALIMENTATORE / POWER SUPPLY RF27617</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc I incl VAT</p> <p>4.850,00</p> <p>102,80</p> <p>60,00</p>
	<p>COORDINATES F</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 61W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 61W 3240lm 2700K CRI95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 11 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1801044</p>	<p>€ IVA inc I incl VAT</p> <p>1.250,00</p>
	<p>COORDINATES MODULE C</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 180W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 180W 10230lm 2700K CRI90 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 5,9 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1883044</p>	<p>€ IVA inc I incl VAT</p> <p>4.500,00</p>
	<p>COORDINATES MODULE C CL III</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 180W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 180W 10230lm 2700K CRI90 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 5,9 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagn</p>	<p>Colori Colors</p> <p>● F1886044</p> <p>ALIMENTATORE / POWER SUPPLY RF27617</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc I incl VAT</p> <p>4.250,00</p> <p>102,80</p> <p>60,00</p>





[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

	<p>COORDINATES MODULE S</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 180W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 180W 10320lm 2700K CRI90 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 8,7 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1880044</p>	<p>€ IVA inc I incl VAT</p> <p>4.500,00</p>
	<p>COORDINATES MODULE S CL III</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 180W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 180W 10320lm 2700K CRI90 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 5,9 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1889044</p> <p>ALIMENTATORE / POWER SUPPLY RF27617</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc I incl VAT</p> <p>4.250,00</p> <p>102,80</p> <p>60,00</p>
	<p>COORDINATES S1</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 37W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 37W 1920lm 2700K CRI95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 2,1 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1860044</p>	<p>€ IVA inc I incl VAT</p> <p>1.490,00</p>
	<p>COORDINATES S1 CL III</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 32W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 37W 1920lm 2700K CRI95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 1,1 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1842044</p> <p>ALIMENTATORE / POWER SUPPLY RF29208</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc I incl VAT</p> <p>1.390,00</p> <p>75,25</p> <p>60,00</p>


[e] fonte luminosa esclusa - excluded light source - [i] fonte luminosa inclusa - included light source - * fonte luminosa non dimmerabile - not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 - For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

	<p>COORDINATES S2</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 55W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 55W 2960lm 2700K CRI95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 2,7 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1862044</p>	<p>€ IVA inc I incl VAT</p> <p>1.790,00</p>
	<p>COORDINATES S2 CLIII</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 50W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 55W 2960lm 2700K CRI95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 1,7 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1844044</p> <p>ALIMENTATORE / POWER SUPPLY RF29208</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc I incl VAT</p> <p>1.690,00</p> <p>75,25</p> <p>60,00</p>
	<p>COORDINATES S3</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 71W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 71W 3850lm 2700K CRI95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 3,2 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1850044</p>	<p>€ IVA inc I incl VAT</p> <p>2.490,00</p>
	<p>COORDINATES S3 CL III</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 64W</p> <p>Tensione · Voltage 48V</p> <p>Fonte luminosa (disponibile) · Light source (available) STRIP LED 71W 3850lm 2700K CRI95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminium, platinic silicone extruded opal</p> <p>Peso · Weight 2,2 Kg Dimmable Push, 0-10, Dali</p>	<p>Finiture Finishes</p> <p>anodizzato champagne · anodized champagne</p>	<p>Colori Colors</p> <p>● F1846044</p> <p>ALIMENTATORE / POWER SUPPLY RF29209</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc I incl VAT</p> <p>2.390,00</p> <p>100,00</p> <p>60,00</p>

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**COORDINATES S4**

Michael Anastassiades, 2020

Potenza · Power 161W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLEFonte luminosa (disponibile) ·
Light source (available)
STRIP LED 161W 8830lm 2700K
CRI95 [i]

Materiali · Materials

alluminio estruso, silicone platinico opale estruso ·
extruded aluminium, platinum silicone extruded opal


Peso · Weight 7,9 Kg Dimmable Push, 0-10, Dali

Finiture
Finishesanodizzato champagne ·
anodized champagneColori
Colors

● F1854044

€ IVA inc I incl VAT

4.650,00

**COORDINATES S4 CLIII**

Michael Anastassiades, 2020

Potenza · Power 147W

Tensione · Voltage 48V

LED INCLUDED
NOT REPLACEABLEFonte luminosa (disponibile) ·
Light source (available)
STRIP LED 161W 8830lm 2700K
CRI95 [i]

Materiali · Materials

alluminio estruso, silicone platinico opale estruso ·
extruded aluminium, platinum silicone extruded opal

Peso · Weight 5,1 Kg Dimmable Push, 0-10, Dali

Finiture
Finishesanodizzato champagne ·
anodized champagneColori
Colors

● F1848044

€ IVA inc I incl VAT

4.400,00

ALIMENTATORE / POWER SUPPLY


RF29209

100,00

DIMMER LED / LED DIMMER

RF26994

60,00

**COPYCAT**

Michael Anastassiades, 2015

Potenza · Power 16W

Tensione · Voltage 100-240V/24V

LED INCLUDED
NOT REPLACEABLEFonte luminosa (disponibile) ·
Light source (available)
1 COB LED 16W 900lm total 2700K
CRI83 [i] DIMMABLE

Materiali · Materials

alluminio, vetro soffiato · aluminium, blown glass

Peso · Weight 3,6 Kg

Finiture
Finishesoro 24K · 24K gold
rame · copper
nero · black
alluminio · aluminumColori
Colors

● F1952044

● F1952015

● F1952030

|| F1952050

€ IVA inc I incl VAT

595,00

595,00

595,00

595,00

**FANTASMA**

Tobia Scarpa, 1961

Potenza · Power 4 x MAX 60W

Tensione · Voltage 220-240V

A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
4 LED 10W E27 965lm 3000K [e]
cod. RF29186 DIMMABLE o · or 4 LED
10W E27 965lm 2700K [e] cod.
RF28782 DIMMABLE

Materiali · Materials

Cocoon, acciaio · Cocoon, steel

Peso · Weight 10,5 Kg DIMMER INCLUDED

Finiture
Finishes

bianco · white

Colori
Colors

○ F2201009

€ IVA inc I incl VAT

3.600,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



FANTASMA PICCOLO

Tobia Scarpa, 1961
 Potenza · Power 3 x MAX 60W
 Tensione · Voltage 220-240V

Finiture
 Finishes

bianco · white

Colori
 Colors

○ F2101009


€ IVA inc I incl VAT

2.990,00

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 3 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE 0 - or 3 LED 10W
 E27 965lm 2700K [e] cod. [RF28782](#)
 DIMMABLE

Materiali · Materials
 Cocoon, acciaio · Cocoon, steel

Peso · Weight 10 Kg DIMMER INCLUDED



FLAUTA H225 RIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors

● F019A21D030
 ○ F019A21D001
 ● F019A21D033
 ● F019A21D006
 ● F019A21D018
 ● F019A21D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist


Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE LED 12W 2x555lm ≠ FIXT 2x347lm
 2700K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 0,6 Kg



110V Version ON DEMAND



FLAUTA H225 RIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors

● F019A31D030
 ○ F019A31D001
 ● F019A31D033
 ● F019A31D006
 ● F019A31D018
 ● F019A31D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist


Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE LED 12W 2x597lm ≠ FIXT 2x372lm
 3000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 0,6 Kg



110V Version ON DEMAND



FLAUTA H225 RIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors

● F019A41D030
 ○ F019A41D001
 ● F019A41D033
 ● F019A41D006
 ● F019A41D018
 ● F019A41D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist

Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE LED 12W 2x638lm ≠ FIXT 2x398lm
 4000K CRI80 [i]


Materiali · Materials
 alluminio · aluminium

Peso · Weight 0,6 Kg



110V Version ON DEMAND

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**FLAUTA H225 SPIGA/OUTDOOR**

Patricia Urquiola, 2020

Potenza · Power 12W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE
LED 12W 2x555lm ≠ FIXT 2x347lm
2700K CRI80 [i]Materiali · Materials
alluminio · aluminium

Peso · Weight 0,6 Kg


Finiture
Finishesblack · black
white · white
antracite · anthracite
grigio · grey
deep brown · deep brown
forest green · forest greenColori
Colors

- F019B21D030
- F019B21D001
- F019B21D033
- F019B21D006
- F019B21D018
- F019B21D012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

110V Version ON DEMAND

**FLAUTA H225 SPIGA/OUTDOOR**

Patricia Urquiola, 2020

Potenza · Power 12W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE
LED 12W 2x597lm ≠ FIXT 2x372lm
3000K CRI80 [i]Materiali · Materials
alluminio · aluminium

Peso · Weight 0,6 Kg


Finiture
Finishesblack · black
white · white
antracite · anthracite
grigio · grey
deep brown · deep brown
forest green · forest greenColori
Colors

- F019B31D030
- F019B31D001
- F019B31D033
- F019B31D006
- F019B31D018
- F019B31D012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

110V Version ON DEMAND

**FLAUTA H225 RIGA/OUTDOOR**

Patricia Urquiola, 2020

Potenza · Power 12W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE
LED 12W 2x638lm ≠ FIXT 2x398lm
4000K CRI80 [i]Materiali · Materials
alluminio · aluminium

Peso · Weight 0,6 Kg


Finiture
Finishesblack · black
white · white
antracite · anthracite
grigio · grey
deep brown · deep brown
forest green · forest greenColori
Colors

- F019B41D030
- F019B41D001
- F019B41D033
- F019B41D006
- F019B41D018
- F019B41D012

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

110V Version ON DEMAND

**FLAUTA H500 RIGA/OUTDOOR**

Patricia Urquiola, 2020

Potenza · Power 12W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE
LED 12W 2x555lm ≠ FIXT 2x347lm
2700K CRI80 [i]Materiali · Materials
alluminio · aluminium

Peso · Weight 1,4 Kg

Finiture
Finishesblack · black
white · white
antracite · anthracite
grigio · grey
deep brown · deep brown
forest green · forest greenColori
Colors

- F019A22D030
- F019A22D001
- F019A22D033
- F019A22D006
- F019A22D018
- F019A22D012


€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

110V Version ON DEMAND

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



FLAUTA H500 RIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE
 LED 12W 2x597lm ≠ FIXT 2x372lm
 3000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019A32D030
 ○ F019A32D001
 ● F019A32D033
 ● F019A32D006
 ● F019A32D018
 ● F019A32D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FLAUTA H500 RIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE
 LED 12W 2x638lm ≠ FIXT 2x398lm
 4000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019A42D030
 ○ F019A42D001
 ● F019A42D033
 ● F019A42D006
 ● F019A42D018
 ● F019A42D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FLAUTA H500 SPIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE
 LED 12W 2x555lm ≠ FIXT 2x347lm
 2700K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019B22D030
 ○ F019B22D001
 ● F019B22D033
 ● F019B22D006
 ● F019B22D018
 ● F019B22D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FLAUTA H500 SPIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE
 LED 12W 2x597lm ≠ FIXT 2x372lm
 3000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors

● F019B32D030
 ○ F019B32D001
 ● F019B32D033
 ● F019B32D006
 ● F019B32D018
 ● F019B32D012


€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



FLAUTA H500 SPIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 LED 12W 2x638lm ≠ FIXT 2x398lm
 4000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019B42D030
 ○ F019B42D001
 ● F019B42D033
 ● F019B42D006
 ● F019B42D018
 ● F019B42D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FLAUTA H1000 RIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 LED 12W 2x555lm ≠ FIXT 2x347lm
 2700K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 2,6 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019A23D030
 ○ F019A23D001
 ● F019A23D033
 ● F019A23D006
 ● F019A23D018
 ● F019A23D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FLAUTA H1000 RIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 LED 12W 2x597lm ≠ FIXT 2x372lm
 3000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 2,6 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019A33D030
 ○ F019A33D001
 ● F019A33D033
 ● F019A33D006
 ● F019A33D018
 ● F019A33D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FLAUTA H1000 RIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 LED 12W 2x638lm ≠ FIXT 2x398lm
 4000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 2,6 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors

● F019A43D030
 ○ F019A43D001
 ● F019A43D033
 ● F019A43D006
 ● F019A43D018
 ● F019A43D012

€ IVA inc I incl VAT


vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



FLAUTA H1000 SPIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 LED 12W 2x555lm ≠ FIXT 2x347lm
 2700K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 2,6 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019B23D030
 ○ F019B23D001
 ● F019B23D033
 ● F019B23D006
 ● F019B23D018
 ● F019B23D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FLAUTA H1000 SPIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 LED 12W 2x597lm ≠ FIXT 2x372lm
 3000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 2,6 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019B33D030
 ○ F019B33D001
 ● F019B33D033
 ● F019B33D006
 ● F019B33D018
 ● F019B33D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FLAUTA H1000 SPIGA/OUTDOOR

Patricia Urquiola, 2020
 Potenza · Power 12W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 LED 12W 2x638lm ≠ FIXT 2x398lm
 4000K CRI80 [i]

Materiali · Materials
 alluminio · aluminium

Peso · Weight 2,6 Kg

Finiture
 Finishes

black · black
 white · white
 antracite · anthracite
 grigio · grey
 deep brown · deep brown
 forest green · forest green

Colori
 Colors


● F019B43D030
 ○ F019B43D001
 ● F019B43D033
 ● F019B43D006
 ● F019B43D018
 ● F019B43D012

€ IVA inc I incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist



110V Version ON DEMAND



FOGLIO

Tobia Scarpa, 1966
 Potenza · Power 2 x MAX 100W
 Tensione · Voltage 220-250V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 2 LED 10W E27 965lm 3000K [e] cod.
 RF29186 DIMMABLE ○ · or 2 LED 10W
 E27 965lm 2700K [e] cod. RF28782
 DIMMABLE

Materiali · Materials
 acciaio · steel

Peso · Weight 3,7 Kg

Finiture
 Finishes

bianco · white
 nero · black
 cromo · chrome
 black nikel · black nikel
 oro 22K · gold 22K

Colori
 Colors


○ F2400009
 ● F2400030
 || F2400057
 ● F2400063
 || F2400044

€ IVA inc I incl VAT

230,00
 230,00
 490,00
 520,00
 550,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**FORT KNOX WALL LED MINI**

Philippe Starck, 2008
 Potenza · Power 25W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
 Power LED 25W 1985lm 3000K
 CRI90 [i] NO DIMMABLE

Materiali · Materials
 alluminio pressofuso · die-cast aluminium

Peso · Weight 0,6 Kg

Finiture
 Finishes


bianco · white
 nero · black
 alluminio lucido · pol-
 ished aluminium

Colori
 Colors

○ 09.2125.40
 ● 09.2125.14
 ▨ 09.2125.05

€ IVA inc I incl VAT

vedi Listino Architettrale
 see Architectural pricelist

**FORT KNOX WALL LED MINI**

Philippe Starck, 2008
 Potenza · Power 25W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
 Power LED 25W 2133lm 4000K
 CRI90 [i] NO DIMMABLE

Materiali · Materials
 alluminio pressofuso · die-cast aluminium

Peso · Weight 0,6 Kg

Finiture
 Finishes


bianco · white
 nero · black
 alluminio lucido · pol-
 ished aluminium

Colori
 Colors

○ 09.2127.40
 ● 09.2127.14
 ▨ 09.2127.05

€ IVA inc I incl VAT

vedi Listino Architettrale
 see Architectural pricelist

**FORT KNOX WALL LED**

Philippe Starck, 2008
 Potenza · Power 32W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
 Power LED 32W 2896lm 3000K
 CRI90 [i] DIMMABLE 1-10V

Materiali · Materials
 alluminio pressofuso · die-cast aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes


bianco · white
 nero · black
 alluminio lucido · pol-
 ished aluminium

Colori
 Colors

○ 09.2110.40A
 ● 09.2110.14A
 ▨ 09.2110.05A

€ IVA inc I incl VAT

vedi Listino Architettrale
 see Architectural pricelist

**FORT KNOX WALL LED**

Philippe Starck, 2008
 Potenza · Power 32W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
 Power LED 32W 2896lm 3000K
 CRI90 [i] DIMMABLE DALI

Materiali · Materials
 alluminio pressofuso · die-cast aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes

bianco · white
 nero · black
 alluminio lucido · pol-
 ished aluminium

Colori
 Colors

○ 09.2110.40ADA
 ● 09.2110.14ADA
 ▨ 09.2110.05ADA


€ IVA inc I incl VAT

vedi Listino Architettrale
 see Architectural pricelist



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



FORT KNOX WALL LED

Philippe Starck, 2008
 Potenza · Power 32W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
 Power LED 32W 32566lm 4000K
 CRI90 [i] DIMMABLE DALI

Materiali · Materials
 alluminio pressofuso · die-cast aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes


bianco · white
 nero · black
 alluminio lucido · pol-
 ished aluminium

Colori
 Colors

○ 09.2112.40ADA
 ● 09.2112.14ADA
 ▨ 09.2110.05ADA

€ IVA inc I incl VAT

vedi Listino Architeturale
 see Architectural pricelist



FORT KNOX WALL LED

Philippe Starck, 2008
 Potenza · Power 32W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
 Power LED 32W 32566lm 4000K
 CRI90 [i] DIMMABLE 1-10V

Materiali · Materials
 alluminio pressofuso · die-cast aluminium

Peso · Weight 1,4 Kg

Finiture
 Finishes

bianco · white
 nero · black
 alluminio lucido · pol-
 ished aluminium

Colori
 Colors

○ 09.2112.40A
 ● 09.2112.14A
 ▨ 09.2110.05A

€ IVA inc I incl VAT

vedi Listino Architeturale
 see Architectural pricelist



FRISBI

Achille Castiglioni, 1978
 Potenza · Power 1 x MAX 105W
 Tensione · Voltage 220-250V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
 1 LED 8W E27 740lm 2700K [e] cod.
RF25314

Materiali · Materials
 polimetilmetacrilato, acciaio ·
 polymethylmethacrylate, steel

Peso · Weight 2,7 Kg

Finiture
 Finishes

cromo · chrome

Colori
 Colors

● F2500000

€ IVA inc I incl VAT

425,00



FUCSIA 1

Achille Castiglioni, 1996
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
 1 LED 4W E14 360lm 2700K* [e] cod.
RF25318

Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 1 Kg

Finiture
 Finishes

vetro · glass

Colori
 Colors

● F2410000













€ IVA inc I incl VAT

285,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>355 mm 2660 mm ø 160 mm 330 mm</p>	<p>FUCSIA 3 Achille Castiglioni, 1996 Potenza · Power 3 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) 3 LED 4W E14 360lm 2700K* [e] cod. RF25318</p>	<p>Finiture Finishes vetro · glass</p>	<p>Colori Colors ● F2411000</p>	<p>€ IVA inc / incl VAT 650,00</p>
<p>Materiali · Materials vetro, acciaio · glass, steel</p>	<p>Peso · Weight 2,5 Kg</p>	<p>CE   0,3 m</p>		
 <p>355 mm 2660 mm ø 160 mm 480 mm</p>	<p>FUCSIA 8 Achille Castiglioni, 1996 Potenza · Power 8 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) 8 LED 4W E14 360lm 2700K* [e] cod. RF25318</p>	<p>Finiture Finishes vetro · glass</p>	<p>Colori Colors ● F2412000</p>	<p>€ IVA inc / incl VAT 1.750,00</p>
<p>Materiali · Materials vetro, acciaio · glass, steel</p>	<p>Peso · Weight 8,9 Kg</p>	<p>CE   0,3 m</p>		
 <p>350mm 350mm ø 110 100mm 120mm</p>	<p>GAKU WIRELESS Nendo, 2018 Potenza · Power 2W</p> <p>Fonte luminosa (disponibile) · Light source (available) LED Array 2W 116lm 2700K CRI 90 [i] DIMMABLE WIRELESS CHARGING</p> <p>LED INCLUDED NOT REPLACEABLE</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F2520009 ● F2520030</p>	<p>€ IVA inc / incl VAT 380,00 380,00</p>
<p>Materiali · Materials legno d'acero, policarbonato · ash wood, polycarbonate</p>	<p>Peso · Weight 2,5 Kg DIMMER INCLUDED</p>	<p>CE   0,3 m</p>		
 <p>350mm 350mm ø 110 100mm 120mm</p>	<p>GAKU WIRE Nendo, 2018 Potenza · Power 5W</p> <p>Fonte luminosa (disponibile) · Light source (available) LED Array 5,5W 100lm 2700K CRI 90 [i] DIMMABLE</p> <p>LED INCLUDED NOT REPLACEABLE</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F2521009 ● F2521030</p>	<p>€ IVA inc / incl VAT 290,00 290,00</p>
<p>Materiali · Materials legno d'acero, policarbonato · ash wood, polycarbonate</p>	<p>Peso · Weight 2,4 Kg DIMMER INCLUDED</p>	<p>CE   0,3 m</p>		

[e] fonte luminosa esclusa - excluded light source - [i] fonte luminosa inclusa - included light source - * fonte luminosa non dimmerabile - not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 - For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

GAKU ACCESSORIES BOWLFiniture
FinishesColori
Colors

€ IVA inc / incl VAT

bianco · white
nero · black○ F2522009
● F252203030,00
30,00Materiali · Materials
policarbonato · polycarbonate

€€

GAKU ACCESSORIES VASEFiniture
FinishesColori
Colors

€ IVA inc / incl VAT

bianco · white
nero · black○ F2523009
● F252303030,00
30,00Materiali · Materials
policarbonato · polycarbonate

€€

GAKU ACCESSORIES KEY BOWLFiniture
FinishesColori
Colors

€ IVA inc / incl VAT

bianco · white
nero · black○ F2524009
● F252403030,00
30,00Materiali · Materials
policarbonato · polycarbonate

€€

GAKU ACCESSORIES BOOKENDFiniture
FinishesColori
Colors

€ IVA inc / incl VAT

bianco · white
nero · black○ F2525009
● F252503030,00
30,00Materiali · Materials
policarbonato · polycarbonate

€€

LISTINO PREZZI CONSIGLIATI EUROPA LUGLIO 2020 - EUROPE RECOMMENDED PRICE LIST JULY 2020

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

GAKU ACCESSORIES MIRROR

Finiture
FinishesColori
Colors

€ IVA inc / incl VAT

bianco · white
nero · black○ F2526009
● F252603035,00
35,00Materiali · Materials
policarbonato · polycarbonate

CE

GATTO

Finiture
FinishesColori
Colors

€ IVA inc / incl VAT

bianco · white

○ F2601009

495,00

Achille and Pier Giacomo Castiglioni, 1960

Potenza · Power MAX 60W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)A+ → E 1 LED 10W E27 965lm 3000K [e] cod.
RF29186 DIMMABLE 0 · or 1 LED 10W
E27 965lm 2700K [e] cod. RF28782
DIMMABLEMateriali · Materials
cocoon, acciaio · cocoon, steel

Peso · Weight 2,3 Kg

DIMMER INCLUDED



GATTO PICCOLO

Finiture
FinishesColori
Colors

€ IVA inc / incl VAT

bianco · white

○ F2701009

395,00

Achille and Pier Giacomo Castiglioni, 1960

Potenza · Power MAX 60W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)A+ → E 1 LED 8W E14 700lm 2700K [e] cod.
RF26767 DIMMABLE 0 · or 1 LED 8W
E14 800lm 3000K [e] cod. RF26565
DIMMABLE 0 · or 1 LED 10W E14 900lm
2700K [e] cod. RF26261 DIMMABLE 0 ·
or 1 LED 10W E14 900lm 3000K [e]
cod. RF26260 DIMMABLEMateriali · Materials
cocoon, acciaio · cocoon, steel

Peso · Weight 0,9 Kg

DIMMER INCLUDED



GLO-BALL BASIC ZERO

Finiture
FinishesColori
Colors

€ IVA inc / incl VAT

bianco · white

○ F3330009

310,00

Jasper Morrison, 2009


Potenza · Power MAX 60W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)A+ → E 1 LED 8W E14 700lm 2700K [e] cod.
RF26767 DIMMABLE 0 · or 1 LED 8W
E14 800lm 3000K [e] cod. RF26565
DIMMABLE 0 · or 1 LED 10W E14 900lm
2700K [e] cod. RF26261 DIMMABLE 0 ·
or 1 LED 10W E14 900lm 3000K [e]
cod. RF26260 DIMMABLEMateriali · Materials
vetro · glass





Peso · Weight 1 Kg

DIMMER INCLUDED



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>ø 190 mm 160 mm ø 75 mm</p>	<p>GLO-BALL BASIC ZERO SWITCH</p> <p>Jasper Morrison, 2009</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 8W E14 700lm 2700K [e] cod. <u>RF26767</u> DIMMABLE o · or 1 LED 8W E14 800lm 3000K [e] cod. <u>RF26565</u> DIMMABLE o · or 1 LED 10W E14 900lm 2700K [e] cod. <u>RF26261</u> DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. <u>RF26260</u> DIMMABLE</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 1 Kg</p>	<p>Finiture Finishes</p> <p>bianco · white</p>	<p>Colori Colors</p> <p>○ F3331009 SWITCH</p>	<p>€ IVA inc / incl VAT</p> <p>230,00</p>
 <p>ø 330 mm 270 mm ø 110 mm</p>	<p>GLO-BALL BASIC 1</p> <p>Jasper Morrison, 1998</p> <p>Potenza · Power MAX 150W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 15W E27 2000lm 2700K [e] cod. <u>RF28665</u> DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. <u>RF28666</u> DIMMABLE</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 2,6 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>bianco · white</p>	<p>Colori Colors</p> <p>○ F3021000</p>	<p>€ IVA inc / incl VAT</p> <p>520,00</p>
 <p>ø 450 mm 360 mm ø 145 mm</p>	<p>GLO-BALL BASIC 2</p> <p>Jasper Morrison, 1998</p> <p>Potenza · Power MAX 150W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 15W E27 2000lm 2700K [e] cod. <u>RF28665</u> DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. <u>RF28666</u> DIMMABLE o · or 1 LED 17W E27 1900lm 2700K [e] cod. <u>RF26259</u> DIMMABLE o · or 1 LED 17W E27 2000lm 3000K [e] cod. <u>RF26258</u> DIMMABLE</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 5,3 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>bianco · white</p>	<p>Colori Colors</p> <p>○ F3026000</p>	<p>€ IVA inc / incl VAT</p> <p>615,00</p>
 <p>ø 60 mm ø 112 mm 85 mm</p>	<p>MINI GLO-BALL C/W</p> <p>Jasper Morrison, 2002</p> <p>Potenza · Power MAX 25W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 3W G9 290lm 2700K* [e] cod. <u>28425</u> [e] o · or 1 LED 2W G9 240lm 2700K* cod. <u>RF26520</u> [e]</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 5,3 Kg</p>	<p>Finiture Finishes</p> <p>bianco · white bianco · white</p>	<p>Colori Colors</p> <p>○ F4190009 MIRROR ○ F4194009 CW</p>	<p>€ IVA inc / incl VAT</p> <p>120,00 120,00</p>

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

	<p>GLO-BALL C/W ZERO Jasper Morrison, 2009 Potenza · Power MAX 60W Tensione · Voltage 220-250V</p>	<p>Finiture <i>Finishes</i> bianco · white</p>	<p>Colori <i>Colors</i> ○ F3335009</p>	<p>€ IVA inc I incl VAT 230,00</p>
<p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 1 LED 8W E14 700lm 2700K [e] cod. <u>RF26767</u> DIMMABLE ○ · or 1 LED 8W E14 800lm 3000K [e] cod. <u>RF26565</u> DIMMABLE ○ · or 1 LED 10W E14 900lm 2700K [e] cod. <u>RF26261</u> DIMMABLE ○ · or 1 LED 10W E14 900lm 3000K [e] cod. <u>RF26260</u> DIMMABLE</p>		<p>Materiali · <i>Materials</i> vetro · glass</p>		
<p>Peso · Weight 1 Kg</p>				
	<p>GLO-BALL C1 Jasper Morrison, 1999 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p>	<p>Finiture <i>Finishes</i> bianco · white</p>	<p>Colori <i>Colors</i> ○ F3023000</p>	<p>€ IVA inc I incl VAT 410,00</p>
<p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 1 LED 15W E27 2000lm 2700K [e] cod. <u>RF28665</u> DIMMABLE ○ · or 1 LED 15W E27 2000lm 3000K [e] cod. <u>RF28666</u> DIMMABLE</p>		<p>Materiali · <i>Materials</i> vetro · glass</p>		
<p>Peso · Weight 2,5 Kg</p>				
	<p>GLO-BALL C2 Jasper Morrison, 1999 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p>	<p>Finiture <i>Finishes</i> bianco · white</p>	<p>Colori <i>Colors</i> ○ F3028000</p>	<p>€ IVA inc I incl VAT 615,00</p>
<p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 1 LED 15W E27 2000lm 2700K [e] cod. <u>RF28665</u> DIMMABLE ○ · or 1 LED 15W E27 2000lm 3000K [e] cod. <u>RF28666</u> DIMMABLE ○ · or 1 LED 17W E27 1900lm 2700K [e] cod. <u>RF26259</u> DIMMABLE ○ · or 1 LED 17W E27 2000lm 3000K [e] cod. <u>RF26258</u> DIMMABLE</p>		<p>Materiali · <i>Materials</i> vetro · glass</p>		
<p>Peso · Weight 5,1 Kg</p>				
	<p>GLO-BALL W Jasper Morrison, 1999 Potenza · Power MAX 100W Tensione · Voltage 220-250V</p>	<p>Finiture <i>Finishes</i> bianco · white</p>	<p>Colori <i>Colors</i> ○ F3022000</p>	<p>€ IVA inc I incl VAT 295,00</p>
<p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 1 LED 10W E27 965lm 3000K [e] cod. <u>RF29186</u> DIMMABLE ○ · or 1 LED 10W E27 965lm 2700K [e] cod. <u>RF28782</u> DIMMABLE</p>		<p>Materiali · <i>Materials</i> vetro · glass</p>		
<p>Peso · Weight 1,8 Kg</p>				

[e] fonte luminosa esclusa · *excluded light source* - [I] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*



GLO-BALL F1

Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)

☑ A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE

Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 12 Kg DIMMER INCLUDED

Finiture
 Finishes

argento · silver
 nero opaco · black matt

Colori
 Colors

● F3031020
 ● F3031031

€ IVA inc / incl VAT

790,00
 790,00



GLO-BALL F2

Jasper Morrison, 1998
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)

☑ A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE

Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 12,5 Kg DIMMER INCLUDED

Finiture
 Finishes


argento · silver
 nero opaco · black matt

Colori
 Colors

● F3032020
 ● F3032031

€ IVA inc / incl VAT

795,00
 795,00



GLO-BALL F3

Jasper Morrison, 1998
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)

☑ A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE o · or 1 LED 17W E27 1900lm 2700K [e] cod. [RF26259](#) DIMMABLE o · or 1 LED 17W E27 2000lm 3000K [e] cod. [RF26258](#) DIMMABLE

Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 18,9 Kg DIMMER INCLUDED

Finiture
 Finishes

argento · silver
 nero opaco · black matt

Colori
 Colors

● F3030000
 ● F3030031

€ IVA inc / incl VAT

895,00
 895,00



MINI GLO-BALL S

Jasper Morrison, 1998
 Potenza · Power MAX 25W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)

☑ A+ → E LED 3W G9 290lm 2700K* [e] cod. [28425](#) [e] o · or 1 LED 2W G9 240lm 2700K* cod. [RF26520](#) [e]

Materiali · Materials
 vetro · glass

Peso · Weight 0,7 Kg

Finiture
 Finishes

bianco · white









Colori
 Colors

○ F4195009

€ IVA inc / incl VAT

185,00



 <p>270 mm 2700 mm ø 330 mm</p>	<p>GLO-BALL S1 Jasper Morrison, 1998 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F3005061</p>	<p>€ IVA inc / incl VAT 410,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. <u>RF28665</u> DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. <u>RF28666</u> DIMMABLE</p>				
<p>Materiali · Materials vetro · glass</p>				
<p>Peso · Weight 2,7 Kg</p>				
 <p>360 mm 2700 mm ø 450 mm</p>	<p>GLO-BALL S2 Jasper Morrison, 1998 Potenza · Power MAX 250W Tensione · Voltage 220-250V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F3010061</p>	<p>€ IVA inc / incl VAT 520,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. <u>RF28665</u> DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. <u>RF28666</u> DIMMABLE o · or 1 LED 17W E27 1900lm 2700K [e] cod. <u>RF26259</u> DIMMABLE o · or 1 LED 17W E27 2000lm 3000K [e] cod. <u>RF26258</u> DIMMABLE</p>				
<p>Materiali · Materials vetro · glass</p>				
<p>Peso · Weight 5,6 Kg</p>				
 <p>360 mm 2700 mm ø 450 mm</p>	<p>GLO-BALL S2 ECO Jasper Morrison, 1998 Potenza · Power 42W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F3011061</p>	<p>€ IVA inc / incl VAT 595,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) B 1 x 42W Gx24q-4 3200lm 3000K [e] cod. <u>RF14594</u> Ballast nel rosone · Ballast in the rose</p>				
<p>Materiali · Materials vetro · glass</p>				
<p>Prodotto su richiesta Made on demand</p>	<p>Peso · Weight 5,6 Kg</p>			
 <p>90 mm ø 112 mm</p>	<p>MINI GLO-BALL T Jasper Morrison, 2003 Potenza · Power MAX 25W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F4191009</p>	<p>€ IVA inc / incl VAT 165,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 3W G9 290lm 2700K* [e] cod. <u>28425</u> [e] o · or 1 LED 2W G9 240lm 2700K* cod. <u>RF26520</u> [e]</p>				
<p>Materiali · Materials vetro · glass</p>				
<p>Peso · Weight 0,4 Kg</p>				

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



GLO-BALL T1

Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE 0 · or 1 LED 15W
 E27 2000lm 3000K [e] cod. [RF28666](#)
 DIMMABLE

Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 7 Kg

DIMMER INCLUDED

Finiture
 Finishes

argento · silver
 nero opaco · black matt

Colori
 Colors

● F3020000
 ● F3020031

€ IVA inc I incl VAT

590,00
 590,00



GOLDMAN

Ron Gilad, 2013
 Potenza · Power 8W
 Tensione · Voltage 220-240V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 42 LED 8W 248lm total 2700K CRI
 85 + CHARGER USB 5VDC 1,5A [i]
 DIMMABLE

Materiali · Materials
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 0,9 Kg

DIMMER INCLUDED

Finiture
 Finishes

ottone/verde · brass/green
 nero/fumè · black/fumée

Colori
 Colors

● F3440044
 ● F3440030

€ IVA inc I incl VAT

395,00
 395,00



GUNS - BEDSIDE GUN

Philippe Starck, 2005
 Potenza · Power MAX 75W
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE 0 · or 1 LED 10W
 E27 965lm 2700K [e] cod. [RF28782](#)
 DIMMABLE

Materiali · Materials
 alluminio, carta plastificata · aluminum,
 plasticized paper

Peso · Weight 1,7 Kg

DIMMER INCLUDED

Finiture
 Finishes

oro 18K · 18K gold

Colori
 Colors

● F2953000

€ IVA inc I incl VAT

1.450,00



GUNS - LOUNGE GUN

Philippe Starck, 2005
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 LED 21W E27 2452lm 3000K [e]
 cod. [RF26998](#) DIMMABLE

Materiali · Materials
 alluminio, carta plastificata · aluminum,
 plasticized paper

Peso · Weight 19,5 Kg

DIMMER INCLUDED

Finiture
 Finishes

oro 18K · 18K gold

Colori
 Colors

● F2955000

€ IVA inc I incl VAT

3.400,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**GUNS - TABLE GUN**

Philippe Starck, 2005

Potenza · Power MAX 150W

Tensione · Voltage 220-240V



Fonte luminosa (disponibile) ·
Light source (available)
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE 0 · or 1 LED 10W
E27 965lm 2700K [e] cod. [RF28782](#)
DIMMABLE

Materiali · Materials

alluminio, carta plastificata · aluminum,
plasticized paper

Peso · Weight 6,2 Kg

DIMMER INCLUDED

Finiture
Finishes


oro 18K · 18K gold

Colori
Colors

● F2954000

€ IVA inc I incl VAT

2.400,00

**HECO CORNER**

Nendo, 2020

Potenza · Power 9W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 9W 394lm total 2700K CRI 80
[i] DIMMABLE

Materiali · Materials

acciaio inox, vetro · stainless steel, glass

Peso · Weight 2,1 Kg

DIMMER INCLUDED


Finiture
Finishes

nero opaco · matt black

Colori
Colors

● F014A20K030

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist**HECO CORNER**

Nendo, 2020

Potenza · Power 9W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 9W 423lm total 3000K CRI 80
[i] DIMMABLE

Materiali · Materials

acciaio inox, vetro · stainless steel, glass

Peso · Weight 2,1 Kg

DIMMER INCLUDED

Finiture
Finishes

nero opaco · matt black

Colori
Colors

● F014A30K030

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist**HECO WALL**

Nendo, 2020

Potenza · Power 9W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 9W 394lm total 2700K CRI 80
[i] DIMMABLE

Materiali · Materials

acciaio inox, vetro · stainless steel, glass

Peso · Weight 3,2 Kg

DIMMER INCLUDED

Finiture
Finishes

nero opaco · matt black

Colori
Colors





● F014B20K030

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

	<p>HECO WALL</p> <p>Nendo, 2020</p> <p>Potenza · Power 9W</p> <p>Tensione · Voltage 100-240V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 9W 423lm total 3000K CRI 80 [i] DIMMABLE</p> <p>Materiali · Materials acciaio inox, vetro · stainless steel, glass</p> <p>Peso · Weight 3,2 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>nero opaco · matt black</p>	<p>Colori Colors</p> <p>● F014B30K030</p>	<p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Flos Outdoor pricelist</p>
	<p>HECO RECTANGULAR TABLE</p> <p>Nendo, 2020</p> <p>Potenza · Power 9W</p> <p>Tensione · Voltage 100-240V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 6W 179lm total 2700K CRI 80 [i] DIMMABLE</p> <p>Materiali · Materials acciaio inox, vetro · stainless steel, glass</p> <p>Peso · Weight 4,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>nero opaco · matt black</p> <p>london brown crema d'orcìa</p>	<p>Colori Colors</p> <p>● F014C20K030</p> <p>PIANO IN PIETRA · STONE SURFACE</p> <p>● F014Z010000 ● F014Z050000</p>	<p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Flos Outdoor pricelist</p>
	<p>HECO RECTANGULAR TABLE</p> <p>Nendo, 2020</p> <p>Potenza · Power 9W</p> <p>Tensione · Voltage 100-240V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 6W 192lm total 3000K CRI 80 [i] DIMMABLE</p> <p>Materiali · Materials acciaio inox, vetro · stainless steel, glass</p> <p>Peso · Weight 4,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>nero opaco · matt black</p> <p>london brown crema d'orcìa</p>	<p>Colori Colors</p> <p>● F014C30K030</p> <p>PIANO IN PIETRA · STONE SURFACE</p> <p>● F014Z010000 ● F014Z050000</p>	<p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Flos Outdoor pricelist</p>
	<p>HECO SQUARE TABLE</p> <p>Nendo, 2020</p> <p>Potenza · Power 9W</p> <p>Tensione · Voltage 100-240V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 6W 179lm total 2700K CRI 80 [i] DIMMABLE</p> <p>Materiali · Materials acciaio inox, vetro · stainless steel, glass</p> <p>Peso · Weight 3,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>nero opaco · matt black</p> <p>london brown crema d'orcìa</p>	<p>Colori Colors</p> <p>● F014D20K030</p> <p>PIANO IN PIETRA · STONE SURFACE</p> <p>● F014Z010000 ● F014Z050000</p>	<p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Flos Outdoor pricelist</p>

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**HECO SQUARE TABLE**

Nendo, 2020

Potenza · Power 9W

Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LED 6W 192lm total 3000K CRI 80
[i] DIMMABLE

Materiali · Materials

acciaio inox, vetro · stainless steel, glass

Peso · Weight 4,7 Kg

DIMMER INCLUDED

Finiture
Finishes


nero opaco · matt black

london brown
crema d'orcìaColori
Colors

● F014D30K030

PIANO IN PIETRA ·
STONE SURFACE● F014Z010000
● F014Z050000

€ IVA inc I incl VAT

vedi Listino Outdoor
see Fios Outdoor pricelist**IC C/W1**

Michael Anastassiades, 2014

Potenza · Power MAX 60W

Tensione · Voltage 220-250V

☐ A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE 0 · or 1 LED 8W
E14 800lm 3000K [e] cod. RF26565
DIMMABLE 0 · or 1 LED 10W E14 900lm
2700K [e] cod. RF26261 DIMMABLE 0 ·
or 1 LED 10W E14 900lm 3000K [e]
cod. RF26260 DIMMABLE

Materiali · Materials

acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 2 Kg

Finiture
Finishes

cromo · chrome

ottone · brass

nero · black

rosso burgundy · red
burgundyColori
Colors

■ F3178057

■ F3178059

● F3178030

● F3178035


€ IVA inc I incl VAT

395,00

395,00

395,00

395,00

**IC C/W1 OUTDOOR/INDOOR**

Michael Anastassiades, 2020

Potenza · Power MAX 60W

Tensione · Voltage 220-240V

☐ A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8W E14 800lm 2700K [e] cod. RF26767 DIMMABLE 0 · or 1 LED 8W
E14 800lm 3000K [e] cod. RF26565
DIMMABLE

Materiali · Materials

acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 2,2 Kg

Finiture
Finishesacciaio inox spazzolato ·
brushed stainless steelfinitura ottone · brass
finish

nero · black

deep brown · deep
brownrosso burgundy · red
burgundyColori
Colors

■ F012H00C005

■ F012H00C059

● F012H00C030

● F012H00C018

● F012H00C037

€ IVA inc I incl VAT

vedi Listino Outdoor
see Fios Outdoor pricelist**IC C/W1 DOUBLE**

Michael Anastassiades, 2020

Potenza · Power MAX 60W

Tensione · Voltage 220-250V

☐ A+ → E

Fonte luminosa (disponibile) ·
Light source (available)
2 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE 0 · or 2 LED 8W
E14 800lm 3000K [e] cod. RF26565
DIMMABLE 0 · or 2 LED 10W E14 900lm
2700K [e] cod. RF26261 DIMMABLE 0 ·
or 2 LED 10W E14 900lm 3000K [e]
cod. RF26260 DIMMABLE

Materiali · Materials

acciaio, ottone, vetro soffiato · steel, brass,
blown glass

Peso · Weight 2,7 Kg

Finiture
Finishes

cromo · chrome

ottone · brass

nero · black

rosso burgundy · red
burgundyColori
Colors

■ F3157057

■ F3157059

● F3157030

● F3157035

€ IVA inc I incl VAT

460,00

460,00





460,00

460,00







[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Fios si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Fios please refer to the technical specifications at pages 91-99




	<p>IC C/W2</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 205W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE</p> <p>A+ → E</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 3,7 Kg</p>	<p>Finiture Finishes</p> <p>cromo · chrome</p> <p>ottone · brass</p> <p>nero · black</p> <p>rosso burgundy · red burgundy</p>	<p>Colori Colors</p> <p>F3179057</p> <p>F3179059</p> <p>F3179030</p> <p>F3179035</p>	<p>€ IVA inc I incl VAT</p> <p>530,00</p> <p>530,00</p> <p>530,00</p> <p>530,00</p>
	<p>IC C/W2 OUTDOOR/INDOOR</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 205W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE</p> <p>A+ → E</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 3,8 Kg</p>	<p>Finiture Finishes</p> <p>acciaio inox spazzolato · brushed stainless steel</p> <p>finitura ottone · brass finish</p> <p>nero · black</p> <p>deep brown · deep brown</p> <p>rosso burgundy · red burgundy</p>	<p>Colori Colors</p> <p>F012J00C005</p> <p>F012J00C059</p> <p>F012J00C030</p> <p>F012J00C018</p> <p>F012J00C037</p>	<p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Flos Outdoor pricelist</p>
	<p>IC C/W2 DOUBLE</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 205W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>2 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 2 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 2 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 2 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE</p> <p>A+ → E</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 4,3 Kg</p>	<p>Finiture Finishes</p> <p>cromo · chrome</p> <p>ottone · brass</p> <p>nero · black</p> <p>rosso burgundy · red burgundy</p>	<p>Colori Colors</p> <p>F3159057</p> <p>F3159059</p> <p>F3159030</p> <p>F3159035</p>	<p>€ IVA inc I incl VAT</p> <p>620,00</p> <p>620,00</p> <p>620,00</p> <p>620,00</p>
	<p>IC F1</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · or 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE</p> <p>A+ → E</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 5 Kg</p> <p>DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>cromo · chrome</p> <p>ottone · brass</p> <p>nero · black</p> <p>rosso burgundy · red burgundy</p>	<p>Colori Colors</p> <p>F3173057</p> <p>F3173059</p> <p>F3173030</p> <p>F3173035</p>	<p>€ IVA inc I incl VAT</p> <p>650,00</p> <p>650,00</p> <p>650,00</p> <p>650,00</p>

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 - For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99


	<p>IC F1 OUTDOOR/INDOOR</p> <p>Michael Anastassiades, 2019</p> <p>Potenza · Power 8W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>☐ A+ → E 1 LED 8W E14 800lm 2700K [e] cod. RF26767 DIMMABLE 0 · or 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 5 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>acciaio inox · stainless steel (occhio di pernice marble) ●●● F012A04C005</p> <p>ottone · brass (grey lava marble) ●●● F012A03C059</p> <p>deep brown · deep brown (travertino imperiale marble) ●●● F012A01C018</p> <p>nero · black (black lava marble) ●●● F012A02C030</p> <p>rosso burgundy · red burgundy (black lava marble) ●●● F012A02C037</p>	<p>Colori Colors</p> <p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Fios Outdoor pricelist</p>
	<p>IC F2</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 205W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>☐ A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE 0 · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE 0 · or 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE 0 · or 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 10 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>cromo · chrome ●●● F3174057</p> <p>ottone · brass ●●● F3174059</p> <p>nero · black ●●● F3174030</p> <p>rosso burgundy · red burgundy ●●● F3174035</p>	<p>Colori Colors</p> <p>€ IVA inc I incl VAT</p> <p>990,00</p> <p>990,00</p> <p>990,00</p> <p>990,00</p>
	<p>IC F2 OUTDOOR/INDOOR</p> <p>Michael Anastassiades, 2019</p> <p>Potenza · Power 17W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>☐ A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE 0 · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 10 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>acciaio inox · stainless steel (occhio di pernice marble) ●●● F012B04C005</p> <p>ottone · brass (grey lava marble) ●●● F012B03C059</p> <p>deep brown · deep brown (travertino imperiale marble) ●●● F012B01C018</p> <p>nero · black (black lava marble) ●●● F012B02C030</p> <p>rosso burgundy · red burgundy (black lava marble) ●●● F012B02C037</p>	<p>Colori Colors</p> <p>€ IVA inc I incl VAT</p> <p>vedi Listino Outdoor see Fios Outdoor pricelist</p>
	<p>IC S1</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>☐ A+ → E 1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE 0 · or 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE 0 · or 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE 0 · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 2,2 Kg</p>	<p>Finiture Finishes</p> <p>cromo · chrome ●●● F3175057</p> <p>ottone · brass ●●● F3175059</p> <p>nero · black ●●● F3175030</p> <p>rosso burgundy · red burgundy ●●● F3175035</p>	<p>Colori Colors</p> <p>€ IVA inc I incl VAT</p> <p>395,00</p> <p>395,00</p> <p>395,00</p> <p>395,00</p>

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Fios si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Fios please refer to the technical specifications at pages 91-99

	<p>IC S2</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 205W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE</p> <p>A+ → E</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 3,9 Kg</p>	<p>Finiture Finishes</p> <p>cromo · chrome</p> <p>ottone · brass</p> <p>nero · black</p> <p>rosso burgundy · red burgundy</p>	<p>Colori Colors</p> <p>F3176057</p> <p>F3176059</p> <p>F3176030</p> <p>F3176035</p>	<p>€ IVA inc / incl VAT</p> <p>545,00</p> <p>545,00</p> <p>545,00</p> <p>545,00</p>
	<p>IC T1 HIGH</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · or 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE</p> <p>A+ → E</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 1,7 Kg</p> <p>DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>cromo · chrome</p> <p>ottone · brass</p> <p>nero · black</p> <p>rosso burgundy · red burgundy</p>	<p>Colori Colors</p> <p>F3170057</p> <p>F3170059</p> <p>F3170030</p> <p>F3170035</p>	<p>€ IVA inc / incl VAT</p> <p>440,00</p> <p>440,00</p> <p>440,00</p> <p>440,00</p>
	<p>IC T1 LOW</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 8W E14 700lm 2700K [e] cod. RF26767 DIMMABLE o · or 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE</p> <p>A+ → E</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 1,6 Kg</p> <p>DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>cromo · chrome</p> <p>ottone · brass</p> <p>nero · black</p> <p>rosso burgundy · red burgundy</p>	<p>Colori Colors</p> <p>F3171057</p> <p>F3171059</p> <p>F3171030</p> <p>F3171035</p>	<p>€ IVA inc / incl VAT</p> <p>440,00</p> <p>440,00</p> <p>440,00</p> <p>440,00</p>
	<p>IC T2</p> <p>Michael Anastassiades, 2014</p> <p>Potenza · Power MAX 205W</p> <p>Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE</p> <p>A+ → E</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 3,6 Kg</p> <p>DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>cromo · chrome</p> <p>ottone · brass</p> <p>nero · black</p> <p>rosso burgundy · red burgundy</p>	<p>Colori Colors</p> <p>F3172057</p> <p>F3172059</p> <p>F3172030</p> <p>F3172035</p>	<p>€ IVA inc / incl VAT</p> <p>550,00</p> <p>550,00</p> <p>550,00</p> <p>550,00</p>

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**IPNOS OUTDOOR/INDOOR**

Nicoletta Rossi and Guido Bianchi, 2014

Potenza · Power 15W

Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·
Light source (available)
196 TOP LED 15W 665lm 2700K
(indoor) 3500K (outdoor) CRI 85 [i]

LED INCLUDED
NOT REPLACEABLE**Materiali · Materials**alluminio, policarbonato · aluminum,
polycarbonate

Peso · Weight 0,8 Kg

DIMMER INCLUDED

**Finiture
Finishes**

nero · black
anodizzato · anodized
bronzo · bronze
nero · black
naturale · natural
bronzo · bronze

**Colori
Colors**

● F3120030
● F3120054
● F3120046
● F3150030 OUTDOOR
● F3150054 OUTDOOR
● F3150046 OUTDOOR

€ IVA inc I incl VAT

770,00
770,00
770,00
798,00
798,00
798,00

trasparente · transparent ● F3125000 TOP PLATE

98,00

**INFRA-STRUCTURE EPISODE 2_C1**

Vincent Van Duysen, 2020

Potenza · Power 40W

Tensione · Voltage 48V

Fonte luminosa (disponibile) ·
Light source (available)
TOP LED 40W 3195lm 2700K CRI90

LED INCLUDED
NOT REPLACEABLE**Materiali · Materials**alluminio estruso e tornito in lastra, policarbonato opale estruso ·
extruded and spin-formed aluminium, opal polycarbonate extruded

Peso · Weight 6,2 Kg

DIMMER INCLUDED

**Finiture
Finishes**


nero opaco · matte black
bianco opaco · matte white

**Colori
Colors**

● 03.8460.14
○ 03.8460.40

€ IVA inc I incl VAT

2.034,00
2.034,00

**INFRA-STRUCTURE EPISODE 2_C2**

Vincent Van Duysen, 2020

Potenza · Power 30W

Tensione · Voltage 48V

Fonte luminosa (disponibile) ·
Light source (available)
TOP LED 30W 2366lm 2700K CRI90

LED INCLUDED
NOT REPLACEABLE**Materiali · Materials**alluminio estruso policarbonato opale estruso · extruded aluminium,
opal polycarbonate extruded

Peso · Weight 2,5 Kg

DIMMER INCLUDED

**Finiture
Finishes**


nero opaco · matte black
bianco opaco · matte white

**Colori
Colors**

● 03.8461.14
○ 03.8461.40

€ IVA inc I incl VAT

1.272,00
1.272,00

**INFRA-STRUCTURE EPISODE 2_C3**

Vincent Van Duysen, 2020

Potenza · Power 70W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
TOP LED 40W 3195lm + 30W 2366
2700K CRI90

LED INCLUDED
NOT REPLACEABLE**Materiali · Materials**alluminio estruso e tornito in lastra, policarbonato opale estruso ·
extruded and spin-formed aluminium, opal polycarbonate extruded

Peso · Weight 7 Kg

DIMMER INCLUDED

**Finiture
Finishes**

nero · black
bianco · white

**Colori
Colors**

● 03.8462.14
○ 03.8462.40


€ IVA inc I incl VAT

2.778,00
2.778,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



INFRA-STRUCTURE EPISODE 2_C4

Vincent Van Duysen, 2020

Potenza · Power 110W

Tensione · Voltage 48V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
TOP LED 40W 3195lm + 40W 3195lm +
30W 2366 2700K CRI90

Materiali · Materials
alluminio estruso e tornito in lastra, policarbonato opale estruso -
extruded and spin-formed aluminium, opal polycarbonate extruded

Peso · Weight 12,5 Kg

DIMMER INCLUDED



Finiture
Finishes


nero · black
bianco · white

Colori
Colors

● 03.8463.14
○ 03.8463.40

€ IVA inc I incl VAT

4.574,00
4.574,00



MINIKELVIN LED

Antonio Citterio, 2011

Potenza · Power 4W

Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
36 TOP LED 4W 97lm 3000K total
CRI80 [i] DIMMING

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,8 Kg

DIMMER INCLUDED



Finiture
Finishes

cromo · chrome

Colori
Colors

|| F4180057

€ IVA inc I incl VAT

235,00



KELVIN EDGE BASE

Antonio Citterio, 2015

Potenza · Power 7W

Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90 [i] DIMMABLE K
SELECTION

Materiali · Materials
alluminio · aluminum

Peso · Weight 3 Kg

DIMMER INCLUDED



Finiture
Finishes


bianco · white
nero · black
titanio · titanium
cromo · chrome

Colori
Colors

○ F3452009
● F3452030
● F3452033
|| F3452057

€ IVA inc I incl VAT

375,00
375,00
385,00
395,00



KELVIN EDGE MORSETTO · CLAMP

Antonio Citterio, 2015

Potenza · Power 7W

Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90 [i] DIMMABLE K
SELECTION

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,7 Kg

DIMMER INCLUDED



Finiture
Finishes

bianco · white
nero · black
titanio · titanium
cromo · chrome

Colori
Colors


○ F3460009
● F3460030
● F3460033
|| F3460057

€ IVA inc I incl VAT

375,00
375,00
385,00
395,00

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



KELVIN EDGE SUPP. SCRIVANIA · DESK SUPP.

Antonio Citterio, 2015
 Potenza · Power 7W
 Tensione · Voltage 100-240V/24

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 EDGE LIGHTING 7W 306lm
 2700/3200K CRI 90 [i] DIMMABLE K
 SELECTION

Materiali · Materials
 alluminio · aluminum

Peso · Weight 0,6 Kg DIMMER INCLUDED

Finiture
 Finishes

bianco · white
 bianco · white
 nero · black
 nero · black
 titanio · titanium
 titanio · titanium
 cromo · chrome
 cromo · chrome


Colori
 Colors

○ F3458009 CV · VC
 ○ F3456009 CN · HC
 ● F3458030 CV · VC
 ● F3456030 CN · HC
 ● F3458033 CV · VC
 ● F3456033 CN · HC
 ■ F3458057 CV · VC
 ■ F3456057 CN · HC

€ IVA inc / incl VAT

375,00
 375,00
 375,00
 385,00
 385,00
 395,00
 395,00

CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable



KELVIN EDGE ATTACCO A PARETE · WALL

Antonio Citterio, 2015
 Potenza · Power 7W
 Tensione · Voltage 100-240V/24

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 EDGE LIGHTING 7W 306lm
 2700/3200K CRI 90 [i] DIMMABLE K
 SELECTION

Materiali · Materials
 alluminio · aluminum

Peso · Weight 0,6 Kg DIMMER INCLUDED

Finiture
 Finishes


bianco · white
 nero · black
 titanio · titanium
 cromo · chrome

Colori
 Colors

○ F3454009
 ● F3454030
 ● F3454033
 ■ F3454057

€ IVA inc / incl VAT

375,00
 375,00
 385,00
 395,00



KELVIN LED BASE

Antonio Citterio assistant Toan Nguyen, 2009
 Potenza · Power 8W
 Tensione · Voltage 100-240V/24

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 30 TOP LED 7,5W 568lm total 3000K
 CRI 95 [i] GREEN MODE

Materiali · Materials
 alluminio · aluminum

Peso · Weight 4,8 Kg DIMMER INCLUDED

Finiture
 Finishes


bianco · white
 nero · black
 antracite · anthracite
 cromo · chrome

Colori
 Colors

○ F3311009
 ● F3311030
 ● F3311033
 ■ F3311057

€ IVA inc / incl VAT

375,00
 375,00
 375,00
 395,00



KELVIN LED MORSETTO · CLAMP

Antonio Citterio assistant Toan Nguyen, 2009
 Potenza · Power 8W
 Tensione · Voltage 100-240V/24

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 30 TOP LED 7,5W 5686lm total
 3000K CRI 95 [i] GREEN MODE

Materiali · Materials
 alluminio · aluminum

Peso · Weight 1,6 Kg DIMMER INCLUDED

Finiture
 Finishes

bianco · white
 nero · black
 antracite · anthracite
 cromo · chrome

Colori
 Colors

○ F3301009
 ● F3301030
 ● F3301033
 ■ F3313057

€ IVA inc / incl VAT


375,00
 375,00
 375,00
 395,00

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

	<p>KELVIN LED SUPP. SCRIVANIA - DESK SUPP. Antonio Citterio assistant Toan Nguyen, 2009 Potenza · Power 8W Tensione · Voltage 100-240V/24</p> <p>Fonte luminosa (disponibile) · Light source (available) 30 TOP LED 7,5W 568lm total 3000K CRI 95 [i] GREEN MODE</p> <p>LED INCLUDED NOT REPLACEABLE</p>	<p>Finiture Finishes</p> <p>bianco · white bianco · white nero · black nero · black antracite · anthracite antracite · anthracite cromo · chrome cromo · chrome</p>	<p>Colori Colors</p> <p>○ F3308009 cv · vc ○ F3309009 CN · HC ● F3308030 cv · vc ● F3309030 CN · HC ● F3308033 cv · vc ● F3309033 CN · HC ▨ F3308057 cv · vc ▨ F3309057 CN · HC</p>	<p>€ IVA inc I incl VAT</p> <p>375,00 375,00 375,00 375,00 375,00 375,00 395,00 395,00</p>
	<p>KELVIN LED ATTACCO A PARETE - WALL Antonio Citterio assistant Toan Nguyen, 2009 Potenza · Power 8W Tensione · Voltage 100-240V/24</p> <p>Fonte luminosa (disponibile) · Light source (available) 30 TOP LED 7,5W 568lm total 3000K CRI 95 [i] GREEN MODE</p> <p>LED INCLUDED NOT REPLACEABLE</p>	<p>Finiture Finishes</p> <p>bianco · white nero · black antracite · anthracite cromo · chrome</p>	<p>Colori Colors</p> <p>○ F3302009 ● F3302030 ● F3302033 ▨ F3314057</p>	<p>€ IVA inc I incl VAT</p> <p>375,00 375,00 375,00 395,00</p>
	<p>KELVIN LED F Antonio Citterio, 2011 Potenza · Power 8W Tensione · Voltage 100-240V/24</p> <p>Fonte luminosa (disponibile) · Light source (available) 30 TOP LED 8W 568lm total 2700K CRI 95 [i]</p> <p>LED INCLUDED NOT REPLACEABLE</p>	<p>Finiture Finishes</p> <p>bianco · white nero · black antracite · anthracite</p>	<p>Colori Colors</p> <p>○ F3305009 ● F3305030 ● F3305033</p>	<p>€ IVA inc I incl VAT</p> <p>455,00 455,00 455,00</p>
	<p>KTRIBE F1 Philippe Starck, 2007 Potenza · Power MAX 100W Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) 1 LED 8,5W E27 740lm 2200-2700K [e] cod. <u>RF28880</u> DIMMABLE 0 · or 1 LED 10W E27 965lm 3000K [e] cod. <u>RF29186</u> DIMMABLE 0 · or 1 LED 10W E27 965lm 2700K [e] cod. <u>RF28782</u> DIMMABLE</p> <p>A+ → E</p>	<p>Finiture Finishes</p> <p>trasparente · transparent argento · silver bronzo · bronze tessuto · fabric fumè · fumée</p>	<p>Colori Colors</p> <p>○ F6265000 ● F6265004 ● F6265046 ● F6265007 ● F6265030</p>	<p>€ IVA inc I incl VAT</p> <p>595,00 595,00 595,00 595,00 595,00</p>

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**KTRIBE F2**

Philippe Starck, 2007
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V

☹ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 21W E27 2452lm 3000K [e]
 cod. [RF26998](#) DIMMABLE

Materiali · Materials
 alluminio, policarbonato, PMMA, tessuto ·
 aluminum, polycarbonate, PMMA, fabric

Peso · Weight 6,7 Kg DIMMER INCLUDED

Finiture
 Finishes


trasparente · transparent
 argento · silver
 bronzo · bronze
 tessuto · fabric
 fumè · fumée

Colori
 Colors

● F6305000
 ● F6305004
 ● F6305046
 ● F6305007
 ● F6305030

€ IVA inc / incl VAT

798,00
 895,00
 895,00
 895,00
 798,00

**KTRIBE F3**

Philippe Starck, 2007
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

☹ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 21W E27 2452lm 3000K [e]
 cod. [RF26998](#) DIMMABLE

Materiali · Materials
 alluminio, policarbonato, PMMA, tessuto ·
 aluminum, polycarbonate, PMMA, fabric

Peso · Weight 14,0 Kg DIMMER INCLUDED

Finiture
 Finishes


trasparente · transparent
 argento · silver
 bronzo · bronze
 tessuto · fabric
 fumè · fumée

Colori
 Colors

● F6301000
 ● F6301004
 ● F6301046
 ● F6301007
 ● F6301030

€ IVA inc / incl VAT

1.390,00
 1.590,00
 1.590,00
 1.590,00
 1.390,00

**KTRIBE F3 OUTDOOR/INDOOR**

Philippe Starck, 2007
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

☹ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 21W E27 2450lm 3000K [e]
 cod. [RF26998](#) DIMMABLE

Materiali · Materials
 alluminio, policarbonato, PVC ·
 aluminum, polycarbonate, PVC

Peso · Weight 23,0 Kg DIMMER INCLUDED

Finiture
 Finishes

panama · panama
 green wall · green wall

Colori
 Colors

● F6268022
 ● F6268041

€ IVA inc / incl VAT

vedi Listino Outdoor
 see Flos Outdoor pricelist

**KTRIBE S1**

Philippe Starck, 2005
 Potenza · Power MAX 75W
 Tensione · Voltage 220-250V

☹ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 3W G9 290lm 2700K* [e] cod.
 28425 [e] o · or 1 LED 2W G9 240lm
 2700K* cod. [RF26520](#) [e]

Materiali · Materials
 policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 1 Kg

Finiture
 Finishes

argento · silver
 fumè · fumée

Colori
 Colors

● F6256000
 ● F6256030

€ IVA inc / incl VAT

290,00
 260,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



KTRIBE S2

Philippe Starck, 2005
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
trasparente · transparent	F6257000A	410,00
argento · silver	F6257000	450,00
bronzo · bronze	F6257046	450,00
fumè · fumée	F6257030	410,00

☹ A+ → E Fonte luminosa (disponibile) · Light source (available)
 1 LED 21W E27 2452lm 3000K [e] cod. [RF26998](#) DIMMABLE

Materiali · Materials
 policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 2,5 Kg



KTRIBE S3

Philippe Starck, 2005
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
trasparente · transparent	F6258000A	610,00
argento · silver	F6258000	650,00
bronzo · bronze	F6258046	650,00
fumè · fumée	F6258030	610,00

☹ A+ → E Fonte luminosa (disponibile) · Light source (available)
 1 LED 21W E27 2452lm 3000K [e] cod. [RF26998](#) DIMMABLE

Materiali · Materials
 policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 4,5 Kg



KTRIBE T1

Philippe Starck, 2007
 Potenza · Power MAX 100W
 Tensione · Voltage 220-240V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
trasparente · transparent	F6263000	595,00
fumè · fumée	F6263030	595,00

☹ A+ → E Fonte luminosa (disponibile) · Light source (available)
 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE O · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials
 alluminio, metacrilato, policarbonato · aluminum, methacrylate, polycarbonate

Peso · Weight 3,1 Kg DIMMER INCLUDED



KTRIBE T1 GLASS

Philippe Starck, 2007
 Potenza · Power MAX 100W
 Tensione · Voltage 220-240V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
trasparente · transparent	F6281000	698,00

☹ A+ → E Fonte luminosa (disponibile) · Light source (available)
 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE O · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials
 alluminio, vetro, policarbonato · aluminum, glass, polycarbonate

Peso · Weight 4,6 Kg DIMMER INCLUDED



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**KTRIBE T2**

Philippe Starck, 2007
Potenza · Power MAX 150W
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)

A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE 0 · or 1 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE

Materiali · Materials
alluminio, policarbonato, PMMA, tessuto ·
aluminum, polycarbonate, PMMA, fabric

Peso · Weight 5,9 Kg DIMMER INCLUDED

Finiture
Finishes


trasparente · transparent
argento · silver
bronzo · bronze
tessuto · fabric
fumè · fumée

Colori
Colors

F6303000
 F6303004
 F6303046
 F6303007
 F6303030

€ IVA inc I incl VAT

695,00
798,00
798,00
798,00
695,00

**KTRIBE W**

Philippe Starck, 2007
Potenza · Power MAX 100W
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
Light source (available)

A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE 0 · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials
alluminio, policarbonato, PMMA, tessuto ·
aluminum, polycarbonate, PMMA, fabric

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture
Finishes

trasparente · transparent
argento · silver
bronzo · bronze
tessuto · fabric
fumè · fumée

Colori
Colors

F6307000
 F6307004
 F6307046
 F6307007
 F6307030

€ IVA inc I incl VAT

370,00
395,00
395,00
395,00
370,00

**LAMPADINA**

Achille Castiglioni, 1972
Potenza · Power MAX 5W
Tensione · Voltage 230V

Fonte luminosa (disponibile) ·
Light source (available)

A++ → E 1 LED 2W E27 200lm 2700K [i] cod. [RF24054](#)

Materiali · Materials
alluminio · aluminum

Peso · Weight 0,3 Kg

Finiture
Finishes

nero · black
arancio · orange
bianco · white
verde · green
turchese · turquoise
viola · violet

Colori
Colors

F3300000
 F3299075
 F3299009
 F3299039
 F3299074
 F3299042

€ IVA inc I incl VAT

110,00
110,00
110,00
110,00
110,00
110,00

**LA PLUS BELLE**

Philippe Starck, 2019

Fonte luminosa (disponibile) ·
Light source (available)

LED INCLUDED
NOT REPLACEABLE
560 TOP LED 58W 5300lm 2700K
CRI 95

Materiali · Materials
alluminio · aluminum

Peso · Weight 32,8 Kg DIMMER INCLUDED

Finiture
Finishes

bronzo lucido ·
polished bronze
rame spazzolato ·
brushed cooper
oro spazzolato ·
brushed gold
brill · brill

Colori
Colors





F3680046
 F3680015
 F3680044
 F3680064

€ IVA inc I incl VAT

3.700,00
3.700,00
3.700,00
3.700,00

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>ø 100 mm 100 mm 40 mm ø 70 mm</p>	<p>LAST ORDER CLEAR Michael Anastassiades, 2020 Potenza · Power 2,5W Tensione · Voltage IN 5V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 2,5W 200lm 2700K CRI90</p> <p>Materiali · Materials cristallo, ottone, policarbonato · <i>chrystal, brass, polycarbonate</i></p> <p>Peso · Weight 1,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>ottone lucido <i>polished brass (INDOOR)</i> rame satinato <i>satin copper (INDOOR)</i> verde opaco <i>matt green (OUTDOOR)</i> acciaio lucido <i>polished inox (OUTDOOR)</i></p> <p>Colori Colors</p> <p>● F3693059 ● F3693015 ● F3693039 ● F3693056</p>	<p>€ IVA inc I incl VAT</p> <p>370,00 370,00 370,00 370,00</p>
 <p>ø 100 mm 100 mm 40 mm ø 70 mm</p>	<p>LAST ORDER FLUTED Michael Anastassiades, 2020 Potenza · Power 2,5W Tensione · Voltage IN 5V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available) LED 2,5W 200lm 2700K CRI90</p> <p>Materiali · Materials cristallo, ottone, policarbonato · <i>chrystal, brass, polycarbonate</i></p> <p>Peso · Weight 1,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>ottone lucido <i>polished brass (INDOOR)</i> rame satinato <i>satin copper (INDOOR)</i> verde opaco <i>matt green (OUTDOOR)</i> acciaio lucido <i>polished inox (OUTDOOR)</i></p> <p>Colori Colors</p> <p>● F3694059 ● F3694015 ● F3694039 ● F3694056</p>	<p>€ IVA inc I incl VAT</p> <p>430,00 430,00 430,00 430,00</p>
 <p>ø 58 mm 1890 mm 600 mm</p>	<p>LUMINATOR Achille and Pier Giacomo Castiglioni, 1954 Potenza · Power MAX 205W Tensione · Voltage 220-250V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>🔊 A+ → E 1 LED 12W E27 1000lm 2700K [e] cod. <u>RF28664</u> DIMMABLE 0 · or 1 LED 8W E27 660lm 2700K [e] cod. <u>RF26277</u> DIMMABLE</p> <p>Materiali · Materials metallo · <i>metal</i></p> <p>Peso · Weight 4,1 Kg</p>	<p>Finiture Finishes</p> <p>antracite · <i>anthracite</i></p> <p>Colori Colors</p> <p>● F3770033</p>	<p>€ IVA inc I incl VAT</p> <p>570,00</p>
 <p>530 mm ø 220 mm</p>	<p>MAY DAY Konstantin Grcic, 2000 Potenza · Power MAX 60W Tensione · Voltage 220-250V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available)</p> <p>🔊 A+ → E 1 LED 10W E27 965lm 3000K [e] cod. <u>RF29186</u> DIMMABLE 0 · or 1 LED 10W E27 965lm 2700K [e] cod. <u>RF28782</u> DIMMABLE</p> <p>Materiali · Materials polipropilene · <i>polypropylene</i></p> <p>Peso · Weight 0,7 Kg</p>	<p>Finiture Finishes</p> <p>nero · <i>black</i> arancio · <i>orange</i></p> <p>Colori Colors</p> <p>● F3780030 ● F3780002</p>	<p>€ IVA inc I incl VAT</p> <p>105,00 105,00</p> <p>cadauna - unit price imballo per colore 2 pezzi - packed 2 pieces</p>

LISTINO PREZZI CONSIGLIATI EUROPA LUGLIO 2020 - EUROPE RECOMMENDED PRICE LIST JULY 2020

[e] fonte luminosa esclusa · *excluded light source* - [I] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

**MAY DAY ANNIVERSARY**

Konstantin Grcic, 2020

Potenza · Power MAX 60W

Tensione · Voltage 220-250V

Finiture
Finishes

grigio chiaro · light grey

Colori
Colors

● F3779054

€ IVA inc I incl VAT

350,00 2

☹ A+ → E Fonte luminosa (disponibile) ·
Light source (available)
1 LED 8,5W E27 965lm 2200-2700K
[i] cod. [RF28800](#) DIMMABLE

Materiali · Materials

polipropilene, alluminio · polypropylene, aluminium

Peso · Weight 0,257 Kg

**MISS K**

Philippe Starck, 2003

Potenza · Power MAX 100W

Tensione · Voltage 220-240V

Finiture
Finishes

rosso · red

argento · silver

nero · black

tessuto · fabric

Colori
Colors

● F6255035

● F6255000

● F6255030

● F6255007

€ IVA inc I incl VAT

295,00

295,00

295,00

295,00

☹ A+ → E Fonte luminosa (disponibile) ·
Light source (available)
1 LED 10W E27 965lm 3000K [e] cod.
[RF29186](#) DIMMABLE o · or 1 LED 10W
E27 965lm 2700K [e] cod. [RF28782](#)
DIMMABLE

Materiali · Materials

PMMA, policarbonato, tessuto · PMMA,
polycarbonate, fabric

Peso · Weight 1,2 Kg

DIMMER INCLUDED

**MISS SISSI**

Philippe Starck, 1991

Potenza · Power MAX 60W

Tensione · Voltage 220-250V

Finiture
Finishes

bianco · white

Colori
Colors

○ F6250009

€ IVA inc I incl VAT


99,00

☹ A+ → E Fonte luminosa (disponibile) ·
Light source (available)
1 x MAX 60W E14 HSGS 820lm
2800K [e] cod. [RF19781](#) DIMMABLE

Materiali · Materials

policarbonato · polycarbonate

Peso · Weight 1,5 Kg

cadauna · unit price
imballo per colore 2 pezzi ·
packed 2 pieces**MY WAY 110X100 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 5W

Tensione · Voltage 100-240V

Finiture
Finishes

bianco · white

grigio · grey

antracite · anthracite

nero · black

deep brown · deep brown

forest green · forest green

Colori
Colors

○ F4350001

● F4350006

● F4350033

● F4350030

● F4350018

● F4350012

€ IVA inc I incl VAT

LED INCLUDED
NOT REPLACEABLE Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 5W 421lm ≠ FIXT
188lm 2700K CRI80 100-240V [i]

Materiali · Materials

alluminio, policarbonato · aluminum, polycarbonate


Peso · Weight 0,52 Kg

vedi Listino Outdoor
see Flos Outdoor pricelistper gamma completa e accessori
consultare flos.com - for full range
and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

58 mm



MY WAY 110X100 OUTDOOR/INDOOR

Piero Lissoni, 2017
Potenza · Power 5W
Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 5W 490lm ≠ FIXT
211lm 3000K CRI80 100-240V [i]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,52 Kg

Finiture
Finishes

bianco · white ○ F4351001
grigio · grey ● F4351006
antracite · anthracite ● F4351033
nero · black ● F4351030
deep brown · deep brown ● F4351018
forest green · forest green ● F4351012

Colori
Colors


€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



58 mm



MY WAY 110X100 OUTDOOR/INDOOR

Piero Lissoni, 2017
Potenza · Power 5W
Tensione · Voltage 100-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 5W 514lm ≠ FIXT
221lm 4000K CRI80 100-240V [i]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,52 Kg

Finiture
Finishes

bianco · white ○ F4352001
grigio · grey ● F4352006
antracite · anthracite ● F4352033
nero · black ● F4352030
deep brown · deep brown ● F4352018
forest green · forest green ● F4352012

Colori
Colors


€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



58 mm



MY WAY 110X200 OUTDOOR/INDOOR

Piero Lissoni, 2017
Potenza · Power 13W
Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1357lm ≠ FIXT
657lm 2700K CRI80 220-240V [i]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,95 Kg

Finiture
Finishes

bianco · white ○ F4353001
grigio · grey ● F4353006
antracite · anthracite ● F4353033
nero · black ● F4353030
deep brown · deep brown ● F4353018
forest green · forest green ● F4353012

Colori
Colors


€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



58 mm



MY WAY 110X200 OUTDOOR/INDOOR

Piero Lissoni, 2017
Potenza · Power 13W
Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1577lm ≠ FIXT
763lm 3000K CRI80 220-240V [i]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,95 Kg

Finiture
Finishes

bianco · white ○ F4354001
grigio · grey ● F4354006
antracite · anthracite ● F4354033
nero · black ● F4354030
deep brown · deep brown ● F4354018
forest green · forest green ● F4354012

Colori
Colors

€ IVA inc I incl VAT


vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

58 mm

**MY WAY 110X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1656lm ≠ FIXT
801lm 4000K CRI80 220-240V [i]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,95 Kg

Finiture
Finishes

bianco · white ○ F4355001
grigio · grey ● F4355006
antracite · anthracite ● F4355033
nero · black ● F4355030
deep brown · deep brown ● F4355018
forest green · forest green ● F4355012

Colori
Colors

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

58 mm

**MY WAY 210X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1357lm ≠ FIXT
669lm 2700K CRI80 220-240V [i]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,44 Kg

CE IP 65

Finiture
Finishes

bianco · white ○ F4356001
grigio · grey ● F4356006
antracite · anthracite ● F4356033
nero · black ● F4356030
deep brown · deep brown ● F4356018
forest green · forest green ● F4356012

Colori
Colors

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

58 mm

**MY WAY 210X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1577lm ≠ FIXT
777lm 3000K CRI80 220-240V [i]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,44 Kg

CE IP 65

Finiture
Finishes

bianco · white ○ F4357001
grigio · grey ● F4357006
antracite · anthracite ● F4357033
nero · black ● F4357030
deep brown · deep brown ● F4357018
forest green · forest green ● F4357012

Colori
Colors

€ IVA inc I incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

58 mm

**MY WAY 210X200 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 13W

Tensione · Voltage 220-240V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
MID-POWER LED 13W 1656lm ≠ FIXT
817lm 4000K CRI80 220-240V [i]

Materiali · Materials
alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,44 Kg

CE IP 65

Finiture
Finishes

bianco · white ○ F4358001
grigio · grey ● F4358006
antracite · anthracite ● F4358033
nero · black ● F4358030
deep brown · deep brown ● F4358018
forest green · forest green ● F4358012

Colori
Colors

€ IVA inc I incl VAT


vedi Listino Outdoor
see Flos Outdoor pricelist

per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

CE IP 65

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



NEBULA

Joris Laarman, 2007

Potenza · Power 8 x MAX 70W + 4 x MAX 70W

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
Light source (available)
8 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) (down) + 4 LED 10W E27
965lm 3000K [e] cod. [RF29186](#) (up) o ·
or 4 LED 8W E27 740lm 2700K [e] cod. [RF25323](#) (up)



A+ → E

Finiture
Finishes

bianco · white

Colori
Colors

○ F4550009


€ IVA inc / incl VAT

9.900,00

Materiali · Materials

alluminio, vetro · aluminum, glass

Peso · Weight 38 Kg



NOCTAMBLE SUSPENSION

Konstantin Grcic, 2019

Potenza · Power 36W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
2 STRIP LED 9W + 1 COB LED 18W
973lm 2700K CRI 90

Materiali · Materials

vetro soffiato · blown glass

Peso · Weight 10,7 Kg

DIMMER INCLUDED



Finiture
Finishes

nero · black


Colori
Colors

● F0268000

€ IVA inc / incl VAT

2.400,00

1 Low Cylinder & Cone



NOCTAMBLE SUSPENSION

Konstantin Grcic, 2019

Potenza · Power 45W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
3 STRIP LED x 9W + 1 COB LED 18W
1259lm 2700K CRI 90

Materiali · Materials

vetro soffiato · blown glass

Peso · Weight 14,7 Kg

DIMMER INCLUDED



Finiture
Finishes

nero · black


Colori
Colors

● F0270000

€ IVA inc / incl VAT

3.200,00

2 Low Cylinders & Cone



NOCTAMBLE SUSPENSION

Konstantin Grcic, 2019

Potenza · Power 54W

Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
4 STRIP LED x 9W + 1 COB LED 18W
1545lm 2700K CRI 90

Materiali · Materials

vetro soffiato · blown glass

Peso · Weight 18,7 Kg

DIMMER INCLUDED



Finiture
Finishes

nero · black

Colori
Colors

● F0271000

€ IVA inc / incl VAT

4.000,00

3 Low Cylinders & Cone

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 - For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99





	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 63W</p> <p>Tensione · <i>Voltage</i> 100-240V</p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0272000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>4.800,00</p>
	<p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i></p> <p>5 STRIP LED x 9W + 1 COB LED 18W 1831lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i></p> <p>vetro soffiato · <i>blown glass</i></p>	<p>Peso · <i>Weight</i> 22,7 Kg DIMMER INCLUDED</p> <p>CE </p>		

	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 36W</p> <p>Tensione · <i>Voltage</i> 100-240V</p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0263000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>2.500,00</p>
	<p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i></p> <p>2 STRIP LED x 9W + 1 COB LED 18W 1007lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i></p> <p>vetro soffiato · <i>blown glass</i></p>	<p>Peso · <i>Weight</i> 11,7 Kg DIMMER INCLUDED</p> <p>CE </p>		

	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 45W</p> <p>Tensione · <i>Voltage</i> 100-240V</p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0273000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>3.300,00</p>
	<p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i></p> <p>3 STRIP LED x 9W + 1 COB LED 18W 1293lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i></p> <p>vetro soffiato · <i>blown glass</i></p>	<p>Peso · <i>Weight</i> 15,7 Kg DIMMER INCLUDED</p> <p>CE </p>		

	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 54W</p> <p>Tensione · <i>Voltage</i> 100-240V</p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0274000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>4.100,00</p>
	<p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i></p> <p>4 STRIP LED x 9W + 1 COB LED 18W 1579lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i></p> <p>vetro soffiato · <i>blown glass</i></p>	<p>Peso · <i>Weight</i> 19,7 Kg DIMMER INCLUDED</p> <p>CE </p>		

[e] fonte luminosa esclusa - *excluded light source* - [i] fonte luminosa inclusa - *included light source* - * fonte luminosa non dimmerabile - *not dimmable light source*
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

 <p>4m 450mm 2100mm 260mm Ø550</p>	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 63W Tensione · Voltage 100-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) LED INCLUDED NOT REPLACEABLE 5 STRIP LED x 9W + 1 COB LED 18W 1865lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 23,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0275000</p>	<p>€ IVA inc I incl VAT 4.900,00</p>
 <p>4m 450mm 1390mm Ø250</p>	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 36W Tensione · Voltage 100-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) LED INCLUDED NOT REPLACEABLE 4 STRIP LED x 9W 1166lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 14,7 Kg</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0276000</p>	<p>€ IVA inc I incl VAT 3.200,00</p>
 <p>4m 450mm 1840mm Ø250</p>	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 45W Tensione · Voltage 100-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) LED INCLUDED NOT REPLACEABLE 5 STRIP LED x 9W 1452lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 18,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0277000</p>	<p>€ IVA inc I incl VAT 4.000,00</p>
 <p>4m 450mm 2290mm Ø250</p>	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 54W Tensione · Voltage 100-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) LED INCLUDED NOT REPLACEABLE 6 STRIP LED x 9W 1738lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 22,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0278000</p>	<p>€ IVA inc I incl VAT 4.800,00</p>





LISTINO PREZZI CONSIGLIATI EUROPA LUGLIO 2020 - EUROPE RECOMMENDED PRICE LIST JULY 2020

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 63W</p> <p>Tensione · <i>Voltage</i> 100-240V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i></p> <p>LED INCLUDED NOT REPLACEABLE 7 STRIP LED x 9W 2024lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0279000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>5.600,00</p>
<p>6 Low Cylinders</p>	<p>Peso · <i>Weight</i> 26,7 Kg DIMMER INCLUDED</p>	<p>CE LP 20 </p>		
	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 36W</p> <p>Tensione · <i>Voltage</i> 100-240V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i></p> <p>LED INCLUDED NOT REPLACEABLE 4 STRIP LED x 9W 1202lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0264000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>3.650,00</p>
<p>3 High Cylinders</p>	<p>Peso · <i>Weight</i> 16,2 Kg DIMMER INCLUDED</p>	<p>CE LP 20 </p>		
	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 45W</p> <p>Tensione · <i>Voltage</i> 100-240V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i></p> <p>LED INCLUDED NOT REPLACEABLE 5 STRIP LED x 9W 1500lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0280000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>4.600,00</p>
<p>4 High Cylinders</p>	<p>Peso · <i>Weight</i> 20,7 Kg DIMMER INCLUDED</p>	<p>CE LP 20 </p>		
	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 54W</p> <p>Tensione · <i>Voltage</i> 100-240V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i></p> <p>LED INCLUDED NOT REPLACEABLE 6 STRIP LED x 9W 1798lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0281000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>5.550,00</p>
<p>5 High Cylinders</p>	<p>Peso · <i>Weight</i> 25,2 Kg DIMMER INCLUDED</p>	<p>CE LP 20 </p>		

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

 <p>6 High Cylinders</p>	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 63W Tensione · Voltage 100-240V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 7 STRIP LED x 9W 6930lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 29,7 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · black</p>	<p>Colori <i>Colors</i> ● F0282000</p>	<p>€ IVA inc I incl VAT 6.500,00</p>
 <p>1 Low Cylinder Small Base</p>	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 18W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 2 STRIP LED x 9W 485lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 10 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · black</p>	<p>Colori <i>Colors</i> ● F0288000</p>	<p>€ IVA inc I incl VAT 1.550,00</p>
 <p>1 Low Cylinder Small Base</p>	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 27W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 3 STRIP LED x 9W 771lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 10 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · black</p>	<p>Colori <i>Colors</i> ● F0289000</p>	<p>€ IVA inc I incl VAT 2.350,00</p>
 <p>2 Low Cylinders Small Base</p>	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 36W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 4 STRIP LED x 9W 1057lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 14 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · black</p>	<p>Colori <i>Colors</i> ● F0290000</p>	<p>€ IVA inc I incl VAT 3.150,00</p>
<p>3 Low Cylinders Small Base</p>	<p>Peso · Weight 18 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i></p>	<p>Colori <i>Colors</i></p>	<p>€ IVA inc I incl VAT</p>





LISTINO PREZZI CONSIGLIATI EUROPA LUGLIO 2020 - EUROPE RECOMMENDED PRICE LIST JULY 2020

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*


	<p>NOCTAMBULE FLOOR</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 45W</p> <p>Tensione · <i>Voltage</i> 100-240/48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 5 STRIP LED x 9W 1343lm 2700K CRI 90</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0291000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>3.950,00</p>
<p>4 Low Cylinders Small Base</p>	<p>Peso · <i>Weight</i> 22 Kg DIMMER INCLUDED</p>			
	<p>NOCTAMBULE FLOOR</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 18W</p> <p>Tensione · <i>Voltage</i> 100-240/48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 2 STRIP LED x 9W 497lm 2700K CRI 90</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0285000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>1.700,00</p>
<p>1 High Cylinder Small Base</p>	<p>Peso · <i>Weight</i> 10,5 Kg DIMMER INCLUDED</p>			
	<p>NOCTAMBULE FLOOR</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 27W</p> <p>Tensione · <i>Voltage</i> 100-240/48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 3 STRIP LED x 9W 795lm 2700K CRI 90</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0286000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>2.650,00</p>
<p>2 High Cylinders Small Base</p>	<p>Peso · <i>Weight</i> 15 Kg DIMMER INCLUDED</p>			
	<p>NOCTAMBULE FLOOR</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 36W</p> <p>Tensione · <i>Voltage</i> 100-240/48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> 4 STRIP LED x 9W 1093lm 2700K CRI 90</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0287000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>3.600,00</p>
<p>3 High Cylinders Small Base</p>	<p>Peso · <i>Weight</i> 19,5 Kg DIMMER INCLUDED</p>			

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 36W Tensione · Voltage 100-240/48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED NOT REPLACEABLE 2 STRIP LED x 9W + 1 COB LED 18W 876lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>1 High Cylinder & Cone Small Base</p> <p>Peso · Weight 14,5 Kg DIMMER INCLUDED</p>	Finiture <i>Finishes</i> nero · black	Colori <i>Colors</i> ● F0265000	€ IVA inc / incl VAT 2.500,00
	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 45W Tensione · Voltage 100-240/48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED NOT REPLACEABLE 3 STRIP LED x 9W + 1 COB LED 18W 1174lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>2 High Cylinders & Cone Small Base</p> <p>Peso · Weight 19 Kg DIMMER INCLUDED</p>	Finiture <i>Finishes</i> nero · black	Colori <i>Colors</i> ● F0269000	€ IVA inc / incl VAT 3.450,00
	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 45W Tensione · Voltage 100-240/48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED NOT REPLACEABLE 5 STRIP LED x 9W 1378lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>4 High Cylinders Big Base</p> <p>Peso · Weight 28,5 Kg DIMMER INCLUDED</p>	Finiture <i>Finishes</i> nero · black	Colori <i>Colors</i> ● F0292000	€ IVA inc / incl VAT 4.600,00
	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 54W Tensione · Voltage 100-240/48V</p> <p>Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED NOT REPLACEABLE 4 STRIP LED x 9W + 1 COB LED 18W 1459lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>3 High Cylinders & Cone Big Base</p> <p>Peso · Weight 28 Kg DIMMER INCLUDED</p>	Finiture <i>Finishes</i> nero · black	Colori <i>Colors</i> ● F0267000	€ IVA inc / incl VAT 4.450,00

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

**NOCTAMBLE FLOOR**

Konstantin Grcic, 2019
 Potenza · Power 54W
 Tensione · Voltage 100-240/48V


LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 4 STRIP LED x 9W + 1 COB LED 18W
 1493lm 2700K CRI 90

Finiture
 Finishes
 nero · black

Colori
 Colors
 ● F266000

€ IVA inc / incl VAT
 4.550,00

Materiali · Materials
 vetro soffiato · blown glass

**3 High Cylinders & Bowl
Big Base****OK**

Konstantin Grcic, 2014
 Potenza · Power 18W
 Tensione · Voltage 100-240V/24V

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
 Light source (available)
 Edge Lighting Technology 18W
 1550lm 2700K CRI85 [i] DIMMABLE



Finiture
 Finishes
 bianco · white
 nero · black
 giallo · yellow
 cromo · chrome

Colori
 Colors
 ○ F4640009
 ● F4640030
 ● F4640019
 || F4640057

€ IVA inc / incl VAT
 575,00
 575,00
 575,00
 595,00

Materiali · Materials
 alluminio, acciaio, PA · aluminum, steel, PA

Peso · Weight 2,9 Kg DIMMER INCLUDED

**ONTHEROCKS HL**

Antonio Citterio assistant Toan Nguyen, 2003
 Potenza · Power MAX 200W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)
 1 x MAX 160W R7s HDG 3100lm
 2900K [e] cod. RF20131 DIMMABLE


Materiali · Materials
 vetro · glass

Peso · Weight 2,5 Kg

Finiture
 Finishes

Colori
 Colors
 ● F4651000

€ IVA inc / incl VAT
 405,00

**OVERLAP S1**

Michael Anastassiades, 2018
 Potenza · Power MAX 105W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 15W E27 2000lm 2700K [e] cod.
 RF28665 DIMMABLE 0 · or 1 LED 15W
 E27 2000lm 3000K [e] cod. RF28666
 DIMMABLE

Materiali · Materials
 cocoon, acciaio · cocoon. steel

Peso · Weight 5,6 Kg

Finiture
 Finishes


Colori
 Colors
 ○ F4633009

€ IVA inc / incl VAT
 1.690,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



OVERLAP S2

Michael Anastassiades, 2018

Potenza · Power Max 105

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
Light source (available)

☞ A+ → E 2 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE 0 · or 2 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE

Materiali · Materials

cocoon, acciaio · cocoon, steel

Peso · Weight 8,8 Kg

Finiture
Finishes


bianco · white

Colori
Colors

○ F4634009

€ IVA inc I incl VAT

2.480,00



PARENTESI

Achille Castiglioni and Pio Manzù, 1971

Potenza · Power MAX 150W

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
Light source (available)

☞ A+ → E 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE 0 · or 1 LED 12W E27 1000lm 2700K [e] cod. RF28664 DIMMABLE

Materiali · Materials

acciaio, elastomero · steel, elastomer

Peso · Weight 3,6 Kg

Finiture
Finishes

bianco · white

nero · black

rosso · red

nicel · nickel

Colori
Colors

○ F5400009

● F5400030

● F5400035

⦶ F5400058

€ IVA inc I incl VAT

315,00

315,00

315,00

350,00



PARENTESI COMPL. ELEMENT

Achille Castiglioni and Pio Manzù, 1971

Potenza · Power MAX 150W

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
Light source (available)

☞ A+ → E 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE 0 · or 1 LED 12W E27 1000lm 2700K [e] cod. RF28664 DIMMABLE

Materiali · Materials

elastomero · elastomer

Peso · Weight 0,5 Kg

Finiture
Finishes

bianco · white

nero · black

rosso · red

nicel · nickel

Colori
Colors

○ F5500009

● F5500030

● F5500035

⦶ F5500058

€ IVA inc I incl VAT

190,00

190,00

190,00

230,00



PARENTESI D

Achille Castiglioni and Pio Manzù, 1971

Potenza · Power MAX 150W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
Light source (available)

☞ A+ → E 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE 0 · or 1 LED 12W E27 1000lm 2700K [e] cod. RF28664 DIMMABLE

Materiali · Materials

acciaio, elastomero · steel, elastomer

Peso · Weight 3,6 Kg

DIMMER INCLUDED

Finiture
Finishes

bianco · white

nero · black

rosso · red

nicel · nickel

Colori
Colors

○ F5600009

● F5600030

● F5600035

⦶ F5600058

€ IVA inc I incl VAT

330,00

330,00

330,00

350,00



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**PARENTESI D COMPL. ELEMENT**

Achille Castiglioni and Pio Manzù, 1971

Potenza · Power MAX 150W

Tensione · Voltage 220-240V

Finiture
Finishesbianco · white
nero · black
rosso · red
nichel · nickelColori
Colors

○ F570009 230,00
● F570030 230,00
● F570035 230,00
◯ F570058 250,00


€ IVA inc / incl VAT

Fonte luminosa (disponibile) ·
Light source (available)

A+ → E 1 LED 8W E27 660lm 2700K [e] cod. RF26277 DIMMABLE 0 · or 1 LED 12W
E27 1000lm 2700K [e] cod. RF28664
DIMMABLE

Materiali · Materials
elastomero · elastomer

Peso · Weight 0,5 Kg

**POCLETTE LED**

Rodolfo Dordoni, 2003

Potenza · Power 20W

Tensione · Voltage 220-240V

Finiture
Finishesgrigio · grey
bianco · white
cromo · chromeColori
Colors

● F9704020 300,00
○ F9704009 300,00
◯ F9704057 360,00


€ IVA inc / incl VAT

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE

144 LED 20W 2700K 1707lm CRI90 [i]

Materiali · Materials
zama · zamak

Peso · Weight 1,6 Kg

**POCLETTE UP/DOWN LED**

Rodolfo Dordoni, 2003

Potenza · Power MAX 21,5W

Tensione · Voltage 220-240V


Finiture
Finishesgrigio · grey
bianco · white
cromo · chromeColori
Colors

● F9705020 300,00
○ F9705009 300,00
◯ F9705057 370,00

€ IVA inc / incl VAT

Fonte luminosa (disponibile) ·
Light source (available)LED INCLUDED
NOT REPLACEABLE144 LED 20W 2700K 1707lm CRI90 [i]
+ 36 LED 1,5W 2700K 37lm CRI90 [i]Materiali · Materials
zama · zamak

Peso · Weight 1,7 Kg

**RAY F1**

Rodolfo Dordoni, 2007

Potenza · Power MAX 150W

Tensione · Voltage 220-240V

Finiture
Finishesnero · black
bianco · white
vetro · glassColori
Colors

● F5916030 990,00
○ F5916009 990,00
● F5915020 995,00

€ IVA inc / incl VAT





Fonte luminosa (disponibile) ·
Light source (available)

A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE 0 · or 1 LED 10W
E27 965lm 2700K [e] cod. RF28782
DIMMABLE

Materiali · Materials
acciaio, alluminio, vetro · steel, aluminum, glassPeso · Weight DIMMER INCLUDED
5,0 Kg (alum.) - 8,0 Kg (glass)

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99


 <p>ø 430 mm 1710 mm 270 mm</p>	<p>RAY F2 Rodolfo Dordoni, 2007 Potenza · Power MAX 250W Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E LED 21W E27 2452lm 3000K [e] cod. <u>RF26998</u> DIMMABLE</p> <p>Materiali · Materials acciaio, alluminio, vetro · steel, aluminum, glass</p> <p>Peso · Weight DIMMER INCLUDED 6,2 Kg (alum.) - 9,2 Kg (glass)</p>	<p>Finiture Finishes nero · black bianco · white vetro · glass</p>	<p>Colori Colors ● F5921030 ○ F5921009 ● F5920020</p>	<p>€ IVA inc I incl VAT 1.190,00 1.190,00 1.290,00</p>
 <p>270 mm 2700 mm ø 430 mm</p>	<p>RAY S Rodolfo Dordoni, 2007 Potenza · Power MAX 250W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 21W E27 2452lm 3000K [e] cod. <u>RF26998</u> DIMMABLE</p> <p>Materiali · Materials acciaio, alluminio, vetro · steel, aluminum, glass</p> <p>Peso · Weight 3,8 Kg (alluminio · aluminum) - 6,8 Kg (vetro · glass)</p>	<p>Finiture Finishes nero · black bianco · white vetro · glass</p>	<p>Colori Colors ● F5931030 ○ F5931009 ● F5930020</p>	<p>€ IVA inc I incl VAT 698,00 698,00 795,00</p>
 <p>ø 360 mm 670 mm 220 mm</p>	<p>RAY T Rodolfo Dordoni, 2007 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 10W E27 965lm 3000K [e] cod. <u>RF29186</u> DIMMABLE ○ · or 1 LED 10W E27 965lm 2700K [e] cod. <u>RF28782</u> DIMMABLE</p> <p>Materiali · Materials acciaio, alluminio, vetro · steel, aluminum, glass</p> <p>Peso · Weight DIMMER INCLUDED 4,2 Kg (alum.) - 6,5 Kg (glass)</p>	<p>Finiture Finishes nero · black bianco · white vetro · glass</p>	<p>Colori Colors ● F5911030 ○ F5911009 ● F5910020</p>	<p>€ IVA inc I incl VAT 798,00 798,00 890,00</p>
 <p>max 15 mm 150 mm 115 mm</p>	<p>REAL MATTER OUTDOOR/INDOOR Piero Lissoni, 2017 Potenza · Power 3W Tensione · Voltage 24V</p> <p>LED INCLUDED NOT REPLACEABLE</p> <p>Fonte luminosa (disponibile) · Light source (available) LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CR180 24V [I]</p> <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>Peso · Weight 0,60 Kg</p>	<p>Finiture Finishes rame lucido · polished copper bronzo spazzolato · brushed bronze oro spazzolato · brushed gold acciaio spazzolato · brushed steel</p>	<p>Colori Colors ● F5960015 ● F5960046 ● F5960044 ● F5960056</p> <p>Installation in concrete with recessed box</p>	<p>€ IVA inc I incl VAT vedi Listino Outdoor see Flos Outdoor pricelist</p>

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**REAL MATTER OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 3W

Tensione · Voltage 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LOW-POWER LED 3W 180lm ≠ FIXT
74lm 2700K CRI80 24V [i]

Finiture
Finishes

rame lucido ·
polished copper
bronzo spazzolato ·
brushed bronze
oro spazzolato ·
brushed gold
acciaio spazzolato ·
brushed steel

Colori
Colors

F5980015
F5980046
F5980044
F5980056

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

Installation in plasterboard
wall (min 5mm - max
20 mm)


Materiali · Materials

alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg



per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

**REAL MATTER OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 3W

Tensione · Voltage 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LOW-POWER LED 3W 180lm ≠ FIXT
74lm 2700K CRI80 24V [i]

Finiture
Finishes

rame lucido ·
polished copper
bronzo spazzolato ·
brushed bronze
oro spazzolato ·
brushed gold
acciaio spazzolato ·
brushed steel

Colori
Colors

F5970015
F5970046
F5970044
F5970056

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

Installation in concrete
without recessed box


Materiali · Materials

alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg



per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

**REAL MATTER OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 3W

Tensione · Voltage 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LOW-POWER LED 3W 200lm ≠ FIXT
82lm 3000K CRI80 24V [i]

Finiture
Finishes

rame lucido ·
polished copper
bronzo spazzolato ·
brushed bronze
oro spazzolato ·
brushed gold
acciaio spazzolato ·
brushed steel

Colori
Colors

F5961015
F5961046
F5961044
F5961056

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

Installation in concrete
with recessed box


Materiali · Materials

alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg



per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

**REAL MATTER OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza · Power 3W

Tensione · Voltage 24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
LOW-POWER LED 3W 200lm ≠ FIXT
82lm 3000K CRI80 24V [i]

Finiture
Finishes

rame lucido ·
polished copper
bronzo spazzolato ·
brushed bronze
oro spazzolato ·
brushed gold
acciaio spazzolato ·
brushed steel

Colori
Colors

F5981015
F5981046
F5981044
F5981056

€ IVA inc / incl VAT

vedi Listino Outdoor
see Flos Outdoor pricelist

Installation in plasterboard
wall (min 5mm - max
20 mm)

Materiali · Materials

alluminio, policarbonato · aluminum, polycarbonate


Peso · Weight 0,60 Kg



per gamma completa e accessori
consultare flos.com · for full range
and accessories consult flos.com

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017
 Potenza · Power 3W
 Tensione · Voltage 24V

LED INCLUDED
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·
 Light source (available)
 LOW-POWER LED 3W 200lm ≠ FIXT
 82lm 3000K CRI80 24V [i]

Finiture
 Finishes

rame lucido ·
 polished copper
 bronzo spazzolato ·
 brushed bronze
 oro spazzolato ·
 brushed gold
 acciaio spazzolato ·
 brushed steel

Colori
 Colors

● F5971015
 ● F5971046
 ● F5971044
 ● F5971056

Installation in concrete
 without recessed box

€ IVA inc I incl VAT


vedi Listino Outdoor
 see Fios Outdoor pricelist

Materiali · Materials
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg



per gamma completa e accessori
 consultare flos.com · for full range
 and accessories consult flos.com



ROMEO BABE S

Philippe Starck, 1997
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) ·
 Light source (available)
 1 x 2,3W G9 HSGS 460lm 2700K* [e]
 cod. [RF18863](#)

Finiture
 Finishes

vetro · glass

Colori
 Colors

● F6124000

€ IVA inc I incl VAT

200,00


Materiali · Materials
 vetro · glass

Peso · Weight 0,4 Kg



ROMEO BABE W

Philippe Starck, 1996
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) ·
 Light source (available)
 1 x 2,3W G9 HSGS 460lm 2700K* [e]
 cod. [RF18863](#)

Finiture
 Finishes

vetro · glass

Colori
 Colors


● F6260000A

€ IVA inc I incl VAT

225,00

Materiali · Materials
 vetro, acciaio inox · glass, stainless steel

Peso · Weight 0,5 Kg



ROMEO BABE SOFT S

Philippe Starck, 1997
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) ·
 Light source (available)
 1 x 2,3W G9 HSGS 460lm 2700K* [e]
 cod. [RF18863](#)

Finiture
 Finishes

tessuto · fabric

Colori
 Colors

● F6124007

€ IVA inc I incl VAT

200,00


Materiali · Materials
 tessuto, vetro · fabric, glass

Peso · Weight 0,4 Kg



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Fios si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Fios please refer to the technical specifications at pages 91-99

**ROMEO BABE SOFT W**

Philippe Starck, 1997
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

Finiture
 Finishes

tessuto · fabric

Colori
 Colors

● F6260007A


€ IVA inc I incl VAT

225,00

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 x 2,3W G9 HSGS 460lm 2700K* [e]
 cod. [RF18863](#)

Materiali · Materials
 tessuto, vetro · fabric, glass

Peso · Weight 0,4 Kg

**ROMEO MOON F**

Philippe Starck, 1996
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

Finiture
 Finishes

vetro · glass

Colori
 Colors

● F6109000

€ IVA inc I incl VAT

1.350,00

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod.
[RF29186](#) DIMMABLE 0 · or 1 LED 10W
 E27 965lm 2700K [e] cod. [RF28782](#)
 DIMMABLE

Materiali · Materials
 vetro, acciaio, alluminio · glass, steel, aluminum

Peso · Weight 23,8 Kg DIMMER INCLUDED

**ROMEO MOON S1**

Philippe Starck, 1996
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Finiture
 Finishes

vetro · glass

Colori
 Colors

● F6105000

€ IVA inc I incl VAT

420,00

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod.
[RF29186](#) DIMMABLE 0 · or 1 LED 10W
 E27 965lm 2700K [e] cod. [RF28782](#)
 DIMMABLE

Materiali · Materials
 vetro · glass

Peso · Weight 4,5 Kg

**ROMEO MOON S2**

Philippe Starck, 1996
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Finiture
 Finishes

vetro · glass

Colori
 Colors

● F0003000

€ IVA inc I incl VAT

520,00

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod.
[RF29186](#) DIMMABLE 0 · or 1 LED 10W
 E27 965lm 2700K [e] cod. [RF28782](#)
 DIMMABLE





Materiali · Materials
 vetro · glass

Peso · Weight 7,6 Kg



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>ø 340 mm 665 mm 220 mm ø 250 mm</p>	<p>ROMEO MOON T1 Philippe Starck, 1998 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE 0 · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE</p> <p>Materiali · Materials vetro, acciaio, alluminio · glass, steel, aluminum</p> <p>Peso · Weight 7,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes vetro · glass</p>	<p>Colori Colors ● F6107000</p>	<p>€ IVA inc I incl VAT 720,00</p>
 <p>710 mm 470 mm 580 mm</p>	<p>ROMEO OUTDOOR/INDOOR C3 710MM Philippe Starck, 2007 Potenza · Power MAX 250W Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 21W E27 2450lm 3000K [e] cod. RF26998 DIMMABLE</p> <p>Materiali · Materials alluminio, policarbonato, PVC · aluminum, polycarbonate, PVC</p> <p>Peso · Weight 7,3 Kg</p>	<p>Finiture Finishes panama · panama green wall · green wall</p>	<p>Colori Colors ● F6468022 ● F6468041</p>	<p>€ IVA inc I incl VAT vedi Listino Outdoor see Fios Outdoor pricelist</p>
 <p>910 mm 470 mm 580 mm</p>	<p>ROMEO OUTDOOR/INDOOR C3 910MM Philippe Starck, 2007 Potenza · Power MAX 250W Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 21W E27 2450lm 3000K [e] cod. RF26998 DIMMABLE</p> <p>Materiali · Materials alluminio, policarbonato, PVC · aluminum, polycarbonate, PVC</p> <p>Peso · Weight 7,5 Kg</p>	<p>Finiture Finishes panama · panama green wall · green wall</p>	<p>Colori Colors ● F6469022 ● F6469041</p>	<p>€ IVA inc I incl VAT vedi Listino Outdoor see Fios Outdoor pricelist</p>
 <p>ø 500 mm 1600 mm 240 mm ø 450 mm</p>	<p>ROMEO SOFT F Philippe Starck, 1998 Potenza · Power MAX 250W Tensione · Voltage 220-240V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE 0 · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE</p> <p>Materiali · Materials tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum</p> <p>Peso · Weight 16,8 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes tessuto · fabric</p>	<p>Colori Colors ● F6109007</p>	<p>€ IVA inc I incl VAT 1.350,00</p>

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
Per le relative sorgenti luminose consigliate da Fios si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Fios please refer to the technical specifications at pages 91-99

**ROMEO SOFT T1**

Philippe Starck, 1998

Potenza · Power MAX 150W

Tensione · Voltage 220-240V



Fonte luminosa (disponibile) ·
Light source (available)
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE 0 · or 1 LED 10W
E27 965lm 2700K [e] cod. [RF28782](#)
DIMMABLE

Materiali · Materials

tessuto, vetro, acciaio, alluminio · fabric, glass,
steel, aluminum

Peso · Weight 5,3 Kg

DIMMER INCLUDED

Finiture
Finishes

tessuto · fabric

Colori
Colors

● F6107007

€ IVA inc / incl VAT

720,00

**ROSY ANGELIS**

Philippe Starck, 1994

Potenza · Power MAX 150W

Tensione · Voltage 220-240V



Fonte luminosa (disponibile) ·
Light source (available)
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE 0 · or 1 LED 10W
E27 965lm 2700K [e] cod. [RF28782](#)
DIMMABLE

Materiali · Materials

tessuto, alluminio · fabric, aluminum

Peso · Weight 1,6 Kg

DIMMER INCLUDED

Finiture
Finishes


grigio · grey

Colori
Colors

● F6160020

€ IVA inc / incl VAT

495,00

**SAWARU**

Nendo, 2018

Potenza · Power 45W

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
LED Array 45W -2 channels: warm
835-1236lm; cold 1239-1783m; 1800-
4000K CRI 90 [i] DIMMABLE

Materiali · Materials

alluminio estruso · extruded aluminium

Peso · Weight 4 Kg

DIMMER INCLUDED

Finiture
Finishes

bianco · white

nero · black

oro · gold

blu grey · blu grey

Colori
Colors

○ F6640009

● F6640030

● F6640044

● F6640003

€ IVA inc / incl VAT

850,00

850,00

1.100,00

850,00

**SERENA**

Patricia Urquiola, 2015

Potenza · Power 13W

Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) ·
Light source (available)
LED INCLUDED
NOT REPLACEABLE
1 LED 13W 643lm 2700K CRI 90 [i]
DIMMABLE

Materiali · Materials

alluminio, policarbonato · aluminum,
polycarbonate

Peso · Weight 1,25 Kg

DIMMER INCLUDED

Finiture
Finishes

rame · copper

alluminio · aluminum

nero · black

Colori
Colors

● F6582015

|| F6582054

● F6582030

€ IVA inc / incl VAT

540,00

540,00

540,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



SKYGARDEN 1

Marcel Wanders, 2007
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E
 1 LED 15W E27 1515lm 3000K* [e]
 cod. [RF28367](#) o · or 1 LED 20W E27
 2300lm 2700K [e] cod. [RF29388](#)

Materiali · Materials
 gesso, vetro, acciaio inox · plaster, glass,
 stainless steel

Peso · Weight 13 Kg

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
oro · gold	● F0001044	2.200,00
ruggine · rusty brown	● F0001047	2.200,00
bianco · white	○ F0001009	2.200,00
nero · black	● F0001030	2.200,00
nero opaco · matt black	● F0001031	2.200,00



SKYGARDEN 2


Marcel Wanders, 2007
 Potenza · Power MAX 230W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E
 1 LED 15W E27 1515lm 3000K* [e]
 cod. [RF28367](#) o · or 1 LED 20W E27
 2300lm 2700K [e] cod. [RF29388](#)

Materiali · Materials
 gesso, vetro, acciaio inox · plaster, glass,
 stainless steel

Peso · Weight 29 Kg

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
oro · gold	● F0002044	2.950,00
ruggine · rusty brown	● F0002047	2.950,00
bianco · white	○ F0002009	2.950,00
nero · black	● F0002030	2.950,00
nero opaco · matt black	● F0002031	2.950,00



SKYGARDEN RECESSED


Marcel Wanders, 2009
 Potenza · Power MAX 60W
 Tensione · Voltage 230-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E
 1 x 60W GY 6.35 12V HSGS 1650lm
 2700K[e] cod. [RF19578](#) Trasformatore
 incluso · Included Transformer

Materiali · Materials
 gesso, vetro, acciaio inox · plaster, glass,
 stainless steel

Peso · Weight 4,0 Kg

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F6430009	350,00



SKYGARDEN RECESSED

Marcel Wanders, 2009
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E
 1 LED 3W G9 290lm 2700K* [e] cod.
 28425 o · or 1 LED 2W G9 240lm
 2700K* [e] cod. [RF26520](#)


Materiali · Materials
 gesso, vetro, acciaio inox · plaster, glass,
 stainless steel

Peso · Weight 4,0 Kg

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F6433009	298,00



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

**SMITHFIELD C**

Jasper Morrison, 2009

Potenza · Power MAX 230W

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·

Light source (available)

1 LED 10W E27 965lm 3000K cod.

RF29186 o-or 1 LED 10W E27 965lm

A+ → E
 2700K cod. RF28782 o-or 1 LED 15W E27
 2000lm 2700K cod. RF28665 o-or 1 LED
 15W E27 2000lm 3000K cod. RF28666
 o-or 1 LED 18W E27 2000lm 3000K o-or
 RF26259 o-or 1 LED 18W E27 2000lm
 3000K cod. RF26258 [e] DIMMABLE

Materiali · Materials

alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5 Kg

Finiture
Finishes

nero · black
 nero opaco · matt black
 bianco · white
 mud · mud

Colori
Colors

F1370030
 F1370031
 F1370009
 F1370021

€ IVA inc I incl VAT

695,00
 695,00
 695,00
 695,00

**SMITHFIELD C PRO**

Jasper Morrison, 2009

Potenza · Power 30W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·

Light source (available)

LED INCLUDED
 NOT REPLACEABLE
 108 LED 30W 2700K 2791lm CRI90
 [I]

Materiali · Materials

alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5 Kg

Finiture
Finishes

nero · black
 nero opaco · matt black
 bianco · white
 mud · mud
 nero · black
 nero opaco · matt black
 bianco · white
 mud · mud

Colori
Colors

F1366030
 F1366031
 F1366009
 F1366021
 F1368030 DALI
 F1368031 DALI
 F1368009 DALI
 F1368021 DALI

€ IVA inc I incl VAT

950,00
 950,00
 950,00
 950,00
 950,00
 950,00
 950,00
 950,00

**SMITHFIELD S**

Jasper Morrison, 2009

Potenza · Power MAX 230W

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·

Light source (available)

1 LED 10W E27 965lm 3000K cod.

RF29186 o-or 1 LED 10W E27 965lm

A+ → E
 2700K cod. RF28782 o-or 1 LED 15W E27
 2000lm 2700K cod. RF28665 o-or 1 LED
 15W E27 2000lm 3000K cod. RF28666
 o-or 1 LED 18W E27 2000lm 3000K o-or
 RF26259 o-or 1 LED 18W E27 2000lm
 3000K cod. RF26258 [e] DIMMABLE

Materiali · Materials

alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5 Kg

Finiture
Finishes

nero · black
 nero opaco · matt black
 bianco · white
 mud · mud

Colori
Colors

F1371030
 F1371031
 F1371009
 F1371021

€ IVA inc I incl VAT

790,00
 790,00
 790,00
 790,00

**SMITHFIELD S PRO**

Jasper Morrison, 2009

Potenza · Power 30W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·

Light source (available)

LED INCLUDED
 NOT REPLACEABLE
 108 LED 30W 2700K 2791lm CRI90
 [I]

Materiali · Materials

alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5 Kg

Finiture
Finishes

nero · black
 nero opaco · matt black
 bianco · white
 mud · mud
 nero · black
 nero opaco · matt black
 bianco · white
 mud · mud

Colori
Colors

F1367030
 F1367031
 F1367009
 F1367021
 F1369030 DALI
 F1369031 DALI
 F1369009 DALI
 F1369021 DALI

€ IVA inc I incl VAT

995,00
 995,00
 995,00
 995,00
 995,00
 995,00
 995,00
 995,00



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



SNOOPY

Achille and Pier Giacomo Castiglioni, 1967

Potenza · Power MAX 150W

Tensione · Voltage 220-250V

Finiture
Finishes

nero · black
verde · green

Colori
Colors

● F6380030
● F6380039

€ IVA inc I incl VAT

840,00
840,00

Fonte luminosa (disponibile) ·
Light source (available)
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W
E27 965lm 2700K [e] cod. [RF28782](#)
DIMMABLE

Materiali · Materials
marmo, metallo · marble, metal

Peso · Weight 7,9 Kg DIMMER INCLUDED



SPLÜGEN BRÄU

Achille and Pier Giacomo Castiglioni, 1961

Potenza · Power MAX 70W

Tensione · Voltage 220-250V

Finiture
Finishes

alluminio · aluminum

Colori
Colors

|| F6500000

€ IVA inc I incl VAT

415,00

Fonte luminosa (disponibile) ·
Light source (available)
A+ → E 1 LED 10W E27 965lm 2700K [e] cod. [RF28663](#) DIMMABLE

Materiali · Materials
alluminio · aluminum

Peso · Weight 1,5 Kg



SPUN LIGHT F

Sebastian Wrang, 2003

Potenza · Power MAX 250W

Tensione · Voltage 220-240V

Finiture
Finishes

bianco · white
nero · black
mud · mud

Colori
Colors

○ F6612009
● F6612030
● F6612021

€ IVA inc I incl VAT

1.590,00
1.590,00
1.590,00

Fonte luminosa (disponibile) ·
Light source (available)
A+ → E 1 LED 21W E27 2452lm 3000K [e]
cod. [RF26998](#) DIMMABLE

Materiali · Materials
metallo, alluminio · metal, aluminum

Peso · Weight 9,3 Kg DIMMER INCLUDED



SPUN LIGHT T1

Sebastian Wrang, 2003

Potenza · Power MAX 150W

Tensione · Voltage 220-240V

Finiture
Finishes

bianco · white
nero · black
mud · mud

Colori
Colors

○ F6610009
● F6610030
● F6610021

€ IVA inc I incl VAT

880,00
880,00
880,00

Fonte luminosa (disponibile) ·
Light source (available)
A+ → E 1 LED 21W E27 2452lm 3000K [e]
cod. [RF26998](#) DIMMABLE

Materiali · Materials
metallo, alluminio · metal, aluminum

Peso · Weight 4,3 Kg DIMMER INCLUDED



**SPUN LIGHT T2**

Sebastian Wrong, 2003
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 21W E27 2452lm 3000K [e]
 cod. [RF26998](#) DIMMABLE

Materiali · Materials
 metallo, alluminio · metal, aluminum

Peso · Weight 5,6 Kg DIMMER INCLUDED

Finiture
 Finishes
 bianco · white
 nero · black
 mud · mud

Colori
 Colors
 € IVA inc I incl VAT

○ F6611009	980,00
● F6611030	980,00
● F6611021	980,00

**STRING LIGHT TESTA A CONO · CONE HEAD**

Michael Anastassiades, 2014
 Potenza · Power 21W
 Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE
 1 LED ARRAY 21W 2700K 1033lm
 CRI93 [i] DIMMABLE - BLUETOOTH CONTROL

Materiali · Materials
 alluminio, policarbonato · aluminum,
 polycarbonate

Peso · Weight 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED

Finiture
 Finishes
 nero · black
 nero · black

Colori
 Colors
 € IVA inc I incl VAT

● F6481030 CAVO 12 mt.	590,00
● F6491030 CAVO 22 mt.	645,00

**STRING LIGHT TESTA A SFERA · SPHERE HEAD**

Michael Anastassiades, 2014
 Potenza · Power 21W
 Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE
 1 LED ARRAY 21W 2700K 1345lm
 CRI93 [i] DIMMABLE - BLUETOOTH CONTROL

Materiali · Materials
 alluminio, policarbonato · aluminum,
 polycarbonate

Peso · Weight 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.) DIMMER INCLUDED

Finiture
 Finishes
 nero · black
 nero · black

Colori
 Colors
 € IVA inc I incl VAT

● F6480030 CAVO 12 mt.	590,00
● F6490030 CAVO 22 mt.	645,00

**STRING LIGHT ACCESSORI · ACCESSORIES**

Tensione · Voltage 100-240V/48V

Descrizione · Description
 Rosone da parete o soffitto per l'installazione di
 massimo 3 teste con tre possibili vie di uscita ·
 Wallrose. Feed up 3 heads maximum; 3 wayout for
 cables. Wall or ceiling installation

Finiture
 Finishes
 nero · black

Colori
 Colors
 € IVA inc I incl VAT

F6482030	290,00
----------	--------



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



STRING LIGHT
ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V/48V

Descrizione · Description

"Floor Switch" per l'installazione di massimo due teste con due possibili vie di uscita per il cavo. Alloggio interno per arrotolare 10 metri di cavo · Floor Switch. Feed up two heads maximum; Two way out for cables. Space to wrap 10 meters cable

Finiture
Finishes

nero · black

Colori
Colors

F6484030

€ IVA inc I incl VAT

380,00



STRING LIGHT
ACCESSORI · ACCESSORIES

Descrizione · Description

Cavo di connessione supplementare per comporre configurazioni personalizzate · Extra connection cable to compose personal configurations

Finiture
Finishes


nero · black

Colori
Colors

F6485030

€ IVA inc I incl VAT

195,00



STYLOS

Achille Castiglioni, 1984

Potenza · Power 1 x MAX 120W + 1 x MAX 100W

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·

Light source (available)

1 x MAX 120W E27 PAR 38 872lm 2700K

[i] cod. [RF24480](#) DIMMABLE + 1 LED 21W

E27 2452lm 3000K [i] cod. [RF26998](#)

DIMMABLE

Doppia accensione · Double switch

Materiali · Materials

polimetilmetacrilato, acciaio ·
polymethylmethacrylate, steel

Peso · Weight 9,6 Kg

Finiture
Finishes

argento · silver

Colori
Colors

● F6310004

€ IVA inc I incl VAT

780,00



SUPERARCHIMON

Philippe Starck, 2000

Potenza · Power MAX 250W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·

Light source (available)

[e] A+ → E 1 LED 21W E27 2452lm 3000K [e]

cod. [RF26998](#) DIMMABLE

Materiali · Materials

tessuto, vetro, acciaio, alluminio · fabric, glass,
steel, aluminum

Peso · Weight 91 Kg

DIMMER INCLUDED

Finiture
Finishes

tessuto · fabric

Colori
Colors

● F6366020


€ IVA inc I incl VAT

7.200,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



SUPERARCHIMOON OUTDOOR/INDOOR

Philippe Starck, 2007
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V

☹️ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 21W E27 2450lm 3000K [e]
 cod. [RF26998](#) DIMMABLE


Materiali · Materials
 alluminio, policarbonato, PVC ·
 aluminum, polycarbonate, PVC

Peso · Weight 161,70 Kg DIMMER INCLUDED

Finiture
 Finishes
 panama · panama
 green wall · green wall

Colori
 Colors
 ● F6367022
 ● F6367041

€ IVA inc / incl VAT
vedi Listino Outdoor
 see Flos Outdoor pricelist



SUPERLOON

Jasper Morrison, 2015
 Potenza · Power 45W
 Tensione · Voltage 100-240V/48V

☹️ LED INCLUDED
 NOT REPLACEABLE Fonte luminosa (disponibile) ·
 Light source (available)
 EDGE LIGHTING 45W 2716lm
 2200/2800K CRI80 [i] DIM TO WARM


Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 11 Kg DIMMER INCLUDED

Finiture
 Finishes
 bianco · white
 nero · black
 cromo · chrome

Colori
 Colors
 ○ F6630009
 ● F6630030
 ▨ F6630057

€ IVA inc / incl VAT
 3.990,00
 3.990,00
 4.200,00



TAB F

E. Barber & J. Osgerby, 2011
 Potenza · Power 9W
 Tensione · Voltage 100-240V/24V

☹️ LED INCLUDED
 NOT REPLACEABLE Fonte luminosa (disponibile) ·
 Light source (available)
 14 LED 9W 347lm 2700K CRI90 [i]

Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 2 Kg

Finiture
 Finishes
 bianco · white
 nero · black
 dark green · dark green
 blue matt · blue matt

Colori
 Colors
 ○ F6564009
 ● F6564030
 ● F6564031
 ● F6564014

€ IVA inc / incl VAT
 390,00
 390,00
 390,00
 390,00



TAB T

E. Barber & J. Osgerby, 2011
 Potenza · Power 9W
 Tensione · Voltage 100-240V/24V

☹️ LED INCLUDED
 NOT REPLACEABLE Fonte luminosa (disponibile) ·
 Light source (available)
 14 LED 9W 347lm 2700K CRI90 [i]
 DIMMABLE

Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 0,8 Kg

Finiture
 Finishes
 bianco · white
 nero · black
 dark green · dark green
 blue matt · blue matt

Colori
 Colors
 ○ F6563009
 ● F6563030
 ● F6563031
 ● F6563014

€ IVA inc / incl VAT
 295,00
 295,00
 295,00
 295,00



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



TACCIA

Achille and Pier Giacomo Castiglioni, 1962

Potenza · Power 28W

Tensione · Voltage 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 28W 2700K CRI93 [i]
DIMMABLE

Materiali · Materials
vetro, alluminio · glass, aluminum

Peso · Weight 15,3 Kg DIMMER INCLUDED

Finiture
Finishes

argento · silver
nero · black
bronzo · bronze

Colori
Colors

● F6602004
● F6602030
● F6602046

€ IVA inc I incl VAT

2.100,00
2.100,00
2.100,00



TACCIA (PMMA)

Achille and Pier Giacomo Castiglioni, 1962

Potenza · Power 28W

Tensione · Voltage 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 28W 2700K CRI93 [i]
DIMMABLE

Materiali · Materials
PMMA, alluminio · PMMA, aluminum

Peso · Weight 7,6 Kg DIMMER INCLUDED

Finiture
Finishes

argento · silver
nero · black
bronzo · bronze

Colori
Colors

● F6607004
● F6607030
● F6607046

€ IVA inc I incl VAT

1.400,00
1.400,00
1.400,00



TACCIA SMALL

Achille and Pier Giacomo Castiglioni, 1962

Potenza · Power 16W

Tensione · Voltage 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fonte luminosa (disponibile) ·
Light source (available)
1 COB LED 16W 2700K CRI92 [i]
DIMMABLE

Materiali · Materials
vetro, alluminio · glass, aluminum

Peso · Weight 4,25 Kg DIMMER INCLUDED

Finiture
Finishes


argento · silver
nero · black
bronzo · bronze

Colori
Colors

● F6604004
● F6604030
● F6604046

€ IVA inc I incl VAT

890,00
890,00
890,00




TARAXACUM 1

Achille and Pier Giacomo Castiglioni, 1960

Potenza · Power MAX 100W

Tensione · Voltage 220-250V



A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE

Materiali · Materials
cocoon, acciaio · cocoon, steel

Peso · Weight 2,1 Kg

Finiture
Finishes

bianco · white

Colori
Colors

○ F7401009





€ IVA inc I incl VAT

1.750,00




[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>640 mm 2700 mm ø 870 mm</p>	<p>TARAXACUM 2 Achille and Pier Giacomo Castiglioni, 1960 Potenza · Power MAX 100W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE 0 · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE</p> <p>Materiali · Materials cocoen, acciaio · cocoen, steel</p> <p>Peso · Weight 2,8 Kg</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F7402009</p>	<p>€ IVA inc I incl VAT 1.950,00</p>
 <p>310 mm 280 mm 610 mm</p>	<p>TARAXACUM 88 C/W Achille Castiglioni, 1988 Potenza · Power 15 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 15 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE (SINGLE PACK) 0 · or 15 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE (KIT X 15 LAMP)</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 2,3 Kg</p>	<p>Finiture Finishes alluminio · aluminum</p>	<p>Colori Colors F7420000</p>	<p>€ IVA inc I incl VAT 720,00</p>
 <p>5500 mm ø 800 mm</p>	<p>TARAXACUM 88 S1 Achille Castiglioni, 1988 Potenza · Power 60 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 60 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE (SINGLE PACK) 0 · or 60 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE (KIT X 15 LAMP)</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 10,6 Kg</p>	<p>Finiture Finishes alluminio · aluminum</p>	<p>Colori Colors F7430000</p>	<p>€ IVA inc I incl VAT 2.950,00</p>
 <p>6000 mm ø 1050 mm</p>	<p>TARAXACUM 88 S2 Achille Castiglioni, 1988 Potenza · Power 120 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa (disponibile) · Light source (available) A+ → E 120 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE (SINGLE PACK) 0 · or 120 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE (KIT X 15 LAMP)</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Prodotto su richiesta Made on demand</p> <p>Peso · Weight 14,2 Kg</p>	<p>Finiture Finishes alluminio · aluminum</p>	<p>Colori Colors F7440000</p>	<p>€ IVA inc I incl VAT 4.990,00</p>

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



TATOU F

Patricia Urquiola, 2012
 Potenza · Power MAX 205W
 Tensione · Voltage 220-240V

Finiture
 Finishes

bianco · white
 nero · black
 grigio ocra · ochre-grey

Colori
 Colors

○ F7764009
 ● F7764030
 ● F7764048

€ IVA inc I incl VAT

895,00
 895,00
 895,00

☉ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 21W E27 2452lm 3000K [e]
 cod. [RF26998](#) DIMMABLE

Materiali · Materials
 policarbonato, acciaio · polycarbonate, steel

Peso · Weight 16,4 Kg DIMMER INCLUDED



TATOU S1

Patricia Urquiola, 2012
 Potenza · Power MAX 70W
 Tensione · Voltage 220-250V

Finiture
 Finishes

bianco · white
 nero · black
 grigio ocra · ochre-grey

Colori
 Colors

○ F7762009
 ● F7762030
 ● F7762048

€ IVA inc I incl VAT

295,00
 295,00
 295,00

☉ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 10W E27 965lm 3000K [e] cod.
[RF29186](#) DIMMABLE o · or 1 LED 10W
 E27 965lm 2700K [e] cod. [RF28782](#)
 DIMMABLE

Materiali · Materials
 policarbonato · polycarbonate

Peso · Weight 1,2 Kg



TATOU S2

Patricia Urquiola, 2012
 Potenza · Power MAX 205W
 Tensione · Voltage 220-250V

Finiture
 Finishes

bianco · white
 nero · black
 grigio ocra · ochre-grey

Colori
 Colors

○ F7766009
 ● F7766030
 ● F7766048

€ IVA inc I incl VAT

495,00
 495,00
 495,00

☉ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 21W E27 2452lm 3000K [e]
 cod. [RF26998](#) DIMMABLE

Materiali · Materials
 policarbonato · polycarbonate

Peso · Weight 4,7 Kg



TATOU T1

Patricia Urquiola, 2012
 Potenza · Power MAX 70W
 Tensione · Voltage 220-240V

Finiture
 Finishes

bianco · white
 nero · black
 grigio ocra · ochre-grey

Colori
 Colors

○ F7761009
 ● F7761030
 ● F7761048

€ IVA inc I incl VAT

295,00
 295,00
 295,00





☉ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 10W E27 965lm 3000K [e] cod.
[RF29186](#) DIMMABLE o · or 1 LED 10W
 E27 965lm 2700K [e] cod. [RF28782](#)
 DIMMABLE

Materiali · Materials
 policarbonato · polycarbonate

Peso · Weight 2,7 Kg DIMMER INCLUDED




[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99

 <p>160 mm 130 mm 100 mm</p>	<p>TIGHT LIGHT Piero Lissoni, 2011 Potenza · Power 20W Tensione · Voltage 100-240V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F0011009</p>	<p>€ IVA inc I incl VAT 280,00</p>
<p>LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · Light source (available) 48 TOP LED 2x10W 1989lm total 3000K CRI80 [i]</p>		<p>Materiali · Materials PMMA, alluminio · PMMA, aluminum</p>		
<p>Peso · Weight 1,1 Kg</p>		<p>CE IP 20</p>		
 <p>101 mm 108 mm 108 mm</p>	<p>TILEE Marcello Ziliani, 2005 Potenza · Power MAX 60W Tensione · Voltage 220-250V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F7460009</p>	<p>€ IVA inc I incl VAT 140,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) A+ → E 1 LED 3W G9 290lm 2700K* [e] cod. RF28425 o · or 1 LED 2W G9 240lm 2700K* [e] cod. RF26520</p>		<p>Materiali · Materials vetro, zama · glass, zamak</p>		
<p>Peso · Weight 0,8 Kg</p>		<p>CE IP 20</p>		
 <p>ø 170 mm 1580/1950 mm 210 mm</p>	<p>TOIO (HL INCLUDED) Achille and Pier Giacomo Castiglioni, 1962 Potenza · Power MAX 300W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes bianco · white nero · black rosso · red</p>	<p>Colori Colors ○ F7600009 ● F7600030 ● F7600035</p>	<p>€ IVA inc I incl VAT 950,00 950,00 950,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) A+ → D 1 x 300W aluPAR 56 MFL 3000K [i] cod. RF17899 DIMMABLE</p>		<p>Materiali · Materials acciaio · steel</p>		
<p>Peso · Weight 8,2 Kg DIMMER INCLUDED</p>		<p>CE IP 20</p>		
 <p>ø 170 mm 1580/1950 mm 210 mm</p>	<p>TOIO Achille and Pier Giacomo Castiglioni, 1962 Potenza · Power MAX 300W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes bianco · white nero · black rosso · red</p>	<p>Colori Colors ○ F7630009 ● F7630030 ● F7630035</p>	<p>€ IVA inc I incl VAT 1.050,00 1.050,00 1.050,00</p>
<p>Fonte luminosa (disponibile) · Light source (available) A+ → D 1 LED 23W PRO PAR 56 1600lm 3000K [i] cod. RF27690 DIMMABLE</p>		<p>Materiali · Materials acciaio · steel</p>		
<p>Peso · Weight 8,2 Kg DIMMER INCLUDED</p>		<p>CE IP 20</p>		

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



WAN C/W

Johanna Grawunder, 2005
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

Finiture
 Finishes

bianco · white
 nero · black

Colori
 Colors

○ F9550009
 ● F9550030

€ IVA inc I incl VAT

160,00
 160,00

Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 x 2,3W G9 HSGS 460lm 2700K* [e]
 cod. [RF18863](#)

Materiali · Materials
 alluminio · aluminum

Peso · Weight 0,4 Kg



per ogni finitura sono forniti due anelli: 1 di colore verde, 1 di colore nero · two rings supplied for each finish: - green - black



WAN S

Johanna Grawunder, 2006
 Potenza · Power MAX 40W
 Tensione · Voltage 220-250V

Finiture
 Finishes

bianco · white
 nero · black

Colori
 Colors

○ F9560009
 ● F9560030

€ IVA inc I incl VAT

195,00
 195,00


Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 x 2,3W G9 HSGS 460lm 2700K* [e]
 cod. [RF18863](#)

Materiali · Materials
 alluminio · aluminum

Peso · Weight 0,6 Kg



per ogni finitura sono forniti due anelli: 1 di colore verde, 1 di colore nero · two rings supplied for each finish: - green - black



WIRERING

Formafantasma, 2018
 Potenza · Power 16W
 Tensione · Voltage 24V

Finiture
 Finishes

bianco/bianco · white/white
 bianco/grigio · white/grey
 bianco/nero · white/black
 bianco/rosa · white/pink
 bianco/oro · white/gold
 grigio/bianco · grey/white
 grigio/grigio · grey/grey
 grigio/nero · grey/black
 grigio/rosa · grey/pink
 grigio/oro · grey/gold
 rosa/bianco · pink/white
 rosa/grigio · pink/grey
 rosa/nero · pink/black
 rosa/rosa · pink/pink
 rosa/oro · pink/gold

Colori
 Colors

○ F9512009
 ● F9512020
 ● F9512030
 ● F9512034
 ● F9512044
 ● F9513009
 ● F9513020
 ● F9513030
 ● F9513034
 ● F9513044
 ● F9514009
 ● F9514020
 ● F9514030
 ● F9514034
 ● F9514044


€ IVA inc I incl VAT

695,00
 695,00
 795,00
 695,00
 810,00
 695,00
 695,00
 795,00
 695,00
 810,00
 695,00
 695,00
 795,00
 695,00
 810,00

Fonte luminosa (disponibile) ·
 Light source (available)
 LED INCLUDED
 NOT REPLACEABLE
 180 LED 16W 2700K 712lm CRI90 [i]
 DIMMABLE

Materiali · Materials
 alluminio - gomma - PC · aluminum - rubber - PC

Peso · Weight 0,945 Kg DIMMER INCLUDED



VISCONTEA

Achille and Pier Giacomo Castiglioni, 1960
 Potenza · Power MAX 100W
 Tensione · Voltage 220-250V

Finiture
 Finishes

bianco · white

Colori
 Colors

○ F8001009

€ IVA inc I incl VAT

1.520,00


Fonte luminosa (disponibile) ·
 Light source (available)
 A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE

Materiali · Materials
 cocoon, acciaio · cocoon, steel

Peso · Weight 1,7 Kg



[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source
 Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99




ZEPPELIN 1
 Marcel Wanders, 2005
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F9800009	3.650,00

☹ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 LED 21W E27 2452lm 3000K [e]
 cod. RF26998 DIMMABLE

Materiali · Materials
 cocoon, acciaio, cristallo · cocoon, steel, crystal

Peso · Weight 15 Kg



ZEPPELIN 2
 Marcel Wanders, 2005
 Potenza · Power 3 x MAX 150W
 Tensione · Voltage 220-250V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F9805009	9.850,00


☹ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 3 LED 21W E27 2452lm 3000K [e]
 cod. RF26998 DIMMABLE

Materiali · Materials
 cocoon, acciaio, cristallo · cocoon, steel, crystal

Peso · Weight 30 Kg



Prodotto su richiesta
 Made on demand




ABAJOUR'HUI SMALL
 Flos Soft Architecture

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
cartongesso · plaster	○ SA.5001.1	750,00

☹ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 x MAX 75W E27 QT-32 [e]

Materiali · Materials
 installazione su cartongesso · plaster installation

Peso · Weight 8,25 Kg



ABAJOUR'HUI LARGE
 Flos Soft Architecture

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
cartongesso · plaster	○ SA.5000.1	1.350,00

☹ A+ → E Fonte luminosa (disponibile) ·
 Light source (available)
 1 x MAX 150W E27 QT-32 [e]


Materiali · Materials
 installazione su cartongesso · plaster installation

Peso · Weight 16,25 Kg



[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - * fonte luminosa non dimmerabile · not dimmable light source

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99



SOFT SPUN SMALL FL

Flos Soft Architecture

Finiture
Finishes


cartongesso · plaster

Colori
Colors

○ SA.5004.1

€ IVA inc I incl VAT


750,00

 A
 Fonte luminosa (disponibile) ·
Light source (available)
 2 x 18W 2G11 [e] Ballast elettronico · *Electronic Ballast*

Materiali · *Materials*

installazione su cartongesso · *plaster installation*

Peso · *Weight* 8,5 Kg



SOFT SPUN SMALL HL

Flos Soft Architecture

Finiture
Finishes


cartongesso · plaster

Colori
Colors

○ SA.5005.1

€ IVA inc I incl VAT


750,00

 A+ → E
 Fonte luminosa (disponibile) ·
Light source (available)
 1 x MAX 120W R7s QT-DE-12 [e]

Materiali · *Materials*

installazione su cartongesso · *plaster installation*

Peso · *Weight* 8,5 Kg



SOFT SPUN SMALL LED

Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5006.1B

€ IVA inc I incl VAT


1.790,00

LED INCLUDED
 NOT REPLACEABLE
 Fonte luminosa (disponibile) ·
Light source (available)
 1 LED WHITE 35W 1800lm 3000K
 CRI90 [i] Driver elettronico · *Electronic Driver*

Materiali · *Materials*

installazione su cartongesso · *plaster installation*

Peso · *Weight* 8,5 Kg



SOFT SPUN LARGE FL

Flos Soft Architecture

Finiture
Finishes


cartongesso · plaster

Colori
Colors

○ SA.5008.1

€ IVA inc I incl VAT

1.550,00

 A
 Fonte luminosa (disponibile) ·
Light source (available)
 2 x 24W 2G11 TC-L (diff.) [e]
 Ballast elettr. · *Elect. Ballast*
 + 1 LED 1.4W 80lm 2700K CRI>90
 (base) [i] Driver elettronico · *Electronic Driver*

Materiali · *Materials*

installazione su cartongesso · *plaster installation*

Peso · *Weight* 17 Kg



[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

	SOFT SPUN LARGE HL Flos Soft Architecture	Finiture <i>Finishes</i> cartongesso · plaster	Colori <i>Colors</i> ○ SA.5009.1	€ IVA inc / incl VAT 1.550,00
	Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED 1 x MAX 160W R7s QT-DE (diff.) [e] + 1 NOT REPLACEABLE LED 1.4W 80lm 2700K CRI>90 (base) [i] Driver elettronico · <i>Electronic Driver</i>			

Materiali · *Materials*
 installazione su cartongesso · *plaster installation*

Peso · *Weight* 17 Kg



	SOFT SPUN LARGE LED Flos Soft Architecture	Finiture <i>Finishes</i> cartongesso · plaster	Colori <i>Colors</i> ○ SA.5007.1D	€ IVA inc / incl VAT 2.490,00
	Fonte luminosa (disponibile) · <i>Light source (available)</i> LED INCLUDED 1 LED WHITE 35W 1800lm 3000K NOT REPLACEABLE CRI90 (diff.) [i] Driver elettr. · <i>Elect. Driver</i> + 1 LED WHITE 1,4W 80lm 2700K CRI>90 (base) [i] Driver elettr. · <i>Elect. Driver</i>			

Materiali · *Materials*
 installazione su cartongesso · *plaster installation*

Peso · *Weight* 17 Kg



[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - * fonte luminosa non dimmerabile · *not dimmable light source*

Per le relative sorgenti luminose consigliate da Flos si rimanda alle specifiche tecniche a pag. 91-99 · *For the related light sources recommended by Flos please refer to the technical specifications at pages 91-99*

FONTI LUMINOSE
LIGHT SOURCES

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
265	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
265	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
2097 (1 x LAMP frosted)	RF25316	LED	220-240 V	2,7 W	E14	2700 K	150 lm	A+	> 90	56 x 26 mm	DIMM	16,00
2097 (KIT 20 LAMP frosted)	RF28889	LED	220-240 V	2,7 W	E14	2700 K	150 lm	A+	> 90	56 x 26 mm	DIMM	275,00
2097 (KIT 320 LAMP frosted)	RF28987	LED	220-240 V	2,7 W	E14	2700 K	150 lm	A+	> 90	56 x 26 mm	DIMM	450,00
2097 (1 x LAMP clear)	RF28422	LED	220-240 V	1,5 W	E14	2200 K	100 lm	A+	> 90	60 x 26 mm	DIMM	16,00
2097 (KIT 20 LAMP clear)	RF28890	LED	220-240 V	1,5 W	E14	2200 K	100 lm	A+	> 90	60 x 26 mm	DIMM	275,00
2097 (KIT 32 LAMP clear)	RF28988	LED	220-240 V	1,5 W	E14	2200 K	100 lm	A+	> 90	60 x 26 mm	DIMM	450,00
AOY	RF25570	LED	220-240 V	8 W	E27	2700 K	525 lm	A+	> 80	102 x 58 mm	DIMM	25,00
AOY	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
AOY	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ARCO	RF28663	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ARIETTE	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ARIETTE	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
BEDSIDE GUN	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
BEDSIDE GUN	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
BIAGIO	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
BIAGIO	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
BIBLIOTHEQUE NATIONALE	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
BUTTON	RF11177		---	22W	2GX13	warm white	1800 lm	A		16 x 230 mm		38,50
BUTTON	RF11178		---	40W	2GX13	warm white	3400 lm	A+		16 x 305 mm		49,00
BUTTON HL	RF28425	LED	220-240 V	3 W	G9	2700 K	290 lm	A++	> 80	40 x 16 mm	NO DIMM	13,00
BUTTON HL	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm	A++		48 x 13 mm	NO DIMM	13,00
CHASEN	RF24480	HL	230V	120W	E27	2900 K	872 lm	D	100	134 x 122 mm	DIMM	62,00
CHIARA F	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
CHIARA F	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
CHIARA T	RF26767	LED	220-240V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
CHIARA T	RF26565	LED	220-240V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
CHIARA T	RF26261	LED	220-240V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
CHIARA T	RF26260	LED	220-240V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
CHRYSALIS	RF19578	HL	12V	60W	GY6.35	3000 K	1650 lm	B	100	44 x 12 mm	DIMM	10,00
CHRYSALIS	RF20767		---	80W	G5	2700 K	6450 lm	A	> 80	1450 x 16 mm		18,00
FANTASMA	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
FANTASMA	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
FANTASMA PICCOLO	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
FANTASMA PICCOLO	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
FOGLIO	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
FOGLIO	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
FRISBI	RF25314	LED	220-240 V	8 W	E27	2700 K	740 lm	A+	> 80	112 x 80 mm		33,50
FUCSIA	RF25318	LED	220-240 V	4 W	E14	2700 K	360 lm	A+	> 80	88 x 50 mm	NO DIMM	13,00
GATTO	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
GATTO	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
GATTO PICCOLO	RF26767	LED	220-240V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GATTO PICCOLO	RF26565	LED	220-240V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GATTO PICCOLO	RF26261	LED	220-240V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GATTO PICCOLO	RF26260	LED	220-240V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL BASIC 1	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL BASIC 1	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL BASIC 2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL BASIC 2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
GLO-BALL BASIC 2	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
GLO-BALL BASIC 2	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
GLO-BALL BASIC ZERO DIM	RF26767	LED	220-240V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL BASIC ZERO DIM	RF26565	LED	220-240V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL BASIC ZERO DIM	RF26261	LED	220-240V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL BASIC ZERO DIM	RF26260	LED	220-240V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL BASIC ZERO SWITCH	RF26767	LED	220-240V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL BASIC ZERO SWITCH	RF26565	LED	220-240V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL BASIC ZERO SWITCH	RF26261	LED	220-240V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL BASIC ZERO SWITCH	RF26260	LED	220-240V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL C/W ZERO	RF26767	LED	220-240V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL C/W ZERO	RF26565	LED	220-240V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL C/W ZERO	RF26261	LED	220-240V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL C/W ZERO	RF26260	LED	220-240V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
GLO-BALL C1	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL C1	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL C2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL C2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL C2	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
GLO-BALL C2	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
GLO-BALL F1	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL F1	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL F2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL F2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL F3	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
GLO-BALL F3	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL F3	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
GLO-BALL F3	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
GLO-BALL S1	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL S1	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL S2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL S2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL S2	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
GLO-BALL S2	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
GLO-BALL T1	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL T1	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
GLO-BALL W	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
GLO-BALL W	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
IC C/W1	RF26767	LED	220-240 V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC C/W1	RF26565	LED	220-240 V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC C/W1	RF26261	LED	220-240 V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC C/W1	RF26260	LED	220-240 V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC C/W1 DOUBLE	RF26767	LED	220-240 V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC C/W1 DOUBLE	RF26565	LED	220-240 V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC C/W1 DOUBLE	RF26261	LED	220-240 V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC C/W1 DOUBLE	RF26260	LED	220-240 V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC C/W2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC C/W2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC C/W2	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
IC C/W2	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
IC C/W2 DOUBLE	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC C/W2 DOUBLE	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC C/W2 DOUBLE	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
IC C/W2 DOUBLE	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
IC F1	RF26767	LED	220-240 V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC F1	RF26565	LED	220-240 V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC F1	RF26261	LED	220-240 V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC F1	RF26260	LED	220-240 V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC F2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC F2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC F2	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
IC F2	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
IC S1	RF26767	LED	220-240 V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC S1	RF26565	LED	220-240 V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC S1	RF26261	LED	220-240 V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC S1	RF26260	LED	220-240 V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC S2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC S2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC S2	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
IC S2	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
IC T1 high / low	RF26767	LED	220-240 V	8 W	E14	2700 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC T1 high / low	RF26565	LED	220-240 V	8 W	E14	3000 K	700 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC T1 high / low	RF26261	LED	220-240 V	10 W	E14	2700 K	800 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC T1 high / low	RF26260	LED	220-240 V	10 W	E14	3000 K	900 lm	A+	> 80	110 x 28 mm	DIMM	32,00
IC T2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
IC T2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
IC T2	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
IC T2	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
KTRIBE F1	RF28800	LED	220-240 V	8,5 W	E27	2200-2700K	806 lm	A+	90	110 x 60 mm	DIMM	19,00
KTRIBE F1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
KTRIBE F1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
KTRIBE F2	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
KTRIBE F3	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
KTRIBE S1	RF28425	LED	220-240 V	3 W	G9	2700 K	965 lm	A++	> 80	40 x 16 mm	NO DIMM	13,00
KTRIBE S1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm	A++	> 80	48 x 13 mm	NO DIMM	13,00
KTRIBE S2	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
KTRIBE S3	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
KTRIBE T1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
KTRIBE T1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
KTRIBE T2	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
KTRIBE T2	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
KTRIBE W	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
KTRIBE W	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
LAMPADINA	RF24054	LED	220-240 V	2 W	E27	2700 K	200 lm	A++	> 80	175 x 125 mm	NO DIMM	25,00
LOUNGE GUN	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
LOUNGE GUN	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
LUMINATOR	RF28664	LED	220-240 V	12 W	E27	2700 K	1000 lm	A+	> 80	175 x 125 mm	DIMM	45,01
LUMINATOR	RF26277	LED	220-240 V	8 W	E27	2700 K	660 lm	A+	> 80	175 x 125 mm	DIMM	38,00
MAYDAY	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
MAYDAY	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
MAYDAY	RF28800	LED	220-240 V	8,5 W	E27	2200-2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
MINI BUTTON	RF28425	LED	220-240 V	3 W	G9	2700 K	290 lm	A++	> 80	40 x 16 mm	NO DIMM	13,00
MINI BUTTON	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm	A++		48 x 13 mm	NO DIMM	13,00
MINI GLO-BALL C/W	RF28425	LED	220-240 V	3 W	G9	2700 K	290 lm	A++	> 80	40 x 16 mm	NO DIMM	13,00
MINI GLO-BALL C/W	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm	A++		48 x 13 mm	NO DIMM	13,00
MINI GLO-BALL S	RF28425	LED	220-240 V	3 W	G9	2700 K	290 lm	A++	> 80	40 x 16 mm	NO DIMM	13,00
MINI GLO-BALL S	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm	A++		48 x 13 mm	NO DIMM	13,00
MINI GLO-BALL T (NO DIM)	RF28425	LED	220-240 V	3 W	G9	2700 K	290 lm	A++	> 80	40 x 16 mm	NO DIMM	13,00
MINI GLO-BALL T (NO DIM)	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm	A++		48 x 13 mm	NO DIMM	13,00
MISS K	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
MISS K	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
MISS SISSI	RF25316	LED	220-240 V	2,7 W	E14	2700 K	150 lm	A+	> 90	56 x 26 mm	DIMM	16,00
NEBULA (SOPRA)	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
NEBULA (SOPRA)	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
NEBULA (SOTTO)	RF25570	LED	220-240 V	8 W	E27	2700 K	525 lm	A+	> 80	102 x 58 mm	DIMM	25,00
NEBULA KIT 12 LAMP. LED	RF4551000	LED	220-240 V	96 W	E27	2700 K		A+		--		300,00
ONTHEROCKS HL	RF20131	HL	230 V	160W	R7s	2900 K	3100 lm	C		14 x 118 mm	DIMM	8,00
OVERLAP	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
OVERLAP	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
PARENTESI	RF28664	LED	220-240 V	12 W	E27	2700 K	1000 lm	A+	> 80	175 x 125 mm	DIMM	45,01
PARENTESI	RF26277	LED	220-240 V	8 W	E27	2700 K	660 lm	A+	> 80	175 x 125 mm	DIMM	38,00
PARENTESI / D	RF25319	LED	220-240 V	8 W	E27	2700 K	750 lm	A+	> 80	175 x 125 mm	DIMM	38,00
PARENTESI / D	RF26277	LED	220-240 V	8 W	E27	2700 K	660 lm	A+	> 80	175 x 125 mm	DIMM	38,00
RAY F1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
RAY F1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00

FITTINGS	ITEM NBR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
RAY F2	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
RAY F2 SWITCH	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
RAY S	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
RAY T	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
RAY T	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO BABE	RF18863	HL	220-240 V	33 W	G9	2700 K	460 lm	D	100	43 x 14 mm	DIMM	6,50
ROMEO BABE	RF18863	HL	220-240 V	33 W	G9	2700 K	460 lm	D	100	43 x 14 mm	DIMM	6,50
ROMEO MOON F	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO MOON F	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO MOON S1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO MOON S1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO MOON S2	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO MOON S2	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO MOON T1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO MOON T1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO SOFT F	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO SOFT F	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO SOFT S1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO SOFT S1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO SOFT S2	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO SOFT S2	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO SOFT T1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROMEO SOFT T1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROSY ANGELIS	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
ROSY ANGELIS	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
SKYGARDEN 1	RF28367	LED	200-240 V	15W	E27	3000 K	1515 lm	A+		137,5 x 45 mm	NO DIMM	8,00
SKYGARDEN 1	RF29388	LED	220-240 V	20 W	E27	2700 K	2300 lm	A+	> 80	140 x 46 mm	DIMM	58,00
SKYGARDEN 2	RF28367	LED	200-240 V	15W	E27	3000 K	1515 lm	A+		137,5 x 45 mm	NO DIMM	8,00
SKYGARDEN 2	RF29388	LED	220-240 V	20 W	E27	2700 K	2300 lm	A+	> 80	140 x 46 mm	DIMM	58,00
SKYGARDEN RCS (G9)	RF28425	LED	220-240 V	3 W	G9	2700 K	290 lm	A++	> 80	40 x 16 mm	NO DIMM	13,00
SKYGARDEN RCS (G9)	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm	A++		48 x 13 mm	NO DIMM	13,00
SKYGARDEN RCS (GY6)	RF19578	HL	12V	60W	GY6.35	3000 K	1650 lm	B	100	44 x 12 mm	DIMM	10,00
SMITHFIELD C	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
SMITHFIELD C	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
SMITHFIELD C	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
SMITHFIELD C	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
SMITHFIELD C	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
SMITHFIELD C	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
SMITHFIELD S	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
SMITHFIELD S	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
SMITHFIELD S	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
SMITHFIELD S	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
SMITHFIELD S	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm	A+	> 80	180 x 38 mm	DIMM	53,00
SMITHFIELD S	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm	A+	> 80	180 x 38 mm	DIMM	53,00
SNOOPY	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
SNOOPY	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
SPLUGEN BRAU	RF28663	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
SPUN LIGHT F	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
SPUN LIGHT T1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
SPUN LIGHT T2	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00

FITTINGS	ITEM NR.	LED HL	V	W	SOCKET	°K	lm	Energy Class	CRI	Dimension	DIMM	UNIT PRICE € INCL.VAT
STYLOS SOPRA	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
STYLOS SOTTO	RF24480	HL	230V	120W	E27	2700 K	872 lm	D	100	134 x 122 mm	DIMM	62,00
SUPERARCHIMOOD	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
TABLE GUN	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
TABLE GUN	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
TARAXACUM 88	RF24894	LED	180-260 V	3 W	E27	2500 K	170 lm	A+	> 85	126 x 180 mm	DIMM	19,50
TARAXACUM 88 (KIT x 15 LAMP)	RF27119	LED	180-260 V	3 W	E27	2500 K	170 lm	A+	> 85	126 x 180 mm	DIMM	278,00
TARAXACUM COCOON S	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
TARAXACUM COCOON S	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
TATOU F	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
TATOU S1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
TATOU S1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
TATOU S2	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
TATOU T1	RF29186	LED	220-240 V	10 W	E27	3000 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
TATOU T1	RF28782	LED	220-240 V	10 W	E27	2700 K	965 lm	A+	> 80	130 x 70 mm	DIMM	28,00
TILEE	RF28425	LED	220-240 V	3 W	G9	2700 K	290 lm	A++	> 80	40 x 16 mm	NO DIMM	13,00
TILEE	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm	A++		48 x 13 mm	NO DIMM	13,00
TOIO	RF17899	HL	240-250V	300W	GX16d	3000 K	3600 lm (12lm/W)	D		177,8 x 127 mm	DIMM	45,01
TOIO	RF27690	LED	220-240 V	23W	GX16d	3000 K	1600 lm	A+	> 80	176 x 112 mm	DIMM	225,00
VISCONTEA	RF28665	LED	220-240 V	15 W	E27	2700 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
VISCONTEA	RF28666	LED	220-240 V	15 W	E27	3000 K	2000 lm	A+	> 80	150 x 38 mm	DIMM	51,00
WAN	RF18863	HL		33 W	G9	2700 K	460 lm	D	100	43 x 14 mm	DIMM	6,50
ZEPELIN 1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00
ZEPELIN 2	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm	A+	> 80	133 x 65 mm	DIMM	34,00

CLASSIFICAZIONE E MARCHI DI CERTIFICAZIONE · CLASSIFICATION & HOMOLOGATIONS

Classi di isolamento delle lampade · *Luminaires classification*



Classe I: lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore sistema di sicurezza che consiste nel collegamento dei componenti conduttivi accessibili a un conduttore di sicurezza (messa a terra) facente parte dell'impianto elettrico fisso · *Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)*



Classe II: Lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore misura di sicurezza che consiste in un doppio isolamento rinforzato senza dispositivi per la messa a terra · *Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)*



Classe III: Lampada la cui protezione contro la scarica elettrica si basa su un sistema a bassissima tensione, che non viene mai superata. Una lampada di Classe III non deve mai essere fornita con la messa a terra · *Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing*

Omologazioni · *Homologations*



Tutte le lampade prodotte e presentate in questo programma sono state realizzate in conformità con la Norma Europea EN 60 598 e sono pertanto conformi ai requisiti definiti nella Direttiva CEE 73/23 (Direttiva di Bassa Tensione). La loro realizzazione garantisce anche la conformità alla Direttiva 89/336 per quanto concerne la Compatibilità Elettromagnetica. Tutti i prodotti rientranti nel campo di applicazione delle suddette Direttive riportano la marcatura CE, che ne attesta la conformità ai relativi requisiti · *All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements*



La presenza del marchio ENEC sul prodotto conferma l'adempimento della Normativa Europea e garantisce l'affidabilità del sistema organizzativo e produttivo responsabile della fabbricazione del prodotto, attraverso un ente di certificazione accreditato. Il marchio ENEC conferma il nostro impegno ed è la migliore garanzia in tema di sicurezza e qualità di tutti i nostri prodotti · *The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products*



L'Associazione Spagnola di Normalizzazione e Certificazione AENOR certifica che il Sistema di garanzia di qualità adottato dalla Antares Iluminación S. A. soddisfa i requisiti della Norma Europea EN ISO 9001: Sistema di Qualità. · *The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.*

GRADO DI PROTEZIONE · DEGREE OF PROTECTION

<hr/> IP <hr/> 20	<p>Indice di protezione contro la penetrazione di corpi solidi e di liquidi · <i>Protection degree offered by the fixture to the ingress of solids and liquids</i></p>
<hr/> IP <hr/> 20	<p>1a cifra, protezione contro la penetrazione dei corpi solidi: 0 Nessuna protezione - 1 Protezione contro i corpi solidi di dimensioni superiori a 50mm - 2 Protezione contro i corpi solidi di dimensioni superiori a 12mm - 3 Protezione contro i corpi solidi di dimensioni superiori a 2,5mm - 4 Protezione contro i corpi solidi di dimensioni superiori a 1mm - 5 Protezione contro la polvere - 6 Totalmente protetto contro la polvere · <i>1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust</i></p>
<hr/> IP <hr/> 20	<p>2a cifra, protezione contro l'infiltrazione di acqua: 0 Nessuna protezione - 1 Protezione contro la caduta in verticale di gocce d'acqua - 2 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 15° - 3 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 60° - 4 Protezione contro gli spruzzi d'acqua - 5 Protezione contro i getti d'acqua - 6 Protezione contro le ondate d'acqua - 7 Protezione contro l'immersione - 8 Protezione contro l'immersione prolungata · <i>2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falling vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersion - 8 Protected against long term immersion</i></p>
<p>Simbologia - <i>Pictography</i></p>	
	<p>Apparecchio idoneo per essere installato su superfici normalmente infiammabili · <i>Luminaire with builtin power packs or transformers, suitable for mounting directly onto normally inflammable surfaces</i></p>
	<p>Distanza minima dagli oggetti illuminati · <i>Minimum distance from illuminated objects</i></p>

In conformità con quanto previsto dal Regolamento 874/2012/EU, integrazione della Direttiva 2010/30/UE e relativo all'etichettatura indicante il consumo d'energia delle lampade elettriche e la compatibilità degli apparecchi di illuminazione con le diverse fonti luminose (integrate o con questi compatibili), Flos S.p.A. ha inserito le etichette richieste, in formato elettronico, sul proprio sito (www.flos.com) nell'area relativa ai prodotti. Le modalità per scaricare le etichette, nelle diverse lingue previste a livello comunitario, sono le seguenti: • Selezionare la collezione/il prodotto di interesse (per esempio <http://www.flos.com/decorative/en/products/floor/Arco>) • Cliccare "Vedi scheda tecnica" • Cliccare "Print Energy Label" • Selezionare la lingua e stampare l'etichetta · *In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/UE concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website (www.flos.com) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/product you are interested in (for ex: <http://www.flos.com/decorative/en/products/floor/Arco>) • Click on "see specs sheet" • Click on "Print Energy Label" • Select the language and print the label*

CONDIZIONI GENERALI

Il presente listino sostituisce ed annulla qualsiasi versione precedente.

Flos S.p.A. si riserva il diritto in qualsiasi momento e senza preavviso di eliminare prodotti dalla collezione e di apportare agli stessi variazioni di prezzo o modifiche derivanti da esigenze di carattere tecnico e/o commerciale.

Non si riconosce l'annullamento di ordini regolarmente conferiti.

Non si accettano reclami dopo otto giorni dal ricevimento della merce.

Non si accettano restituzioni se non preventivamente autorizzate. Qualora autorizzate, le spese di trasporto per la restituzione a Flos S.p.A. sono a carico dell'acquirente.

Saranno applicati i termini della garanzia secondo l'attuale regolamentazione europea.

Ogni impegno è assunto salvo i casi di forza maggiore.

Per ogni controversia è competente il foro di Brescia e sarà valida la legge italiana.

GENERAL CONDITIONS

The present price list nullifies and replaces any previous version.

Flos S.p.A. reserves the right to remove products from its collection at any time and without prior notice, as well as adjust the price or apply modifications deriving from technical and/or commercial needs.

The cancellation of duly processed orders is not allowed.

Complaints will not be accepted more than eight days after receipt of merchandise.

Returns are not accepted unless previously authorized. When authorized, shipping costs for returns to Flos S.p.A. will be covered by the purchaser.

The terms of the guarantee will be applied according to current European regulations.

Every effort will be made save in extenuating circumstances.

Any disputes fall under the jurisdiction of the Court of Brescia, and Italian law applies.

NOTE

Imballo compreso nel prezzo.

Resa: secondo le normali condizioni in uso con Flos S.p.A.

Consegna a domicilio: esclusa dal prezzo.

Posa in opera: esclusa dal prezzo. I nostri rivenditori autorizzati sono in condizione di definire preventivamente il costo della posa in opera.

I prezzi indicati sono da intendersi come consigliati al pubblico e sono espressi in Euro, Iva inclusa.

NOTES

Packaging is included in the price.

Returns: according to the usual conditions used with Flos S.p.A.

Home delivery: excluded from the price.

Installation: excluded from the price. Our authorized retailers are able to provide quotes for installation costs.

The prices indicated are recommended for the public and are expressed in euros, VAT included.

Le lampade dei seguenti prodotti, indicate come incluse, sono fornite separatamente (in imballi separati e con specifici codici RF).

Di seguito la classe delle lampade fornite per gli specifici prodotti:

CHASEN: Classe D+ A+
CHRYSALIS: Classe B + A
STYLOS: Classe D
TOIO: Classe D
LAMPADINA: Classe A++
2097: Classe A+
CHIARA F A+

The light bulbs for the following products, which are included, are supplied separately (in separate packaging and with specific RF codes).

Outlined below is the class of the light bulbs for each specific product:

CHASEN: Classe D+ A+
CHRYSALIS: Classe B + A
STYLOS: Classe D
TOIO: Classe D
LAMPADINA: Classe A++
2097: Classe A+
CHIARA F A+

FLOS SPA
Via Angelo Faini, 2 - 25073 Bovezzo (Brescia)
Tel. 030 2438.1 - www.flos.com

LISTINO PREZZI CONSIGLIATI EUROPA LUGLIO 2020 - EUROPE RECOMMENDED PRICE LIST JULY 2020 • **COD 999006592**

Flos si riserva il diritto di apportare ai propri modelli, senza alcun preavviso, qualsiasi modifica ritenesse opportuna.
Flos reserves the right to introduce any changes to its own models, without prior notice.

